

Network Working Group  
Internet-Draft  
Updates: [5246](#), [6347](#) (if approved)  
Intended status: Standards Track  
Expires: December 13, 2015

A. Langley  
W. Chang  
Google Inc  
N. Mavrogiannopoulos  
Red Hat  
J. Strombergson  
Secworks Sweden AB  
S. Josefsson  
SJD AB  
June 11, 2015

The ChaCha20-Poly1305 AEAD Cipher for Transport Layer Security  
draft-ietf-tls-chacha20-poly1305-00

## Abstract

This document describes the use of the ChaCha stream cipher with Poly1305 in Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) protocols.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on December 13, 2015.

## Copyright Notice

Copyright (c) 2015 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect

Internet-Draft

chacha-tls

June 2015

to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">2</a>
<a href="#">2.</a>	The ChaCha Cipher . . . . .	<a href="#">3</a>
<a href="#">3.</a>	The Poly1305 Authenticator . . . . .	<a href="#">3</a>
<a href="#">4.</a>	ChaCha20 Cipher Suites . . . . .	<a href="#">3</a>
<a href="#">4.1.</a>	ChaCha20 Cipher Suites with Poly1305 . . . . .	<a href="#">4</a>
<a href="#">5.</a>	Acknowledgements . . . . .	<a href="#">4</a>
<a href="#">6.</a>	IANA Considerations . . . . .	<a href="#">4</a>
<a href="#">7.</a>	Security Considerations . . . . .	<a href="#">5</a>
<a href="#">8.</a>	References . . . . .	<a href="#">5</a>
<a href="#">8.1.</a>	Normative References . . . . .	<a href="#">5</a>
<a href="#">8.2.</a>	Informative References . . . . .	<a href="#">6</a>
	Authors' Addresses . . . . .	<a href="#">7</a>

## [1.](#) Introduction

This document describes the use of the ChaCha stream cipher in the Transport Layer Security (TLS) version 1.2 [[RFC5246](#)] protocol, as well as in the Datagram Transport Layer Security (DTLS) version 1.2 [[RFC6347](#)], or any later versions.

ChaCha [[CHACHA](#)] is a stream cipher that has been designed for high performance in software implementations. The cipher has compact implementation and uses few resources and inexpensive operations that makes it suitable for implementation on a wide range of architectures. It has been designed to prevent leakage of information through side channel analysis, has a simple and fast key setup and provides good overall performance. It is a variant of Salsa20 [[SALSA20SPEC](#)] which is one of the selected ciphers in the eSTREAM portfolio [[ESTREAM](#)].

Recent attacks [[CBC-ATTACK](#)] have indicated problems with CBC-mode cipher suites in TLS and DTLS as well as issues with the only supported stream cipher (RC4) [[RC4-ATTACK](#)]. While the existing AEAD (AES-GCM) ciphersuites address some of these issues, concerns about the performance and ease of software implementation are sometimes raised.

Therefore, a new stream cipher to replace RC4 and address all the previous issues is needed. It is the purpose of this document to describe a secure stream cipher for both TLS and DTLS that is comparable to RC4 in speed on a wide range of platforms and can be

implemented easily without being vulnerable to software side-channel attacks.

## [2.](#) The ChaCha Cipher

ChaCha [[CHACHA](#)] is a stream cipher developed by D. J. Bernstein in 2008. It is a refinement of Salsa20 and was used as the core of the SHA-3 finalist, BLAKE.

The variant of ChaCha used in this document is ChaCha with 20 rounds, a 96-bit nonce and a 256 bit key, which will be referred to as ChaCha20 in the rest of this document. This is the conservative variant (with respect to security) of the ChaCha family and is described in [[RFC7539](#)].

## [3.](#) The Poly1305 Authenticator

Poly1305 [[POLY1305](#)] is a Wegman-Carter, one-time authenticator designed by D. J. Bernstein. Poly1305 takes a 32-byte, one-time key and a message and produces a 16-byte tag that authenticates the message such that an attacker has a negligible chance of producing a valid tag for an inauthentic message. It is described in [[RFC7539](#)].

## [4.](#) ChaCha20 Cipher Suites

In the next sections different ciphersuites are defined that utilize the ChaCha20 cipher combined with various message authentication methods.

In all cases, the ChaCha20 cipher, as in [[RFC7539](#)], uses a 96-bit nonce. That nonce is updated on the encryption of every TLS record, and is formed as follows.

```
struct {  
    opaque salt[4];  
    opaque record_counter[8];
```

```
} ChaChaNonce;
```

The salt is generated as part of the handshake process. It is either the `client_write_IV` (when the client is sending) or the `server_write_IV` (when the server is sending). The salt length (`SecurityParameters.fixed_iv_length`) is 4 bytes. The `record_counter` is the 64-bit TLS record sequence number in network byte order. In case of DTLS the `record_counter` is formed as the concatenation of the 16-bit epoch with the 48-bit sequence number.

In both TLS and DTLS the ChaChaNonce is implicit and not sent as part of the packet.

The pseudorandom function (PRF) for TLS 1.2 is the TLS PRF with SHA-256 as the hash function.

The DHE\_RSA, ECDHE\_RSA, ECDHE\_ECDSA, PSK, ECDHE\_PSK key exchanges are performed as defined in [[RFC5246](#)], [[RFC4492](#)], and [[RFC5489](#)].

#### [4.1](#). ChaCha20 Cipher Suites with Poly1305

The ChaCha20 and Poly1305 primitives are built into an AEAD algorithm [[RFC5116](#)], `AEAD_CHACHA20_POLY1305`, described in [[RFC7539](#)]. It takes as input a 256-bit key and a 96-bit nonce, and outputs the ciphertext and an 128-bit tag.

When used in TLS, the `record_iv_length` is zero and the nonce is set to be the ChaChaNonce. The additional data is `seq_num + TLSCompressed.type + TLSCompressed.version + TLSCompressed.length`, where "+" denotes concatenation. The output tag is appended to the ciphertext.

The following CipherSuites are defined.

```
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305 = {0xTBD, 0xTBD} {0xCC, 0xA1}
TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305 = {0xTBD, 0xTBD} {0xCC, 0xA2}
TLS_DHE_RSA_WITH_CHACHA20_POLY1305     = {0xTBD, 0xTBD} {0xCC, 0xA3}

TLS_PSK_WITH_CHACHA20_POLY1305        = {0xTBD, 0xTBD} {0xCC, 0xA5}
TLS_ECDHE_PSK_WITH_CHACHA20_POLY1305  = {0xTBD, 0xTBD} {0xCC, 0xA6}
```

## [5](#). Acknowledgements

The authors would like to thank Zooko Wilcox-OHearn and Samuel Neves.

## 6. IANA Considerations

IANA is requested to assign the following Cipher Suites in the TLS Cipher Suite Registry:

TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305	=	{0xTBD, 0xTBD}	{0xCC, 0xA1}
TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305	=	{0xTBD, 0xTBD}	{0xCC, 0xA2}
TLS_DHE_RSA_WITH_CHACHA20_POLY1305	=	{0xTBD, 0xTBD}	{0xCC, 0xA3}
TLS_PSK_WITH_CHACHA20_POLY1305	=	{0xTBD, 0xTBD}	{0xCC, 0xA5}
TLS_ECDHE_PSK_WITH_CHACHA20_POLY1305	=	{0xTBD, 0xTBD}	{0xCC, 0xA6}

The ciphersuite numbers listed on the last column are numbers used for ciphersuite interoperability testing, and are the suggested to IANA to assign.

## 7. Security Considerations

ChaCha20 follows the same basic principle as Salsa20, a cipher with significant security review [[SALSA20-SECURITY](#)][ESTREAM]. At the time of writing this document, there are no known significant security problems with either cipher, and ChaCha20 is shown to be more resistant in certain attacks than Salsa20 [[SALSA20-ATTACK](#)]. Furthermore ChaCha20 was used as the core of the BLAKE hash function, a SHA3 finalist, that had received considerable cryptanalytic attention [[NIST-SHA3](#)].

Poly1305 is designed to ensure that forged messages are rejected with a probability of  $1-(n/2^{102})$  for a  $16*n$  byte message, even after sending  $2^{64}$  legitimate messages.

The cipher suites described in this document require that a nonce is never repeated under the same key. The design presented ensures that by using the TLS sequence number which is unique and does not wrap [[RFC5246](#)].

This document should not introduce any other security considerations than those that directly follow from the use of the stream cipher

ChaCha20, the AEAD\_CHACHA20\_POLY1305 construction, (see also the Security Considerations section of [[RFC7539](#)]).

## [8.](#) References

### [8.1.](#) Normative References

- [RFC4492] Blake-Wilson, S., Bolyard, N., Gupta, V., Hawk, C., and B. Moeller, "Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS)", [RFC 4492](#), May 2006.
- [RFC5246] Dierks, T. and E. Rescorla, "The Transport Layer Security (TLS) Protocol Version 1.2", [RFC 5246](#), August 2008.
- [RFC5489] Badra, M. and I. Hajjeh, "ECDHE\_PSK Cipher Suites for Transport Layer Security (TLS)", [RFC 5489](#), March 2009.
- [RFC6347] Rescorla, E. and N. Modadugu, "Datagram Transport Layer Security Version 1.2", [RFC 6347](#), January 2012.
- [RFC7539] Nir, Y. and A. Langley, "ChaCha20 and Poly1305 for IETF Protocols", [RFC 7539](#), May 2015.

Langley, et al.

Expires December 13, 2015

[Page 5]

---

Internet-Draft

chacha-tls

June 2015

### [8.2.](#) Informative References

- [CHACHA] Bernstein, D., "ChaCha, a variant of Salsa20", January 2008, <<http://cr.yp.to/chacha/chacha-20080128.pdf>>.
- [POLY1305] Bernstein, D., "The Poly1305-AES message-authentication code.", March 2005, <<http://cr.yp.to/mac/poly1305-20050329.pdf>>.
- [RFC5116] McGrew, D., "An Interface and Algorithms for Authenticated Encryption", [RFC 5116](#), January 2008.
- [SALSA20SPEC] Bernstein, D., "Salsa20 specification", April 2005,

<http://cr.yp.to/snuffle/spec.pdf>>.

[SALSA20-SECURITY]

Bernstein, D., "Salsa20 security", April 2005,  
<http://cr.yp.to/snuffle/security.pdf>>.

[ESTREAM]

Babbage, S., DeCanniere, C., Cantenaut, A., Cid, C.,  
Gilbert, H., Johansson, T., Parker, M., Preneel, B.,  
Rijmen, V., and M. Robshaw, "The eSTREAM Portfolio (rev.  
1)", September 2008,  
<http://www.ecrypt.eu.org/stream/finallist.html>>.

[CBC-ATTACK]

AlFardan, N. and K. Paterson, "Lucky Thirteen: Breaking  
the TLS and DTLS Record Protocols", IEEE Symposium on  
Security and Privacy , 2013.

[RC4-ATTACK]

Isobe, T., Ohigashi, T., Watanabe, Y., and M. Morii, "Full  
Plaintext Recovery Attack on Broadcast RC4", International  
Workshop on Fast Software Encryption , 2013.

[SALSA20-ATTACK]

Aumasson, J-P., Fischer, S., Khazaei, S., Meier, W., and  
C. Rechberger, "New Features of Latin Dances: Analysis of  
Salsa, ChaCha, and Rumba", 2007,  
<http://eprint.iacr.org/2007/472.pdf>>.

[NIST-SHA3]

Chang, S., Burr, W., Kelsey, J., Paul, S., and L. Bassham,  
"Third-Round Report of the SHA-3 Cryptographic Hash  
Algorithm Competition", 2012,  
<http://dx.doi.org/10.6028/NIST.IR.7896>>.

Authors' Addresses

Adam Langley  
Google Inc

Email: [agl@google.com](mailto:agl@google.com)

Wan-Teh Chang  
Google Inc

Email: [wtc@google.com](mailto:wtc@google.com)

Nikos Mavrogiannopoulos  
Red Hat

Email: [nmav@redhat.com](mailto:nmav@redhat.com)

Joachim Strombergson  
Secworks Sweden AB

Email: [joachim@secworks.se](mailto:joachim@secworks.se)  
URI: <http://secworks.se/>

Simon Josefsson  
SJD AB

Email: [simon@josefsson.org](mailto:simon@josefsson.org)  
URI: <http://josefsson.org/>