

Network Working Group
Internet-Draft
Intended status: Informational
Expires: 15 July 2022

D. Stebila
University of Waterloo
S. Fluhrer
Cisco Systems
S. Gueron
U. Haifa, Amazon Web Services
11 January 2022

Hybrid key exchange in TLS 1.3
draft-ietf-tls-hybrid-design-04

Abstract

Hybrid key exchange refers to using multiple key exchange algorithms simultaneously and combining the result with the goal of providing security even if all but one of the component algorithms is broken. It is motivated by transition to post-quantum cryptography. This document provides a construction for hybrid key exchange in the Transport Layer Security (TLS) protocol version 1.3.

Discussion of this work is encouraged to happen on the TLS IETF mailing list tls@ietf.org or on the GitHub repository which contains the draft: <https://github.com/dstebila/draft-ietf-tls-hybrid-design>.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 15 July 2022.

Copyright Notice

Copyright (c) 2022 IETF Trust and the persons identified as the document authors. All rights reserved.

Internet-Draft

ietf-tls-hybrid-design

January 2022

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Revised BSD License.

Table of Contents

1.	Introduction	2
1.1.	Revision history	2
1.2.	Terminology	4
1.3.	Motivation for use of hybrid key exchange	5
1.4.	Scope	6
1.5.	Goals	6
2.	Key encapsulation mechanisms	7
3.	Construction for hybrid key exchange	8
3.1.	Negotiation	8
3.2.	Transmitting public keys and ciphertexts	9
3.3.	Shared secret calculation	11
4.	Discussion	12
5.	IANA Considerations	12
6.	Security Considerations	13
7.	Acknowledgements	14
8.	References	14
8.1.	Normative References	14
8.2.	Informative References	14
Appendix A.	Related work	19
	Authors' Addresses	20

[1.](#) Introduction

This document gives a construction for hybrid key exchange in TLS 1.3. The overall design approach is a simple, "concatenation"-based approach: each hybrid key exchange combination should be viewed as a single new key exchange method, negotiated and transmitted using the existing TLS 1.3 mechanisms.

This document does not propose specific post-quantum mechanisms; see [Section 1.4](#) for more on the scope of this document.

1.1. Revision history

RFC Editor's Note: Please remove this section prior to publication of a final version of this document.

Stebila, et al.

Expires 15 July 2022

[Page 2]

Internet-Draft

ietf-tls-hybrid-design

January 2022

Earlier versions of this document categorized various design decisions one could make when implementing hybrid key exchange in TLS 1.3.

- * Since [draft-ietf-tls-hybrid-design-03](#):
 - Some wording changes
 - Remove design considerations appendix
- * [draft-ietf-tls-hybrid-design-03](#):
 - Remove specific code point examples and requested codepoint range for hybrid private use
 - Change "Open questions" to "Discussion"
 - Some wording changes
- * [draft-ietf-tls-hybrid-design-02](#):
 - Bump to version -02 to avoid expiry
- * [draft-ietf-tls-hybrid-design-01](#):
 - Forbid variable-length secret keys
 - Use fixed-length KEM public keys/ciphertexts
- * [draft-ietf-tls-hybrid-design-00](#):
 - Allow `key_exchange` values from the same algorithm to be reused across multiple `KeyShareEntry` records in the same `ClientHello`.
- * [draft-stebila-tls-hybrid-design-03](#):

- Add requirement for KEMs to provide protection against key reuse.
- Clarify FIPS-compliance of shared secret concatenation method.
- * [draft-stebila-tls-hybrid-design-02](#):
 - Design considerations from [draft-stebila-tls-hybrid-design-00](#) and [draft-stebila-tls-hybrid-design-01](#) are moved to the appendix.
 - A single construction is given in the main body.

Stebila, et al.

Expires 15 July 2022

[Page 3]

Internet-Draft

ietf-tls-hybrid-design

January 2022

- * [draft-stebila-tls-hybrid-design-01](#):
 - Add (Comb-KDF-1) and (Comb-KDF-2) options.
 - Add two candidate instantiations.
- * [draft-stebila-tls-hybrid-design-00](#): Initial version.

[1.2](#). Terminology

For the purposes of this document, it is helpful to be able to divide cryptographic algorithms into two classes:

- * "Traditional" algorithms: Algorithms which are widely deployed today, but which may be deprecated in the future. In the context of TLS 1.3 in 2019, examples of traditional key exchange algorithms include elliptic curve Diffie-Hellman using secp256r1 or x25519, or finite-field Diffie-Hellman.
- * "Next-generation" (or "next-gen") algorithms: Algorithms which are not yet widely deployed, but which may eventually be widely deployed. An additional facet of these algorithms may be that we have less confidence in their security due to them being relatively new or less studied. This includes "post-quantum" algorithms.

"Hybrid" key exchange, in this context, means the use of two (or more) key exchange algorithms based on different cryptographic assumptions, e.g., one traditional algorithm and one next-gen

algorithm, with the purpose of the final session key being secure as long as at least one of the component key exchange algorithms remains unbroken. We use the term "component" algorithms to refer to the algorithms combined in a hybrid key exchange.

We note that some authors prefer the phrase "composite" to refer to the use of multiple algorithms, to distinguish from "hybrid public key encryption" in which a key encapsulation mechanism and data encapsulation mechanism are combined to create public key encryption.

The primary motivation of this document is preparing for post-quantum algorithms. However, it is possible that public key cryptography based on alternative mathematical constructions will be required independent of the advent of a quantum computer, for example because of a cryptanalytic breakthrough. As such we opt for the more generic term "next-generation" algorithms rather than exclusively "post-quantum" algorithms.

Note that TLS 1.3 uses the phrase "groups" to refer to key exchange algorithms - for example, the supported_groups extension - since all key exchange algorithms in TLS 1.3 are Diffie-Hellman-based. As a result, some parts of this document will refer to data structures or messages with the term "group" in them despite using a key exchange algorithm that is not Diffie-Hellman-based nor a group.

[1.3.](#) Motivation for use of hybrid key exchange

A hybrid key exchange algorithm allows early adopters eager for post-quantum security to have the potential of post-quantum security (possibly from a less-well-studied algorithm) while still retaining at least the security currently offered by traditional algorithms. They may even need to retain traditional algorithms due to regulatory constraints, for example FIPS compliance.

Ideally, one would not use hybrid key exchange: one would have confidence in a single algorithm and parameterization that will stand the test of time. However, this may not be the case in the face of quantum computers and cryptanalytic advances more generally.

Many (though not all) post-quantum algorithms currently under

consideration are relatively new; they have not been subject to the same depth of study as RSA and finite-field or elliptic curve Diffie-Hellman, and thus the security community does not necessarily have as much confidence in their fundamental security, or the concrete security level of specific parameterizations.

Moreover, it is possible that after next-generation algorithms are defined, and for a period of time thereafter, conservative users may not have full confidence in some algorithms.

Some users may want to accelerate adoption of post-quantum cryptography due the threat of retroactive decryption: if a cryptographic assumption is broken due to the advent of a quantum computer or some other cryptanalytic breakthrough, confidentiality of information can be broken retroactively by any adversary who has passively recorded handshakes and encrypted communications. Hybrid key exchange enables potential security against retroactive decryption while not fully abandoning classical cryptosystems.

As such, there may be users for whom hybrid key exchange is an appropriate step prior to an eventual transition to next-generation algorithms.

[1.4.](#) Scope

This document focuses on hybrid ephemeral key exchange in TLS 1.3 [[TLS13](#)]. It intentionally does not address:

- * Selecting which next-generation algorithms to use in TLS 1.3, or algorithm identifiers or encoding mechanisms for next-generation algorithms. This selection will be based on the recommendations by the Crypto Forum Research Group (CFRG), which is currently waiting for the results of the NIST Post-Quantum Cryptography Standardization Project [[NIST](#)].
- * Authentication using next-generation algorithms. While quantum computers could retroactively decrypt previous sessions, session authentication cannot be retroactively broken.

[1.5.](#) Goals

The primary goal of a hybrid key exchange mechanism is to facilitate the establishment of a shared secret which remains secure as long as as one of the component key exchange mechanisms remains unbroken.

In addition to the primary cryptographic goal, there may be several additional goals in the context of TLS 1.3:

- * ***Backwards compatibility:** Clients and servers who are "hybrid-aware", i.e., compliant with whatever hybrid key exchange standard is developed for TLS, should remain compatible with endpoints and middle-boxes that are not hybrid-aware. The three scenarios to consider are:
 1. Hybrid-aware client, hybrid-aware server: These parties should establish a hybrid shared secret.
 2. Hybrid-aware client, non-hybrid-aware server: These parties should establish a traditional shared secret (assuming the hybrid-aware client is willing to downgrade to traditional-only).
 3. Non-hybrid-aware client, hybrid-aware server: These parties should establish a traditional shared secret (assuming the hybrid-aware server is willing to downgrade to traditional-only).

Ideally backwards compatibility should be achieved without extra round trips and without sending duplicate information; see below.

- * ***High performance:** Use of hybrid key exchange should not be prohibitively expensive in terms of computational performance. In general this will depend on the performance characteristics of the specific cryptographic algorithms used, and as such is outside the scope of this document. See [[PST](#)] for preliminary results about performance characteristics.
- * ***Low latency:** Use of hybrid key exchange should not substantially

increase the latency experienced to establish a connection. Factors affecting this may include the following.

- The computational performance characteristics of the specific algorithms used. See above.
- The size of messages to be transmitted. Public key and ciphertext sizes for post-quantum algorithms range from hundreds of bytes to over one hundred kilobytes, so this impact can be substantial. See [[PST](#)] for preliminary results in a laboratory setting, and [[LANGLEY](#)] for preliminary results on more realistic networks.
- Additional round trips added to the protocol. See below.
- * ***No extra round trips:** Attempting to negotiate hybrid key exchange should not lead to extra round trips in any of the three hybrid-aware/non-hybrid-aware scenarios listed above.
- * ***Minimal duplicate information:** Attempting to negotiate hybrid key exchange should not mean having to send multiple public keys of the same type.

[2.](#) Key encapsulation mechanisms

This document models key agreement as key encapsulation mechanisms (KEMs), which consist of three algorithms:

- * $\text{KeyGen}() \rightarrow (\text{pk}, \text{sk})$: A probabilistic key generation algorithm, which generates a public key pk and a secret key sk .
- * $\text{Encaps}(\text{pk}) \rightarrow (\text{ct}, \text{ss})$: A probabilistic encapsulation algorithm, which takes as input a public key pk and outputs a ciphertext ct and shared secret ss .
- * $\text{Decaps}(\text{sk}, \text{ct}) \rightarrow \text{ss}$: A decapsulation algorithm, which takes as input a secret key sk and ciphertext ct and outputs a shared secret ss , or in some cases a distinguished error value.

The main security property for KEMs is indistinguishability under

adaptive chosen ciphertext attack (IND-CCA2), which means that shared secret values should be indistinguishable from random strings even given the ability to have other arbitrary ciphertexts decapsulated. IND-CCA2 corresponds to security against an active attacker, and the public key / secret key pair can be treated as a long-term key or reused. A common design pattern for obtaining security under key reuse is to apply the Fujisaki-Okamoto (FO) transform [FO] or a variant thereof [HHK].

A weaker security notion is indistinguishability under chosen plaintext attack (IND-CPA), which means that the shared secret values should be indistinguishable from random strings given a copy of the public key. IND-CPA roughly corresponds to security against a passive attacker, and sometimes corresponds to one-time key exchange.

Key exchange in TLS 1.3 is phrased in terms of Diffie-Hellman key exchange in a group. DH key exchange can be modeled as a KEM, with KeyGen corresponding to selecting an exponent x as the secret key and computing the public key g^x ; encapsulation corresponding to selecting an exponent y , computing the ciphertext g^y and the shared secret $g^{(xy)}$, and decapsulation as computing the shared secret $g^{(xy)}$. See [I-D.irtf-cfrg-hpke] for more details of such Diffie-Hellman-based key encapsulation mechanisms.

TLS 1.3 does not require that ephemeral public keys be used only in a single key exchange session; some implementations may reuse them, at the cost of limited forward secrecy. As a result, any KEM used in the manner described in this document MUST explicitly be designed to be secure in the event that the public key is reused, such as achieving IND-CCA2 security or having a transform like the Fujisaki-Okamoto transform [FO] [HHK] applied. While it is recommended that implementations avoid reuse of KEM public keys, implementations that do reuse KEM public keys MUST ensure that the number of reuses of a KEM public key abides by any bounds in the specification of the KEM or subsequent security analyses. Implementations MUST NOT reuse randomness in the generation of KEM ciphertexts.

[3.](#) Construction for hybrid key exchange

[3.1.](#) Negotiation

Each particular combination of algorithms in a hybrid key exchange will be represented as a NamedGroup and sent in the supported_groups extension. No internal structure or grammar is implied or required in the value of the identifier; they are simply opaque identifiers.

Each value representing a hybrid key exchange will correspond to an ordered pair of two algorithms. For example, a future document could specify that one codepoint corresponds to secp256r1+PQALG1, and another corresponds to x25519+PQALG1. (We note that this is independent from future documents standardizing solely post-quantum key exchange methods, which would have to be assigned their own identifier.)

Specific values shall be standardized by IANA in the TLS Supported Groups registry.

```
enum {  
  
    /* Elliptic Curve Groups (ECDHE) */  
    secp256r1(0x0017), secp384r1(0x0018), secp521r1(0x0019),  
    x25519(0x001D), x448(0x001E),  
  
    /* Finite Field Groups (DHE) */  
    ffdhe2048(0x0100), ffdhe3072(0x0101), ffdhe4096(0x0102),  
    ffdhe6144(0x0103), ffdhe8192(0x0104),  
  
    /* Hybrid Key Exchange Methods */  
    TBD(0xTBD), ...,  
  
    /* Reserved Code Points */  
    ffdhe_private_use(0x01FC..0x01FF),  
    ecdhe_private_use(0xFE00..0xFEFF),  
    (0xFFFF)  
} NamedGroup;
```

[3.2.](#) Transmitting public keys and ciphertexts

We take the relatively simple "concatenation approach": the messages from the two algorithms being hybridized will be concatenated together and transmitted as a single value, to avoid having to change existing data structures. The values are directly concatenated, without any additional encoding or length fields; this assumes that the representation and length of elements is fixed once the algorithm is fixed. If concatenation were to be used with values that are not fixed-length, a length prefix or other unambiguous encoding must be used to ensure that the composition of the two values is injective and requires a mechanism different from that specified in this document.

Recall that in TLS 1.3 a KEM public key or KEM ciphertext is represented as a KeyShareEntry:

```
struct {
    NamedGroup group;
    opaque key_exchange<1..2^16-1>;
} KeyShareEntry;
```

These are transmitted in the extension_data fields of KeyShareClientHello and KeyShareServerHello extensions:

```
struct {
    KeyShareEntry client_shares<0..2^16-1>;
} KeyShareClientHello;
```


```
struct {
    KeyShareEntry server_share;
} KeyShareServerHello;
```

The client's shares are listed in descending order of client preference; the server selects one algorithm and sends its corresponding share.

For a hybrid key exchange, the key_exchange field of a KeyShareEntry is the concatenation of the key_exchange field for each of the constituent algorithms. The order of shares in the concatenation is the same as the order of algorithms indicated in the definition of the NamedGroup.

For the client's share, the key_exchange value contains the concatenation of the pk outputs of the corresponding KEMs' KeyGen algorithms, if that algorithm corresponds to a KEM; or the (EC)DH ephemeral key share, if that algorithm corresponds to an (EC)DH group. For the server's share, the key_exchange value contains concatenation of the ct outputs of the corresponding KEMs' Encaps algorithms, if that algorithm corresponds to a KEM; or the (EC)DH ephemeral key share, if that algorithm corresponds to an (EC)DH group.

[TLS13] requires that ``The key_exchange values for each KeyShareEntry MUST be generated independently.'' In the context of this document, since the same algorithm may appear in multiple named



FIPS-compliance of shared secret concatenation. [\[NIST-SP-800-56C\]](#) or [\[NIST-SP-800-135\]](#) give NIST recommendations for key derivation methods in key exchange protocols. Some hybrid combinations may combine the shared secret from a NIST-approved algorithm (e.g., ECDH using the nistp256/secp256r1 curve) with a shared secret from a non-approved algorithm (e.g., post-quantum). [\[NIST-SP-800-56C\]](#) lists simple concatenation as an approved method for generation of a hybrid shared secret in which one of the constituent shared secret is from an approved method.

4. Discussion

Larger public keys and/or ciphertexts. The HybridKeyExchange struct in [Section 3.2](#) limits public keys and ciphertexts to $2^{16}-1$ bytes; this is bounded by the same $(2^{16}-1)$ -byte limit on the key_exchange field in the KeyShareEntry struct. Some post-quantum KEMs have larger public keys and/or ciphertexts; for example, Classic McEliece's smallest parameter set has public key size 261,120 bytes. Hence this draft can not accommodate all current NIST Round 3 candidates.

Duplication of key shares. Concatenation of public keys in the HybridKeyExchange struct as described in [Section 3.2](#) can result in sending duplicate key shares. For example, if a client wanted to offer support for two combinations, say "secp256r1+sikep503" and

"x25519+sikep503", it would end up sending two sikep503 public keys, since the KeyShareEntry for each combination contains its own copy of a sikep503 key. This duplication may be more problematic for post-quantum algorithms which have larger public keys.

Failures. Some post-quantum key exchange algorithms have non-zero probability of failure, meaning two honest parties may derive different shared secrets. This would cause a handshake failure. All current NIST Round 3 candidates have either 0 or cryptographically small failure rate; if other algorithms are used, implementers should be aware of the potential of handshake failure. Clients can retry if a failure is encountered.

[5.](#) IANA Considerations

Identifiers for specific key exchange algorithm combinations will be defined in later documents.

[6.](#) Security Considerations

The shared secrets computed in the hybrid key exchange should be computed in a way that achieves the "hybrid" property: the resulting secret is secure as long as at least one of the component key exchange algorithms is unbroken. See [[GIACON](#)] and [[BINDEL](#)] for an investigation of these issues. Under the assumption that shared secrets are fixed length once the combination is fixed, the construction from [Section 3.3](#) corresponds to the dual-PRF combiner of [[BINDEL](#)] which is shown to preserve security under the assumption that the hash function is a dual-PRF.

As noted in [Section 2](#), KEMs used in the manner described in this document MUST explicitly be designed to be secure in the event that the public key is reused, such as achieving IND-CCA2 security or having a transform like the Fujisaki-Okamoto transform applied. Some IND-CPA-secure post-quantum KEMs (i.e., without countermeasures such as the FO transform) are completely insecure under public key reuse;

for example, some lattice-based IND-CPA-secure KEMs are vulnerable to attacks that recover the private key after just a few thousand samples [[FLUHRER](#)].

Public keys, ciphertexts, and secrets should be constant length. This document assumes that the length of each public key, ciphertext, and shared secret is fixed once the algorithm is fixed. This is the case for all Round 3 finalists and alternate candidates.

Note that variable-length secrets are, generally speaking, dangerous. In particular, when using key material of variable length and processing it using hash functions, a timing side channel may arise. In broad terms, when the secret is longer, the hash function may need to process more blocks internally. In some unfortunate circumstances, this has led to timing attacks, e.g. the Lucky Thirteen [[LUCKY13](#)] and Raccoon [[RACCOON](#)] attacks.

Furthermore, [[AVIRAM](#)] identified a risk of using variable-length secrets when the hash function used in the key derivation function is no longer collision-resistant.

Therefore, this specification MUST only be used with algorithms which have fixed-length shared secrets (after the variant has been fixed by the algorithm identifier in the NamedGroup negotiation in [Section 3.1](#)).

[7](#). Acknowledgements

These ideas have grown from discussions with many colleagues, including Christopher Wood, Matt Campagna, Eric Crockett, authors of the various hybrid Internet-Drafts and implementations cited in this document, and members of the TLS working group. The immediate impetus for this document came from discussions with attendees at the Workshop on Post-Quantum Software in Mountain View, California, in January 2019. Daniel J. Bernstein and Tanja Lange commented on the risks of reuse of ephemeral public keys. Matt Campagna and the team at Amazon Web Services provided additional suggestions. Nimrod

Aviram proposed restricting to fixed-length secrets.

8. References

8.1. Normative References

- [TLS13] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", [RFC 8446](#), DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.

8.2. Informative References

- [AVIRAM] Nimrod Aviram, ., Benjamin Dowling, ., Ilan Komargodski, ., Kenny Paterson, ., Eyal Ronen, ., and . Eylon Yogev, "[TLS] Combining Secrets in Hybrid Key Exchange in TLS 1.3", 1 September 2021, <https://mailarchive.ietf.org/arch/msg/tls/F4SVeL2xbGPaPB2GW_GkBbD_a5M/>.
- [BCNS15] Bos, J., Costello, C., Naehrig, M., and D. Stebila, "Post-Quantum Key Exchange for the TLS Protocol from the Ring Learning with Errors Problem", 2015 IEEE Symposium on Security and Privacy, DOI 10.1109/sp.2015.40, May 2015, <<https://doi.org/10.1109/sp.2015.40>>.
- [BERNSTEIN] "Post-Quantum Cryptography", Springer Berlin Heidelberg book, DOI 10.1007/978-3-540-88702-7, 2009, <<https://doi.org/10.1007/978-3-540-88702-7>>.
- [BINDEL] Bindel, N., Brendel, J., Fischlin, M., Goncalves, B., and D. Stebila, "Hybrid Key Encapsulation Mechanisms and Authenticated Key Exchange", Post-Quantum Cryptography pp. 206-226, DOI 10.1007/978-3-030-25510-7_12, 2019, <https://doi.org/10.1007/978-3-030-25510-7_12>.

- [CAMPAGNA] Campagna, M. and E. Crockett, "Hybrid Post-Quantum Key Encapsulation Methods (PQ KEM) for Transport Layer Security 1.2 (TLS)", Work in Progress, Internet-Draft, [draft-campagna-tls-bike-sike-hybrid-07](#), 2 September 2021,

<<https://www.ietf.org/archive/id/draft-campagna-tls-bike-sike-hybrid-07.txt>>.

- [CECPQ1] Braithwaite, M., "Experimenting with Post-Quantum Cryptography", 7 July 2016, <<https://security.googleblog.com/2016/07/experimenting-with-post-quantum.html>>.
- [CECPQ2] Langley, A., "CECPQ2", 12 December 2018, <<https://www.imperialviolet.org/2018/12/12/cecpq2.html>>.
- [DODIS] Dodis, Y. and J. Katz, "Chosen-Ciphertext Security of Multiple Encryption", Theory of Cryptography pp. 188-209, DOI 10.1007/978-3-540-30576-7_11, 2005, <https://doi.org/10.1007/978-3-540-30576-7_11>.
- [ETSI] Campagna, M., Ed. and . others, "Quantum safe cryptography and security: An introduction, benefits, enablers and challengers", ETSI White Paper No. 8 , June 2015, <<https://www.etsi.org/images/files/ETSIWhitePapers/QuantumSafeWhitepaper.pdf>>.
- [EVEN] Even, S. and O. Goldreich, "On the Power of Cascade Ciphers", Advances in Cryptology pp. 43-50, DOI 10.1007/978-1-4684-4730-9_4, 1984, <https://doi.org/10.1007/978-1-4684-4730-9_4>.
- [EXTERN-PSK] Housley, R., "TLS 1.3 Extension for Certificate-Based Authentication with an External Pre-Shared Key", [RFC 8773](#), DOI 10.17487/RFC8773, March 2020, <<https://www.rfc-editor.org/info/rfc8773>>.
- [FLUHRER] Fluhrer, S., "Cryptanalysis of ring-LWE based key exchange with key share reuse", Cryptology ePrint Archive, Report 2016/085 , January 2016, <<https://eprint.iacr.org/2016/085>>.
- [FO] Fujisaki, E. and T. Okamoto, "Secure Integration of Asymmetric and Symmetric Encryption Schemes", Journal of Cryptology Vol. 26, pp. 80-101, DOI 10.1007/s00145-011-9114-1, December 2011, <<https://doi.org/10.1007/s00145-011-9114-1>>.

- [FRODO] Bos, J., Costello, C., Ducas, L., Mironov, I., Naehrig, M., Nikolaenko, V., Raghunathan, A., and D. Stebila, "Frodo: Take off the Ring! Practical, Quantum-Secure Key Exchange from LWE", Proceedings of the 2016 ACM SIGSAC Conference on Computer and Communications Security, DOI 10.1145/2976749.2978425, October 2016, <<https://doi.org/10.1145/2976749.2978425>>.
- [GIACON] Giacon, F., Heuer, F., and B. Poettering, "KEM Combiners", Public-Key Cryptography – PKC 2018 pp. 190–218, DOI 10.1007/978-3-319-76578-5_7, 2018, <https://doi.org/10.1007/978-3-319-76578-5_7>.
- [HARNIK] Harnik, D., Kilian, J., Naor, M., Reingold, O., and A. Rosen, "On Robust Combiners for Oblivious Transfer and Other Primitives", Lecture Notes in Computer Science pp. 96–113, DOI 10.1007/11426639_6, 2005, <https://doi.org/10.1007/11426639_6>.
- [HHK] Hofheinz, D., Hovelmanns, K., and E. Kiltz, "A Modular Analysis of the Fujisaki-Okamoto Transformation", Theory of Cryptography pp. 341–371, DOI 10.1007/978-3-319-70500-2_12, 2017, <https://doi.org/10.1007/978-3-319-70500-2_12>.
- [HOFFMAN] Hoffman, P., "The Transition from Classical to Post-Quantum Cryptography", Work in Progress, Internet-Draft, [draft-hoffman-c2pq-07](#), 26 May 2020, <<https://www.ietf.org/archive/id/draft-hoffman-c2pq-07.txt>>.
- [I-D.irtf-cfrg-hpke]
Barnes, R. L., Bhargavan, K., Lipp, B., and C. A. Wood, "Hybrid Public Key Encryption", Work in Progress, Internet-Draft, [draft-irtf-cfrg-hpke-12](#), 2 September 2021, <<https://www.ietf.org/archive/id/draft-irtf-cfrg-hpke-12.txt>>.
- [IKE-HYBRID]
Tjhai, C., Tomlinson, M., Bartlett, G., Fluhrer, S., Geest, D. V., Garcia-Morchon, O., and V. Smyslov, "Framework to Integrate Post-quantum Key Exchanges into Internet Key Exchange Protocol Version 2 (IKEv2)", Work in Progress, Internet-Draft, [draft-tjhai-ipsecme-hybrid-qske-ikev2-04](#), 9 July 2019, <<https://www.ietf.org/archive/id/draft-tjhai-ipsecme-hybrid-qske-ikev2-04.txt>>.

Internet-Draft

ietf-tls-hybrid-design

January 2022

- [IKE-PSK] Fluhrer, S., Kampanakis, P., McGrew, D., and V. Smyslov, "Mixing Preshared Keys in the Internet Key Exchange Protocol Version 2 (IKEv2) for Post-quantum Security", [RFC 8784](#), DOI 10.17487/RFC8784, June 2020, <<https://www.rfc-editor.org/info/rfc8784>>.
- [KIEFER] Kiefer, F. and K. Kwiatkowski, "Hybrid ECDHE-SIDH Key Exchange for TLS", Work in Progress, Internet-Draft, [draft-kiefer-tls-ecdhe-sidh-00](#), 5 November 2018, <<https://www.ietf.org/archive/id/draft-kiefer-tls-ecdhe-sidh-00.txt>>.
- [LANGLEY] Langley, A., "Post-quantum confidentiality for TLS", 11 April 2018, <<https://www.imperialviolet.org/2018/04/11/pqconftls.html>>.
- [LUCKY13] Al Fardan, N.J. and K.G. Paterson, "Lucky Thirteen: Breaking the TLS and DTLS record protocols", n.d., <<https://ieeexplore.ieee.org/iel7/6547086/6547088/06547131.pdf>>.
- [NIELSEN] Nielsen, M.A. and I.L. Chuang, "Quantum Computation and Quantum Information", Cambridge University Press , 2000.
- [NIST] National Institute of Standards and Technology (NIST), "Post-Quantum Cryptography", n.d., <<https://www.nist.gov/pqcrypto>>.
- [NIST-SP-800-135]
National Institute of Standards and Technology (NIST), "Recommendation for Existing Application-Specific Key Derivation Functions", December 2011, <<https://doi.org/10.6028/NIST.SP.800-135r1>>.
- [NIST-SP-800-56C]
National Institute of Standards and Technology (NIST), "Recommendation for Key-Derivation Methods in Key-Establishment Schemes", August 2020, <<https://doi.org/10.6028/NIST.SP.800-56Cr2>>.

[OQS-102] Open Quantum Safe Project, "OQS-OpenSSL-1-0-2_stable", November 2018, <https://github.com/open-quantum-safe/openssl/tree/OQS-OpenSSL_1_0_2-stable>.

[OQS-111] Open Quantum Safe Project, "OQS-OpenSSL-1-1-1_stable", January 2022, <https://github.com/open-quantum-safe/openssl/tree/OQS-OpenSSL_1_1_1-stable>.

Stebila, et al.

Expires 15 July 2022

[Page 17]

Internet-Draft

ietf-tls-hybrid-design

January 2022

[PST] Paquin, C., Stebila, D., and G. Tamvada, "Benchmarking Post-quantum Cryptography in TLS", Post-Quantum Cryptography pp. 72-91, DOI 10.1007/978-3-030-44223-1_5, 2020, <https://doi.org/10.1007/978-3-030-44223-1_5>.

[RACCOON] Merget, R., Brinkmann, M., Aviram, N., Somorovsky, J., Mittmann, J., and J. Schwenk, "Raccoon Attack: Finding and Exploiting Most-Significant-Bit-Oracles in TLS-DH(E)", September 2020, <<https://raccoon-attack.com/>>.

[S2N] Amazon Web Services, "Post-quantum TLS now supported in AWS KMS", 4 November 2019, <<https://aws.amazon.com/blogs/security/post-quantum-tls-now-supported-in-aws-kms/>>.

[SCHANCK] Schanck, J. M. and D. Stebila, "A Transport Layer Security (TLS) Extension For Establishing An Additional Shared Secret", Work in Progress, Internet-Draft, [draft-schanck-tls-additional-keyshare-00](#), 17 April 2017, <<https://www.ietf.org/archive/id/draft-schanck-tls-additional-keyshare-00.txt>>.

[WHYTE12] Schanck, J. M., Whyte, W., and Z. Zhang, "Quantum-Safe Hybrid (QSH) Ciphersuite for Transport Layer Security (TLS) version 1.2", Work in Progress, Internet-Draft, [draft-whyte-qsh-tls12-02](#), 22 July 2016, <<https://www.ietf.org/archive/id/draft-whyte-qsh-tls12-02.txt>>.

[WHYTE13] Whyte, W., Zhang, Z., Fluhrer, S., and O. Garcia-Morchon, "Quantum-Safe Hybrid (QSH) Key Exchange for Transport Layer Security (TLS) version 1.3", Work in Progress, Internet-Draft, [draft-whyte-qsh-tls13-06](#), 3 October 2017,

<<https://www.ietf.org/archive/id/draft-whyte-qsh-tls13-06.txt>>.

[XMSS] Huelsing, A., Butin, D., Gazdag, S., Rijneveld, J., and A. Mohaisen, "XMSS: eXtended Merkle Signature Scheme", [RFC 8391](#), DOI 10.17487/RFC8391, May 2018, <<https://www.rfc-editor.org/info/rfc8391>>.

[ZHANG] Zhang, R., Hanaoka, G., Shikata, J., and H. Imai, "On the Security of Multiple Encryption or CCA-security+CCA-security=CCA-security?", Public Key Cryptography - PKC 2004 pp. 360-374, DOI 10.1007/978-3-540-24632-9_26, 2004, <https://doi.org/10.1007/978-3-540-24632-9_26>.

Stebila, et al.

Expires 15 July 2022

[Page 18]

Internet-Draft

ietf-tls-hybrid-design

January 2022

[Appendix A](#). Related work

Quantum computing and post-quantum cryptography in general are outside the scope of this document. For a general introduction to quantum computing, see a standard textbook such as [\[NIELSEN\]](#). For an overview of post-quantum cryptography as of 2009, see [\[BERNSTEIN\]](#). For the current status of the NIST Post-Quantum Cryptography Standardization Project, see [\[NIST\]](#). For additional perspectives on the general transition from classical to post-quantum cryptography, see for example [\[ETSI\]](#) and [\[HOFFMAN\]](#), among others.

There have been several Internet-Drafts describing mechanisms for embedding post-quantum and/or hybrid key exchange in TLS:

- * Internet-Drafts for TLS 1.2: [\[WHYTE12\]](#), [\[CAMPAGNA\]](#)
- * Internet-Drafts for TLS 1.3: [\[KIEFER\]](#), [\[SCHANCK\]](#), [\[WHYTE13\]](#)

There have been several prototype implementations for post-quantum and/or hybrid key exchange in TLS:

- * Experimental implementations in TLS 1.2: [\[BCNS15\]](#), [\[CECPQ1\]](#), [\[FRODO\]](#), [\[OQS-102\]](#), [\[S2N\]](#)
- * Experimental implementations in TLS 1.3: [\[CECPQ2\]](#), [\[OQS-111\]](#), [\[PST\]](#)

These experimental implementations have taken an ad hoc approach and not attempted to implement one of the drafts listed above.

Unrelated to post-quantum but still related to the issue of combining multiple types of keying material in TLS is the use of pre-shared keys, especially the recent TLS working group document on including an external pre-shared key [[EXTERN-PSK](#)].

Considering other IETF standards, there is work on post-quantum preshared keys in IKEv2 [[IKE-PSK](#)] and a framework for hybrid key exchange in IKEv2 [[IKE-HYBRID](#)]. The XMSS hash-based signature scheme has been published as an informational RFC by the IRTF [[XMSS](#)].

In the academic literature, [[EVEN](#)] initiated the study of combining multiple symmetric encryption schemes; [[ZHANG](#)], [[DODIS](#)], and [[HARNIK](#)] examined combining multiple public key encryption schemes, and [[HARNIK](#)] coined the term "robust combiner" to refer to a compiler that constructs a hybrid scheme from individual schemes while preserving security properties. [[GIACON](#)] and [[BINDEL](#)] examined combining multiple key encapsulation mechanisms.

Authors' Addresses

Douglas Stebila
University of Waterloo

Email: dstebila@uwaterloo.ca

Scott Fluhrer
Cisco Systems

Email: sfluhrer@cisco.com

Shay Gueron
University of Haifa and Amazon Web Services

Email: shay.gueron@gmail.com

