

TLS WG
Internet-Draft
Updates: [3749](#), [5077](#), [4680](#), [5246](#), [5878](#),
[6520](#), [7301](#) (if approved)
Intended status: Standards Track
Expires: October 30, 2017

J. Salowey
Tableau Software
S. Turner
sn3rd
April 28, 2017

D/TLS IANA Registry Updates
draft-ietf-tls-iana-registry-updates-01

Abstract

This document changes the IANA registry policy for a number of registries related to DTLS and TLS, renames some of the registries for consistency, and adds notes to many of the registries. As a result, this document updates many RFCs (see updates header).

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on October 30, 2017.

Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4.e](#) of

Internet-Draft

D/TLS IANA Registry Updates

April 2017

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Process Note	2
2.	Introduction	2
3.	Add "TLS" to Registry Names	3
4.	Aligning with RFC 5226	4
5.	Session Ticket TLS Extension	4
6.	TLS ExtensionType Values	4
7.	TLS Cipher Suite Registry	6
8.	TLS Supported Groups	8
9.	TLS ClientCertificateType Identifiers	8
10.	New Session Ticket TLS Handshake Message Type	8
11.	TLS Exporter Label Registry	9
12.	Add Missing Item to TLS Alert Registry	9
13.	TLS Certificate Types	9
14.	Orphaned Extensions	10
15.	Orphaned Registries	10
16.	Designated Expert Pool	10
17.	Security Considerations	11
18.	IANA Considerations	11
19.	References	11
	19.1. Normative References	11
	19.2. Informative References	12
	Authors' Addresses	13

[1.](#) Process Note

As the authors of this draft are also the WG chairs, the responsible Area Director has agreed to judge consensus.

RFC EDITOR: Please delete section prior to publication.

[2.](#) Introduction

This document requests that IANA make changes to a number of DTLS- and TLS-related IANA registries.

In this document, we use the term "(D)TLS" to refer to registries that apply to both TLS and DTLS.

- o Add "TLS" to registries' names for consistency amongst TLS-related registries.
- o Change the IANA registry policy [[RFC5226](#)] for the TLS ExtensionType Values, TLS Cipher Suite, and TLS

ClientCertificateType Identifiers registries. These changes register a small part of these code spaces for experimentation and private use.

- o Add designated expert instructions as notes in the TLS ExtensionType Values, TLS Cipher Suite, TLS ClientCertificateType Identifiers, and TLS Exporter Label registries to inform users about what to expect from the designated expert.
- o Add notes to indicate whether an extension, certain values of an extension, or an entire registry is only applicable pre-(D)TLS 1.3.
- o Rename the NewSessionTicket TLS HandshakeType message registry entry [[RFC5077](#)] to new_session_ticket to match the naming nomenclature for the other Handshake type names and to match with existing implementations.
- o Rename the SessionTicket TLS extension to session_ticket to match the nomenclature for the other extensions' names.
- o Add missing entry to the TLS Alert Registry for the no_application_protocol alert defined in [[RFC7301](#)].
- o Added "Recommended" column to TLS ExtensionType Values, TLS Cipher Suite, TLS Certificate Types, TLS Supported Groups, and TLS Exporters Label registries. Initial values marked "Yes" are specified in IETF Standards Track documents; all others are marked "No". This new column is intended to alter the incorrect perception that getting a code point somehow legitimizes the extension, cipher suite/algorithm, or exporter.
- o Establish Designated Expert pool rules for Specification Required registries.

This document proposes no changes to the registration policies for

TLS Alert [[I-D.ietf-tls-tls13](#)], TLS ContentType [[I-D.ietf-tls-tls13](#)], TLS HandshakeType, [[I-D.ietf-tls-tls13](#)] and TLS Certificate Status Types [[RFC6961](#)]; the existing policies (Standards Action for the first three; IETF Review for the last), are appropriate for these one-byte code points because of their scarcity.

3. Add "TLS" to Registry Names

IANA is to update the names of the following registries to add "TLS" to for consistency with the other TLS-related extensions:

- o Application-Layer Protocol Negotiation (ALPN) Protocol IDs,

- o ExtensionType Values,
- o Heartbeat Message Types,
- o Heartbeat Modes, and
- o Supported Groups.

IANA is also to add a reference to this document for the registry whose names have been updated as a result of the above change. The remainder of this document will use the registry names with the "TLS" prefix.

4. Aligning with [RFC 5226](#)

Many of the TLS-related IANA registries were defined prior to [[RFC5226](#)] where "IETF Consensus" was used instead of the [RFC5226](#)-defined "IETF Review". To align with the new terminology, IANA is to update to use "IETF Review" in place of "IETF Consensus" in the following registries:

- o TLS Authorization Data Formats
- o TLS Supplemental Data Formats (SupplementalDataType)

This is not a universal change as some registries originally defined with "IETF Consensus" are undergoing other changes either as a result of this document or [[I-D.ietf-tls-rfc4492bis](#)].

5. Session Ticket TLS Extension

The nomenclature for the registry entries in the TLS ExtensionType Values registry correspond to the presentation language field name except for entry 35. To ensure that the values in the registry are consistently identified in the registry, IANA is to rename entry 35 to "session_ticket (renamed from "SessionTicket TLS)".

6. TLS ExtensionType Values

IANA is to update the TLS ExtensionType Values registry as follows:

- o Change the registry policy to:

Values with the first byte in the range 0-254 (decimal) are assigned via Specification Required [[RFC5226](#)]. Values with the first byte 255 (decimal) are reserved for Private Use [[RFC5226](#)].

- o Update the "References" to also refer to this document.

- o Add the following note:

Note: Experts are to verify that there is in fact a publicly available standard.

- o Add a "Recommended" column with the contents as listed below. This table has been generated by marking Standards Track RFCs as "Yes" and all others as "No". Future extensions MUST define the value of this column. A Standards Track document [[RFC5226](#)] is required to register an extension with the value "Yes".

Extension	Recommended
server_name	Yes
max_fragment_length	Yes
client_certificate_url	Yes
trusted_ca_keys	Yes

truncated_hmac	Yes
status_request	Yes
user_mapping	Yes
client_authz	No
server_authz	No
cert_type	Yes
supported_groups	Yes
ec_point_formats	Yes
srp	No
signature_algorithms	Yes
use_srtp	Yes
heartbeat	Yes
application_layer_protocol_negotiation	Yes

status_request_v2	Yes
signed_certificate_timestamp	No
client_certificate_type	Yes
server_certificate_type	Yes
padding	Yes
encrypt_then_mac	Yes
extended_master_secret	Yes
session_ticket	Yes

renegotiation_info	Yes
--------------------	-----

7. TLS Cipher Suite Registry

IANA is to update the TLS Cipher Suite registry as follows:

- o Change the registry policy to:

Values with the first byte in the range 0-254 (decimal) are assigned via Specification Required [RFC5226]. Values with the first byte 255 (decimal) are reserved for Private Use [RFC2434].

- o Add a "Recommended" column to the cipher suite registry. The cipher suites that follow in the two tables are marked as "Yes". All other cipher suites are marked as "No". Future cipher suites MUST define the value of the Recommended column. A Standards Track document [RFC5226] is required to register a cipher suite with the value "Yes".
- o Update the reference for this registry to also point to this document.

The cipher suites that follow are standards track server-authenticated (and optionally client-authenticated) cipher suites which are currently available in TLS 1.2. The notable exception are the ECDHE AES GCM cipher suites which are not yet standards track prior to the publication of this specification, but this document promotes those 4 cipher suites to standards track (see T0-D0 insert reference).

RFC EDITOR: Please delete the sentence beginning with "The notable exception ..." after [RFC 5289](#) has been promoted to Proposed Standard.

Cipher Suite Name	Value
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	{0x00,0x9E}
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	{0x00,0x9F}
TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256	{0xC0,0x2B}

TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384	{0xC0,0x2C}
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	{0xC0,0x2F}
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	{0xC0,0x30}
TLS_DHE_RSA_WITH_AES_128_CCM	{0xC0,0x9E}
TLS_DHE_RSA_WITH_AES_256_CCM	{0xC0,0x9F}
TLS_DHE_RSA_WITH_AES_128_CCM_8	{0xC0,0xA2}
TLS_DHE_RSA_WITH_AES_256_CCM_8	{0xC0,0xA3}
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256	{0xCC,0xA8}
TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256	{0xCC,0xA9}
TLS_DHE_RSA_WITH_CHACHA20_POLY1305_SHA256	{0xCC,0xAA}

The cipher suites that follow are standards track ephemeral pre-shared key cipher suites which are available in TLS 1.2. [\[RFC6655\]](#) is inconsistent with respect to the ordering of components within PSK AES CCM cipher suite names; those names are used here without modification.

Cipher Suite Name	Value
-----	-----
TLS_DHE_PSK_WITH_AES_128_GCM_SHA256	{0x00,0xAA}
TLS_DHE_PSK_WITH_AES_256_GCM_SHA384	{0x00,0xAB}
TLS_DHE_PSK_WITH_AES_128_CCM	{0xC0,0xA6}
TLS_DHE_PSK_WITH_AES_256_CCM	{0xC0,0xA7}
TLS_PSK_DHE_WITH_AES_128_CCM_8	{0xC0,0xAA}
TLS_PSK_DHE_WITH_AES_256_CCM_8	{0xC0,0xAB}
TLS_ECDHE_PSK_WITH_AES_128_GCM_SHA256	{TBD}
TLS_ECDHE_PSK_WITH_AES_256_GCM_SHA384	{TBD}
TLS_ECDHE_PSK_WITH_AES_128_CCM_8_SHA256	{TBD}
TLS_ECDHE_PSK_WITH_AES_128_CCM_SHA256	{TBD}
TLS_ECDHE_PSK_WITH_AES_256_CCM_SHA384	{TBD}
TLS_ECDHE_PSK_WITH_CHACHA20_POLY1305_SHA256	{0xCC,0xAC}
TLS_DHE_PSK_WITH_CHACHA20_POLY1305_SHA256	{0xCC,0xAD}

- o Add the following:

WARNING: Cryptographic algorithms will be broken or weakened over time. Blindly implementing cipher suites listed here is not advised. Implementers and users need to check that the cryptographic algorithms listed continue to provide the expected level of security.

Note(1): Although TLS 1.3 uses the same cipher suite space as

previous versions of TLS, TLS 1.3 cipher suites are defined differently, only specifying the symmetric ciphers, and cannot be used for TLS 1.2. Similarly, TLS 1.2 and lower cipher suites cannot be used with TLS 1.3.

Note(2): Cipher suites marked as "Yes" are those allocated via Standards Track RFCs. Cipher suites marked as "No" are not; cipher suites marked "No" range from "good" to "bad" from a cryptographic standpoint.

Note(3): The designated expert [[RFC5226](#)] only ensures that the specification is publicly available.

8. TLS Supported Groups

Add a "Recommended" column with a "Yes" for secp256r1, secp384r1, x25519, and x448 while all others are "No". These "Yes" groups are taken from Standards Track RFCs. Not all groups from [[I-D.ietf-tls-rfc4492bis](#)], which is standards track, are not marked as "Yes"; these groups apply to TLS 1.3 [[I-D.ietf-tls-tls13](#)] and previous versions of TLS [[I-D.ietf-tls-tls13](#)]. A Standards Track document [[RFC5226](#)] is required to register an entry with the value "Yes".

9. TLS ClientCertificateType Identifiers

IANA is to update the TLS ClientCertificateType Identifiers registry as follows:

- o Change the registry policy to:

Values in the range 0-223 are assigned via Specification Required [[RFC5226](#)]. Values 224-255 are reserved for Private Use.

- o Add the following:

Note: The designated expert [[RFC5226](#)] only ensures that the specification is publicly available.

10. New Session Ticket TLS Handshake Message Type

To align with TLS implementations and to align the naming nomenclature for other Handshake message types, IANA is to rename entry 4 in the TLS HandshakeType registry to "new_session_ticket (renamed from NewSessionTicket)". IANA is to also add a reference to this document in the Reference column for entry 4 in the TLS HandshakeType registry.

11. TLS Exporter Label Registry

IANA is to add the following note to the TLS Exporter Label Registry:

Note: [RFC5705](#) defines keying material exporters for TLS in terms of the TLS

IANA is to also to add a "Recommended" column to the TLS Exporter Label registry. The table that follows has been generated by marking Standards Track RFCs as "Yes" and all others as "No". Future exporters MUST define the value of this column. A Standards Track document [RFC5226](#) is required to register an extension with the value "Yes".

IANA is also to add the following note:

Note: The designated expert [RFC5226](#) ensures that the specification is publi

```
Exporter Value
-----
client finished
server finished
master secret
key expansion
client EAP encryption
ttls keying material
ttls challenge
EXTRACTOR-dtls_srtp
EXPORTER_DTLS_OVER_SCTP
EXPORTER: teap session key seed
```

12. Add Missing Item to TLS Alert Registry

IANA is to add the following entry to the TLS Alert Registry (the entry was omitted from the IANA instructions in [RFC7301](#)):

```
120  no_application_protocol  Y  RFC7301
```

13. TLS Certificate Types

Add a "Recommended" column to the registry. X.509 and Raw Public Key are "Yes". All others are "No". A Standards Track document [RFC5226](#) is required to register a certificate type with the value "Yes".

Internet-Draft

D/TLS IANA Registry Updates

April 2017

14. Orphaned Extensions

To make it clear that (D)TLS 1.3 has orphaned certain extensions (i.e., they are only applicable to version of (D)TLS prior to 1.3), IANA is to add the following to the TLS ExtensionType Values registry:

Note: The following extensions are only applicable to (D)TLS protocol versions p

15. Orphaned Registries

To make it clear that (D)TLS 1.3 has orphaned certain registries (i.e., they are only applicable to version of (D)TLS protocol versions prior to 1.3), IANA is to:

- o Add the following to the TLS Compression Method Identifiers registry [[RFC3749](#)]:

Note: Value 0 (NULL) is the only value in this registry applicable to (D)TLS protocol version 1.3 or later.

- o Add the following to the TLS HashAlgorithm [[RFC5246](#)] and TLS SignatureAlgorithm registries [[RFC5246](#)]:

Note: The values in this registry are only applicable to (D)TLS protocol versions prior to 1.3.

- o Update the "References" in the TLS Compression Method Identifiers, TLS HashAlgorithm [[RFC5246](#)] and TLS SignatureAlgorithm registries to also refer to this document.

IANA [SHALL update/has updated] the TLS HashAlgorithm Registry to list values 7-223 as "Reserved" and the TLS SignatureAlgorithm registry to list values 4-223 as "Reserved".

16. Designated Expert Pool

Specification Required [[RFC5226](#)] registry requests are registered after a three-week review period on the (tbd but maybe tls-reg-

review@ietf.org) mailing list, on the advice of one or more Designated Experts. However, to allow for the allocation of values prior to publication, the Designated Experts may approve registration once they are satisfied that such a specification will be published.

Registration requests sent to the mailing list for review SHOULD use an appropriate subject (e.g., "Request to register value in TLS bar registry").

Salowe & Turner

Expires October 30, 2017

[Page 10]

Internet-Draft

D/TLS IANA Registry Updates

April 2017

Within the review period, the Designated Experts will either approve or deny the registration request, communicating this decision to the review list and IANA. Denials SHOULD include an explanation and, if applicable, suggestions as to how to make the request successful. Registration requests that are undetermined for a period longer than 21 days can be brought to the IESG's attention (using the iesg@ietf.org mailing list) for resolution.

Criteria that SHOULD be applied by the Designated Experts includes determining whether the proposed registration duplicates existing functionality, whether it is likely to be of general applicability or useful only for a single application, and whether the registration description is clear.

IANA MUST only accept registry updates from the Designated Experts and SHOULD direct all requests for registration to the review mailing list.

It is suggested that multiple Designated Experts be appointed who are able to represent the perspectives of different applications using this specification, in order to enable broadly informed review of registration decisions. In cases where a registration decision could be perceived as creating a conflict of interest for a particular Expert, that Expert SHOULD defer to the judgment of the other Experts.

17. Security Considerations

The authors are fairly certain that there are no security considerations for this document.

18. IANA Considerations

This document is entirely about changes to TLS-related IANA registries.

19. References

19.1. Normative References

[I-D.ietf-tls-tls13]

Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", [draft-ietf-tls-tls13-19](#) (work in progress), March 2017.

[RFC3749] Hollenbeck, S., "Transport Layer Security Protocol Compression Methods", [RFC 3749](#), DOI 10.17487/RFC3749, May 2004, <<http://www.rfc-editor.org/info/rfc3749>>.

Salowey & Turner

Expires October 30, 2017

[Page 11]

Internet-Draft

D/TLS IANA Registry Updates

April 2017

[RFC4680] Santesson, S., "TLS Handshake Message for Supplemental Data", [RFC 4680](#), DOI 10.17487/RFC4680, October 2006, <<http://www.rfc-editor.org/info/rfc4680>>.

[RFC5077] Salowey, J., Zhou, H., Eronen, P., and H. Tschofenig, "Transport Layer Security (TLS) Session Resumption without Server-Side State", [RFC 5077](#), DOI 10.17487/RFC5077, January 2008, <<http://www.rfc-editor.org/info/rfc5077>>.

[RFC5226] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 5226](#), DOI 10.17487/RFC5226, May 2008, <<http://www.rfc-editor.org/info/rfc5226>>.

[RFC5246] Dierks, T. and E. Rescorla, "The Transport Layer Security (TLS) Protocol Version 1.2", [RFC 5246](#), DOI 10.17487/RFC5246, August 2008, <<http://www.rfc-editor.org/info/rfc5246>>.

[RFC5705] Rescorla, E., "Keying Material Exporters for Transport Layer Security (TLS)", [RFC 5705](#), DOI 10.17487/RFC5705, March 2010, <<http://www.rfc-editor.org/info/rfc5705>>.

[RFC5878] Brown, M. and R. Housley, "Transport Layer Security (TLS) Authorization Extensions", [RFC 5878](#), DOI 10.17487/RFC5878,

May 2010, <<http://www.rfc-editor.org/info/rfc5878>>.

- [RFC6520] Seggelmann, R., Tuexen, M., and M. Williams, "Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension", [RFC 6520](#), DOI 10.17487/RFC6520, February 2012, <<http://www.rfc-editor.org/info/rfc6520>>.
- [RFC6655] McGrew, D. and D. Bailey, "AES-CCM Cipher Suites for Transport Layer Security (TLS)", [RFC 6655](#), DOI 10.17487/RFC6655, July 2012, <<http://www.rfc-editor.org/info/rfc6655>>.
- [RFC7301] Friedl, S., Popov, A., Langley, A., and E. Stephan, "Transport Layer Security (TLS) Application-Layer Protocol Negotiation Extension", [RFC 7301](#), DOI 10.17487/RFC7301, July 2014, <<http://www.rfc-editor.org/info/rfc7301>>.

19.2. Informative References

Salowey & Turner Expires October 30, 2017 [Page 12]

Internet-Draft D/TLS IANA Registry Updates April 2017

- [I-D.ietf-tls-rfc4492bis]
Nir, Y., Josefsson, S., and M. Pegourie-Gonnard, "Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier", [draft-ietf-tls-rfc4492bis-16](#) (work in progress), March 2017.
- [RFC2434] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [RFC 2434](#), DOI 10.17487/RFC2434, October 1998, <<http://www.rfc-editor.org/info/rfc2434>>.
- [RFC6961] Pettersen, Y., "The Transport Layer Security (TLS) Multiple Certificate Status Request Extension", [RFC 6961](#), DOI 10.17487/RFC6961, June 2013, <<http://www.rfc-editor.org/info/rfc6961>>.

Authors' Addresses

Joe Salowey
Tableau Software

Email: joe@salowey.net

Sean Turner
sn3rd

Email: sean@sn3rd.com