

Network Working Group
Internet-Draft
Updates: [6120](#) (if approved)
Intended status: Standards Track
Expires: March 26, 2015

P. Saint-Andre
&yet
T. Alkemade

September 22, 2014

Use of Transport Layer Security (TLS) in the Extensible Messaging and
Presence Protocol (XMPP)
draft-ietf-uta-xmpp-02

Abstract

This document provides recommendations for the use of Transport Layer Security (TLS) in the Extensible Messaging and Presence Protocol (XMPP). This document updates [RFC 6120](#).

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on March 26, 2015.

Copyright Notice

Copyright (c) 2014 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Internet-Draft

XMPP TLS

September 2014

Table of Contents

1.	Introduction	2
2.	Terminology	2
3.	Recommendations	3
3.1.	Support for TLS	3
3.2.	Protocol Versions	3
3.3.	Cipher Suites	3
3.4.	Public Key Length	3
3.5.	Compression	3
3.6.	Session Resumption	4
3.7.	Authenticated Connections	4
3.8.	Unauthenticated Connections	4
3.9.	Server Name Indication	4
3.10.	Human Factors	5
4.	IANA Considerations	5
5.	Security Considerations	5
6.	References	6
6.1.	Normative References	6
6.2.	Informative References	6
Appendix A.	Implementation Notes	7
Appendix B.	Acknowledgements	7
	Authors' Addresses	7

[1.](#) Introduction

The Extensible Messaging and Presence Protocol (XMPP) [[RFC6120](#)] (along with its precursor, the so-called "Jabber protocol") has used Transport Layer Security (TLS) [[RFC5246](#)] (along with its precursor, Secure Sockets Layer or SSL) since 1999. Both [[RFC6120](#)] and its predecessor [[RFC3920](#)] provided recommendations regarding the use of TLS in XMPP. In order to address the evolving threat model on the Internet today, this document provides stronger recommendations based on [[I-D.ietf-uta-tls-bcp](#)]. This document updates [[RFC6120](#)].

[2.](#) Terminology

Various security-related terms are to be understood in the sense defined in [[RFC4949](#)].

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in

[3.](#) Recommendations

[3.1.](#) Support for TLS

Support for TLS (specifically, the XMPP profile of STARTTLS) is mandatory for XMPP implementations, as already specified in [[RFC6120](#)] and its predecessor [[RFC3920](#)].

If the server to which a client or peer server connects does not offer a stream feature of `<starttls xmlns='urn:ietf:params:xml:ns:xmpp-tls'/>` (thus indicating that it is an XMPP 1.0 server that supports TLS), the initiating entity MUST NOT proceed with the stream negotiation and MUST instead abort the connection attempt. Although XMPP servers SHOULD include the `<required/>` child element to indicate that negotiation of TLS is mandatory, clients and peer servers MUST NOT depend on receiving the `<required/>` flag in determining whether TLS will be enforced for the stream.

[3.2.](#) Protocol Versions

Implementations MUST follow the recommendations in Section 4.1 of [[I-D.ietf-uta-tls-bcp](#)] as to supporting various TLS versions and avoiding fallback to SSL.

[3.3.](#) Cipher Suites

Implementations MUST follow the recommendations in Section 5 of [[I-D.ietf-uta-tls-bcp](#)].

[3.4.](#) Public Key Length

Implementations MUST follow the recommendations in Section 5.4 of [[I-D.ietf-uta-tls-bcp](#)].

[3.5.](#) Compression

Implementations MUST follow the recommendations in Section 4.5 of [\[I-D.ietf-uta-tls-bcp\]](#).

XMPP supports an application-layer compression technology [\[XEP-0138\]](#), which might have slightly stronger security properties than TLS (at least because it is enabled after SASL authentication, as described in [\[XEP-0170\]](#)).

[3.6.](#) Session Resumption

Implementations MUST follow the recommendations in Section 4.6 of [\[I-D.ietf-uta-tls-bcp\]](#).

Use of session IDs [\[RFC5246\]](#) is RECOMMENDED instead of session tickets [\[RFC5077\]](#), since XMPP does not in general use state management technologies such as tickets or "cookies" [\[RFC6265\]](#).

In XMPP, TLS session resumption can be used in concert with the XMPP Stream Management extension; see [\[XEP-0198\]](#) for further details.

[3.7.](#) Authenticated Connections

Both the core XMPP specification [\[RFC6120\]](#) and the "CertID" specification [\[RFC6125\]](#) provide recommendations and requirements for certificate validation in the context of authenticated connections. This document does not supersede those specifications. Wherever possible, it is best to prefer authenticated connections (along with SASL [\[RFC4422\]](#)), as already stated in the core XMPP specification [\[RFC6120\]](#). In particular, clients MUST authenticate servers.

[3.8.](#) Unauthenticated Connections

Given the pervasiveness of passive eavesdropping, even an unauthenticated connection might be better than an unencrypted connection (this is similar to the "better than nothing security" approach for IPsec [\[RFC5386\]](#)). In particular, because of current deployment challenges for authenticated connections between XMPP

servers (see [[I-D.ietf-xmpp-dna](#)] for details), it might be reasonable for XMPP server implementations to accept unauthenticated connections when the Server Dialback protocol [[XEP-0220](#)] is used for weak identity verification; this will at least enable encryption of server-to-server connections. Unauthenticated connections include connections negotiated using anonymous Diffie-Hellman algorithms or using self-signed certificates, among other scenarios.

[3.9.](#) Server Name Indication

Although there is no harm in supporting the TLS Server Name Indication (SNI) extension [[RFC6066](#)], this is not necessary since the same function is served in XMPP by the 'to' address of the initial stream header as explained in [Section 4.7.2 of \[RFC6120\]](#).

[3.10.](#) Human Factors

It is strongly encouraged that XMPP clients provide ways for end users (and that XMPP servers provide ways for administrators) to complete the following tasks:

- o Determine if a client-to-server or server-to-server connection is encrypted and authenticated.
- o Determine the version of TLS used for a client-to-server or server-to-server connection.
- o Inspect the certificate offered by an XMPP server.
- o Determine the cipher suite used to encrypt a connection.
- o Be warned if the certificate changes for a given server.

[4.](#) IANA Considerations

This document requests no actions of the IANA.

5. Security Considerations

The use of TLS can help limit the information available for correlation to the network and transport layer headers as opposed to the application layer. As typically deployed, XMPP technologies do not leave application-layer routing data (such as XMPP 'to' and 'from' addresses) at rest on intermediate systems, since there is only one hop between any two given XMPP servers. As a result, encrypting all hops (sending client to sender's server, sender's server to recipient's server, recipient's server to recipient's client) can help to limit the amount of "metadata" that might leak.

It is possible that XMPP servers themselves might be compromised. In that case, per-hop encryption would not protect XMPP communications, and even end-to-end encryption of (parts of) XMPP stanza payloads would leave addressing information and XMPP roster data in the clear. By the same token, it is possible that XMPP clients (or the end-user devices on which such clients are installed) could also be compromised, leaving users utterly at the mercy of an adversary.

This document and related actions to strengthen the security of the XMPP network are based on the assumption that XMPP servers and clients have not been subject to widespread compromise. If this assumption is valid, then ubiquitous use of per-hop TLS channel encryption and more significant deployment of end-to-end object

encryption technologies will serve to protect XMPP communications to a measurable degree, compared to the alternatives.

6. References

6.1. Normative References

[I-D.ietf-uta-tls-bcp]

Sheffer, Y., Holz, R., and P. Saint-Andre,
"Recommendations for Secure Use of TLS and DTLS", [draft-ietf-uta-tls-bcp-03](#) (work in progress), September 2014.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.

- [RFC4949] Shirey, R., "Internet Security Glossary, Version 2", [RFC 4949](#), August 2007.
- [RFC5077] Salowey, J., Zhou, H., Eronen, P., and H. Tschofenig, "Transport Layer Security (TLS) Session Resumption without Server-Side State", [RFC 5077](#), January 2008.
- [RFC5246] Dierks, T. and E. Rescorla, "The Transport Layer Security (TLS) Protocol Version 1.2", [RFC 5246](#), August 2008.
- [RFC6120] Saint-Andre, P., "Extensible Messaging and Presence Protocol (XMPP): Core", [RFC 6120](#), March 2011.
- [RFC6125] Saint-Andre, P. and J. Hodges, "Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)", [RFC 6125](#), March 2011.

[6.2.](#) Informative References

- [I-D.ietf-xmpp-dna]
Saint-Andre, P. and M. Miller, "Domain Name Associations (DNA) in the Extensible Messaging and Presence Protocol (XMPP)", [draft-ietf-xmpp-dna-06](#) (work in progress), June 2014.
- [RFC3920] Saint-Andre, P., Ed., "Extensible Messaging and Presence Protocol (XMPP): Core", [RFC 3920](#), October 2004.
- [RFC4422] Melnikov, A. and K. Zeilenga, "Simple Authentication and Security Layer (SASL)", [RFC 4422](#), June 2006.

- [RFC5386] Williams, N. and M. Richardson, "Better-Than-Nothing Security: An Unauthenticated Mode of IPsec", [RFC 5386](#), November 2008.
- [RFC6066] Eastlake, D., "Transport Layer Security (TLS) Extensions: Extension Definitions", [RFC 6066](#), January 2011.
- [RFC6265] Barth, A., "HTTP State Management Mechanism", [RFC 6265](#),

April 2011.

[XEP-0138]

Hildebrand, J. and P. Saint-Andre, "Stream Compression", XSF XEP 0138, May 2009.

[XEP-0170]

Saint-Andre, P., "Recommended Order of Stream Feature Negotiation", XSF XEP 0170, January 2007.

[XEP-0198]

Karneges, J., Saint-Andre, P., Hildebrand, J., Forno, F., Cridland, D., and M. Wild, "Stream Management", XSF XEP 0198, June 2011.

[XEP-0220]

Miller, J., Saint-Andre, P., and P. Hancke, "Server Dialback", XSF XEP 0220, September 2013.

[Appendix A](#). Implementation Notes

Some governments enforce legislation prohibiting the export of strong cryptographic technologies. Nothing in this document ought to be taken as advice to violate such prohibitions.

[Appendix B](#). Acknowledgements

Thanks to the following individuals for their input: Dave Cridland, Philipp Hancke, Olle Johansson, Steve Kille, Tobias Markmann, Matt Miller, and Rene Treffer.

Authors' Addresses

Peter Saint-Andre
&yet
P.O. Box 787
Parker, CO 80134
USA

Email: peter@andyet.net

Email: me@thijsalkema.de