

XCON
Internet-Draft
Intended status: Standards Track
Expires: March 8, 2009

G. Camarillo
Ericsson
S. Srinivasan
Microsoft Corporation
R. Even
Polycom
J. Urpalainen
Nokia
September 4, 2008

**Conference Event Package Data Format Extension for Centralized
Conferencing (XCON)
draft-ietf-xcon-event-package-01.txt**

Status of this Memo

By submitting this Internet-Draft, each author represents that any applicable patent or other IPR claims of which he or she is aware have been or will be disclosed, and any of which he or she becomes aware will be disclosed, in accordance with [Section 6 of BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on March 8, 2009.

Copyright Notice

Copyright (C) The IETF Trust (2008).

Abstract

This document specifies the notification mechanism for XCON (centralized conferencing). This mechanism reuses the SIP (Session

Initiation Protocol) event package for conference state.
Additionally, the notification mechanism includes support for the
XCON data model and for partial notifications.

Table of Contents

1.	Introduction	3
2.	Terminology	4
3.	Notification Formats	4
4.	Full Notifications	4
4.1.	Backwards Compatibility	5
5.	Partial Notifications	5
5.1.	Generation of Partial Notifications	5
5.2.	Processing of Partial Notifications	6
5.3.	Partial Notification Format	7
5.4.	XML Schema for Partial Notifications	7
5.5.	Examples	9
6.	IANA Considerations	9
6.1.	MIME type Registration: application/xcon-conference-info+xml	9
6.2.	MIME type Registration: application/xcon-conference-info-diff+xml	10
6.3.	URN Sub-Namespace Registration: consent-status	11
6.4.	XML Schema Registration	11
7.	Security Considerations	12
8.	Normative References	12
	Authors' Addresses	13
	Intellectual Property and Copyright Statements	14

1. Introduction

The XCON (centralized Conferencing) framework [[I-D.ietf-xcon-framework](#)] defines a notification service that provides updates about a conference instance's state to authorized parties using a notification protocol, as shown in Figure 1. This document specifies how to use the SIP (Session Initiation Protocol [[RFC3261](#)]) event package for conference state defined in [[RFC4575](#)] as a notification protocol between a client and a conference's notification server.




Figure 1: Notification service and protocol in the XCON architecture

In addition to specifying the SIP event package for conference state, [[RFC4575](#)] specifies a data format to be used with the event package. The XCON data model [[I-D.ietf-xcon-common-data-model](#)] extends that format with new elements and attributes so that the extended format

supports more functionality (e.g., floor control). The notification protocol specified in this document supports all the data defined in the XCON data model (i.e., the data originally defined in [\[RFC4575\]](#) plus all the extensions defined in [\[I-D.ietf-xcon-common-data-model\]](#)) plus a partial notification mechanism based on XML patch operations [\[I-D.ietf-simple-xml-patch-ops\]](#).

2. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [\[RFC2119\]](#).

3. Notification Formats

In order to obtain notifications from a conference server's notification service, a client subscribes to the 'conference' event package at the server as specified in [\[RFC4575\]](#). Per [\[RFC4575\]](#), NOTIFY requests within this event package can carry an XML document in the "application/conference-info+xml" format. Additionally, per this specification, NOTIFY requests can also carry XML documents in the "application/xcon-conference-info+xml" and the "application/xcon-conference-info-diff+xml" formats.

A document in the "application/xcon-conference-info+xml" format provides the user agent with the whole state of a conference instance. A document in the "application/xcon-conference-info-diff+xml" format provides the user agent with the changes the state of the conference instance has experimented since the last notification sent to the user agent.

4. Full Notifications

Subscribers signal support for full notifications by including the "application/xcon-conference-info+xml" format in the Accept header field of the SUBSCRIBE requests they generate. If a client subscribing to the 'conference' event package generates an Accept header field that includes the MIME type "application/xcon-conference-info+xml", the server has the option of returning documents that follow the XML format specified in [\[I-D.ietf-xcon-common-data-model\]](#) and are carried in "application/xcon-conference-info+xml" message bodies.

4.1.1. Backwards Compatibility

Conference servers that implement the SIP event package for conference state and support the "application/xcon-conference-info+xml" MIME type MUST also support the "application/conference-info+xml" MIME type. This way, legacy clients, which only support "application/conference-info+xml", are able to receive notifications in a format they understand.

Clients that implement the SIP event package for conference state and support the "application/xcon-conference-info+xml" MIME type SHOULD also support the "application/conference-info+xml" MIME type. This way, these clients are able to receive notifications from legacy servers, which only support "application/conference-info+xml", in a format they understand.

5. Partial Notifications

The conference state reported by this event package may contain many elements. When the "xcon-conference-info+xml" format is used and there is a change in the state of an element, the server generates a notification with the whole conference state. Generating large notifications to report small changes does not meet the efficiency requirements of some bandwidth-constrained environments. The partial notifications mechanism specified in this section is a more efficient way to report changes in the conference state.

The SIP event package for conference state defined a partial notification mechanism based on <state> elements. Servers compliant with this specification MUST NOT use that partial notification mechanism. Instead, they MUST use the mechanism specified in this section.

Subscribers signal support for partial notifications by including the "application/xcon-conference-info-diff+xml" format in the Accept header field of the SUBSCRIBE requests they generate. If a client subscribing to the 'conference' event package generates an Accept header field that includes the MIME type "application/xcon-conference-info-diff+xml", the server has the option of returning documents that follow the XML format specified in [Section 5.4](#) and are carried in "application/xcon-conference-diff-info+xml" message bodies.

5.1. Generation of Partial Notifications

Once a subscription is accepted and installed, the server MUST deliver full state in its first notification. To report full state,

the server MUST set the Content-Type header field to the value 'application/xcon-conference-info+xml'.

In order to deliver a partial notification, the server MUST set the Content-Type header field to the value 'application/xcon-conference-info-diff+xml'. When the server generates a partial notification, the server SHOULD only include the information that has changed compared to the previous notification. It is up to the server's local policy to determine what is considered as a change to the previous state.

The server MUST construct partial notifications according to the following logic: all the information that has been added to the document is listed inside <add> elements. All information that has been removed from the document is listed inside <remove> elements and all information that has been changed is listed under <replace> elements.

The server MUST NOT send a new NOTIFY request with a partial notification until it has received a final response from the subscriber for the previous one or the previous NOTIFY request has timed out.

When the server receives a SUBSCRIBE request (refresh or termination) within the associated subscription, it SHOULD send a NOTIFY request containing the full document using the 'application/xcon-conference-info+xml' content type.

If the server has used a content type other than 'application/xcon-conference-info+xml' in notifications within the existing subscription and changes to deliver partial notifications, the server MUST deliver full state using the 'application/xcon-conference-info+xml' content type before generating its first partial notification.

5.2. Processing of Partial Notifications

When a subscriber receives the first notification containing full state in a 'application/xcon-conference-info+xml' MIME body, the subscriber MUST store the received full document as its local copy.

When the subscriber receives a subsequent notification, the subscriber MUST modify its locally-stored information according to the following logic:

- o If the notification carries an 'application/xcon-conference-info+xml' document, the subscriber MUST replace its local copy of the document with the document received in

notification.

- o If the notification carries an 'application/xcon-conference-info-diff+xml' document, the subscriber MUST apply the changes indicated in the received 'application/xcon-conference-info-diff+xml' document to its local copy of the full document.

If subscriber encounters a processing error while processing an 'application/xcon-conference-info-diff+xml' encoded document, the subscriber SHOULD renew its subscription. A subscriber can fall back to normal operations by not including the "application/xcon-conference-info-diff+xml" format in a new SUBSCRIBE request.

If the server changes the content type used in notifications within the existing subscription, the subscriber MUST discard all the previously received information and process the new content as specified for that content type.

5.3. Partial Notification Format

A xcon-conference-info-diff diff document is an XML [[W3C.REC-xml-20060816](#)] document that MUST be well-formed and SHOULD be valid. The namespace URI for the <conference-info-diff> root document element is defined in [[I-D.ietf-xcon-common-data-model](#)] :
urn:ietf:params:xml:ns:xcon-conference-info

The root document element <conference-info-diff> has a single mandatory attribute, "entity". The value of this attribute is the conference object identifier (XCON-URI) that identifies the conference being described in the document.

The content of the <conference-info-diff> element is an unordered sequence of <add>, <replace> and <remove> elements followed by elements from other namespaces for the purposes of extensibility. Any such unknown elements MUST be ignored by the client. The <add>, <replace> and <remove> elements can contain other extension attributes than what are defined in the corresponding base types of [[I-D.ietf-simple-xml-patch-ops](#)].

5.4. XML Schema for Partial Notifications

This is the XML schema for the "application/xcon-conference-info-diff+xml" data format. The "urn:ietf:params:xml:schema:xml-patch-ops" schema is defined in [[I-D.ietf-simple-xml-patch-ops](#)].


```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema
  targetNamespace="urn:ietf:params:xml:ns:xcon-conference-info"
  xmlns="urn:ietf:params:xml:ns:xcon-conference-info"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="qualified">

  <!-- include patch-ops type definitions -->
  <xs:include
    schemaLocation="urn:ietf:params:xml:schema:patch-ops"/>

  <!-- partial updates -->
  <xs:element name="conference-info-diff">
    <xs:complexType>
      <xs:sequence minOccurs="0" maxOccurs="unbounded">
        <xs:choice>
          <!-- add some content -->
          <xs:element name="add">
            <xs:complexType mixed="true">
              <xs:complexContent>
                <xs:extension base="add">
                  <xs:anyAttribute processContents="lax"/>
                </xs:extension>
              </xs:complexContent>
            </xs:complexType>
          </xs:element>
          <!-- remove some content -->
          <xs:element name="remove">
            <xs:complexType>
              <xs:complexContent>
                <xs:extension base="remove">
                  <xs:anyAttribute processContents="lax"/>
                </xs:extension>
              </xs:complexContent>
            </xs:complexType>
          </xs:element>
          <!-- replace some content -->
          <xs:element name="replace">
            <xs:complexType mixed="true">
              <xs:complexContent>
                <xs:extension base="replace">
                  <xs:anyAttribute processContents="lax"/>
                </xs:extension>
              </xs:complexContent>
            </xs:complexType>
          </xs:element>
          <!-- allow extension elements from other namespaces -->
          <xs:any namespace="##other" processContents="lax"/>
        </xs:choice>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```



```
    </xs:choice>
  </xs:sequence>
  <xs:attribute name="entity" type="xs:anyURI" use="required"/>
  <xs:anyAttribute processContents="lax"/>
</xs:complexType>
</xs:element>
</xs:schema>
```

5.5. Examples

The following is an 'application/xcon-conference-info-diff+xml' partial update document:

```
<?xml version="1.0" encoding="UTF-8"?>
<conference-info-diff
  xmlns="urn:ietf:params:xml:ns:xcon-conference-info"
  entity="conference123@example.com">

  <add
    sel="*/users/allowed-users-list"> <target
    uri="sip:john@example.com" method="refer"/>
  </add>

  <replace sel="*/conference-state/user-count/text()">5</replace>

</conference-info-diff>
```

6. IANA Considerations

There are four IANA considerations associated with this specification.

6.1. MIME type Registration: application/xcon-conference-info+xml

This section registers the 'application/xcon-conference-info+xml' MIME type.

MIME media type name: application

MIME subtype name: xcon-conference-info+xml

Mandatory parameters: none

Optional Parameters: Same as charset parameter application/xml as specified in [[RFC3023](#)].

Encoding considerations: Same as encoding considerations of application/xml as specified in [\[RFC3023\]](#).

Security considerations: Security considerations: See [Section 10 of \[RFC3023\]](#).

Interoperability considerations: none

Published specification: RFC xxxx (Note to the RFC Editor: Please replace XXXX with the RFC Number of this specification.)

Applications that use this media type: This document type has been defined to support centralized conferencing applications.

Additional Information:

Magic Number: none

File extension: .xml

Macintosh file type code: "TEXT"

Personal and email address for further information: IETF XCON Working Group <xcon@ietf.org>

Intended usage: COMMON

Author/Change controller: The IETF.

[6.2.](#) MIME type Registration: application/xcon-conference-info-diff+xml

This section registers the 'application/xcon-conference-info-diff+xml' MIME type.

MIME media type name: application

MIME subtype name: xcon-conference-info-diff+xml

Mandatory parameters: none

Optional Parameters: Same as charset parameter application/xml as specified in [\[RFC3023\]](#).

Encoding considerations: Same as encoding considerations of application/xml as specified in [\[RFC3023\]](#).

Security considerations: Security considerations: See [Section 10 of \[RFC3023\]](#).

Interoperability considerations: none

Published specification: RFC xxxx (Note to the RFC Editor: Please replace XXXX with the RFC Number of this specification.)

Applications that use this media type: This document type has been defined to support partial notifications in centralized conferencing applications.

Additional Information:

Magic Number: none

File extension: .xml
Macintosh file type code: "TEXT"
Personal and email address for further information: IETF XCON
Working Group <xcon@ietf.org>
Intended usage: COMMON
Author/Change controller: The IETF.

6.3. URN Sub-Namespace Registration: consent-status

This section registers a new XML namespace per the procedures in [\[RFC3688\]](#).

URI: urn:ietf:params:xml:ns:xcon-conference-info-diff

Registrant Contact: IETF SIPPING working group, <sipping@ietf.org>,
Gonzalo Camarillo <Gonzalo.Camarillo@ericsson.com>

XML:

```
<?xml version="1.0"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML Basic 1.0//EN"
    "http://www.w3.org/TR/xhtml1-basic/xhtml1-basic10.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="content-type"
    content="text/html; charset=iso-8859-1"/>
  <title>Partial Notifications in Centralized Conferencing</title>
</head>
<body>
  <h1>Namespace for Partial Notifications in</h1>
  <h1>Centralized Conferencing</h1>
  <h2>urn:ietf:params:xml:ns:xcon-conference-info-diff</h2>
  <p>See <a href="[URL of published RFC]">RFCXXXX [[NOTE TO
RFC-EDITOR/IANA: Please replace XXXX with the RFC Number of
this specification]]</a>.</p>
</body>
</html>
```

6.4. XML Schema Registration

This section registers an XML schema per the procedures in [\[RFC3688\]](#).

URI: urn:ietf:params:xml:schema:xcon-conference-info-diff

Registrant Contact: IETF XCON working group, <xcon@ietf.org>, Gonzalo
Camarillo <Gonzalo.Camarillo@ericsson.com>

The XML for this schema can be found in [Section 5.4](#).

7. Security Considerations

This document specifies how to deliver notifications using the SIP event package for conference state in two new formats. The fact that notifications are encoded in a different format does not have security implications. [Section 8 of \[RFC4575\]](#) contains security considerations related to the use of the event package. Implementers of the event package need to follow those considerations regardless of the format used to encode their notifications.

8. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [RFC3023] Murata, M., St. Laurent, S., and D. Kohn, "XML Media Types", [RFC 3023](#), January 2001.
- [RFC3261] Rosenberg, J., Schulzrinne, H., Camarillo, G., Johnston, A., Peterson, J., Sparks, R., Handley, M., and E. Schooler, "SIP: Session Initiation Protocol", [RFC 3261](#), June 2002.
- [RFC3688] Mealling, M., "The IETF XML Registry", [BCP 81](#), [RFC 3688](#), January 2004.
- [RFC4575] Rosenberg, J., Schulzrinne, H., and O. Levin, "A Session Initiation Protocol (SIP) Event Package for Conference State", [RFC 4575](#), August 2006.
- [W3C.REC-xml-20060816]
Paoli, J., Yergeau, F., Bray, T., Sperberg-McQueen, C., and E. Maler, "Extensible Markup Language (XML) 1.0 (Fourth Edition)", World Wide Web Consortium Recommendation REC-xml-20060816, August 2006, <<http://www.w3.org/TR/2006/REC-xml-20060816>>.
- [I-D.ietf-simple-xml-patch-ops]
Urpalainen, J., "An Extensible Markup Language (XML) Patch Operations Framework Utilizing XML Path Language (XPath) Selectors", [draft-ietf-simple-xml-patch-ops-04](#) (work in progress), November 2007.
- [I-D.ietf-xcon-framework]

Barnes, M., Boulton, C., and O. Levin, "A Framework for Centralized Conferencing", [draft-ietf-xcon-framework-10](#) (work in progress), November 2007.

[I-D.ietf-xcon-common-data-model]

Novo, O., Camarillo, G., Morgan, D., and R. Even, "Conference Information Data Model for Centralized Conferencing (XCON)", [draft-ietf-xcon-common-data-model-08](#) (work in progress), December 2007.

Authors' Addresses

Gonzalo Camarillo
Ericsson
Hirsalantie 11
Jorvas 02420
Finland

Email: Gonzalo.Camarillo@ericsson.com

Srivatsa Srinivasan
Microsoft Corporation
One Microsoft Way
Redmond, WA 98052
USA

Email: srivats@microsoft.com

Roni Even
Polycom
94 Derech Em Hamoshavot
Petach Tikva 49130
Israel

Email: roni.even@polycom.co.il

Jari Urpalainen
Nokia
Itamerenkatu 11-13
Helsinki 00180
Finland

Email: jari.urpalainen@nokia.com

Full Copyright Statement

Copyright (C) The IETF Trust (2008).

This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY, THE IETF TRUST AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at ietf-ipr@ietf.org.

Acknowledgment

Funding for the RFC Editor function is provided by the IETF Administrative Support Activity (IASA).

