

Network Working Group  
Internet-Draft  
Intended status: Experimental  
Expires: April 25, 2020

P. Jain  
V. Moreno  
S. Hooda  
Cisco Systems  
October 23, 2019

**LISP Site External Connectivity**  
**draft-jain-lisp-site-external-connectivity-00**

**Abstract**

This draft defines how to register/retrieve default-pETR mapping information in LISP when the destination is not registered/known to the local site and its mapping system (e.g. the destination is an internet or external site destination).

**Requirements Language**

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

**Status of This Memo**

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 25, 2020.

**Copyright Notice**

Copyright (c) 2019 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of



publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">2</a>
<a href="#">2.</a>	Definition of Terms . . . . .	<a href="#">3</a>
<a href="#">3.</a>	pETR Registration/Notification . . . . .	<a href="#">3</a>
<a href="#">4.</a>	pETR Request/Resolution . . . . .	<a href="#">3</a>
<a href="#">5.</a>	IANA Considerations . . . . .	<a href="#">4</a>
<a href="#">6.</a>	Security Considerations . . . . .	<a href="#">4</a>
<a href="#">7.</a>	Acknowledgements . . . . .	<a href="#">4</a>
<a href="#">8.</a>	Normative Reference . . . . .	<a href="#">4</a>
	Authors' Addresses . . . . .	<a href="#">5</a>

## [1.](#) Introduction

The LISP architecture and protocol [[I-D.ietf-lisp-rfc6833bis](#)] introduces two types of replies to a map-request sent by an ITR:

- when the EID is known or registered to the mapping system, a regular map-reply with mapping information is sent, or
- when the EID is unknown or known but not registered, a negative-map-reply (NMR) is sent.

Currently the NMR does not convey pETR RLOC-set information to specify where the ITR should send the packet.

This document describes how to use the LISP messages to register and provide pETR RLOC-set information for destinations which are EIDs not registered with the Mapping System, or simply are "not known" to be an existing EID. These destinations could be the destinations which are outside of the LISP site belonging to non-LISP domains, hence are not registered with the LISP Mapping System.

The reachability of these destinations can be provided either by configuring pETR information directly into the Mapping System, or by the registration done by certain pETRs. The pETR registration is specifically useful when the traffic to these external destinations needs to be sent encapsulated to a preferred pETR/gateway chosen dynamically. This mechanism also helps to achieve faster convergence.







This document also specifies the structure of the map-reply containing pETR RLOC-set information.

## **2. Definition of Terms**

Same as defined in [[I-D.ietf-lisp-rfc6833bis](#)].

## **3. pETR Registration/Notification**

pETRs having external or internet connectivity MAY register the pETR with the mapping system. The pETR Map-Register/Map-Notify procedures and record format are the same as in [[I-D.ietf-lisp-rfc6833bis](#)] with the following contents:

- An "EID-Prefix" as an agreed upon or configurable "Distinguished Name" according to [[I-D.farinacci-lisp-name-encoding](#)].
- RLOC-set for pETR information.
- Each locator in the RLOC-set MAY be encoded as per [[I-D.ietf-lisp-vpn](#)]. This enables dynamic external connectivity in VPN environments.
- Additional information MAY be encoded in vendor specific LCAF type [[I-D.ietf-lisp-vendor-lcaf](#)] about the registering pETR such as its performance matrix, resource availability for the Mapping System to make preference decision.

## **4. pETR Request/Resolution**

The Map-Request procedures and record format are the same as in [[I-D.ietf-lisp-rfc6833bis](#)].

When the Map-Server (or ETR) determines that the requested destination is external or unknown to the mapping system, it sends a Map-Reply containing the pETR information. The Map-Reply procedures and record format are the same as described in the Map-Server processing section of [[I-D.ietf-lisp-rfc6833bis](#)]. This Map-Reply has the following content (as defined per regular map-reply and negative-map-reply in [[I-D.ietf-lisp-rfc6833bis](#)]):

- An EID-Prefix calculated as non-LISP "hole" per the procedures in [[I-D.ietf-lisp-rfc6833bis](#)] for negative map-reply.
- RLOC count MUST be non-zero.







- Each locator in the RLOC-set MAY be encoded as per [I-D.ietf-lisp-vpn]. This enables dynamic external connectivity in VPN environments.
- TTL MAY be shorter than regular map-reply.
- Additional information MAY be encoded in vendor specific LCAF type [I-D.ietf-lisp-vendor-lcaf] about the mapping such as whether the mapping is based upon policy or registration.

## 5. IANA Considerations

No IANA considerations apply to this document.

## 6. Security Considerations

There are no additional security considerations except what already discussed in [I-D.ietf-lisp-rfc6833bis].

## 7. Acknowledgements

The authors would like to thank Fabio Maino for the suggestions and review of this document.

## 8. Normative Reference

[I-D.farinacci-lisp-name-encoding]

Farinacci, D., "LISP Distinguished Name Encoding", [draft-farinacci-lisp-name-encoding-07](#) (work in progress), March 2019.

[I-D.ietf-lisp-rfc6833bis]

Farinacci, D., Maino, F., Fuller, V., and A. Cabellos-Aparicio, "Locator/ID Separation Protocol (LISP) Control-Plane", [draft-ietf-lisp-rfc6833bis-25](#) (work in progress), June 2019.

[I-D.ietf-lisp-vendor-lcaf]

Rodriguez-Natal, A., Ermagan, V., Smirnov, A., Ashtaputre, V., and D. Farinacci, "Vendor Specific LISP Canonical Address Format (LCAF)", [draft-ietf-lisp-vendor-lcaf-05](#) (work in progress), September 2019.

[I-D.ietf-lisp-vpn]

Moreno, V. and D. Farinacci, "LISP Virtual Private Networks (VPNs)", [draft-ietf-lisp-vpn-04](#) (work in progress), May 2019.







[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.

#### Authors' Addresses

Prakash Jain  
Cisco Systems  
San Jose, CA  
USA

Email: [prakjain@cisco.com](mailto:prakjain@cisco.com)

Victor Moreno  
Cisco Systems  
San Jose, CA  
USA

Email: [vimoreno@cisco.com](mailto:vimoreno@cisco.com)

Sanjay Hooda  
Cisco Systems  
San Jose, CA  
USA

Email: [shooda@cisco.com](mailto:shooda@cisco.com)



