Network Working Group
Internet-Draft
Intended status: Informational
Expires: September 19, 2018

C. Jennings
Cisco

March 18, 2018

WebRTC Dependencies
draft-jennings-rtcweb-deps-21

Abstract

This draft will never be published as an RFC and is meant purely to help track the IETF dependencies from the W3C WebRTC documents.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at http://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 19, 2018.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (http://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Dependencies 2
1.1. Dependency Details 2
1.2. Status 5
1.3. RFCs 6
2. Normative References 14
Author's Address 31

1. Dependencies

The key IETF specifications that the W3C GetUserMedia specification normatively depends on is: [I-D.ietf-rtcweb-security-arch]

The key IETF drafts that the W3C WebRTC specification normatively depended on are:

[I-D.ietf-ace-oauth-authz] [I-D.ietf-ice-trickle]
[I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-rtcweb-alpn] [I-D.ietf-rtcweb-data-channel]
[I-D.ietf-rtcweb-data-protocol] [I-D.ietf-rtcweb-jsep]
[I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security-arch]
[I-D.ietf-rtcweb-transports] [I-D.ietf-tram-stunbis]
[I-D.ietf-tsvwg-rtcweb-qos]

1.1. Dependency Details

The drafts that are normative dependencies of drafts WebRTC depends on are:

draft-ietf-avtcore-multi-media-rtp-session normatively depends on
[I-D.ietf-avtcore-rtp-multi-stream]
[I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-avtext-rid normatively depends on
[I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-ice-dualstack-fairness normatively depends on
[I-D.ietf-ice-rfc5245bis]

draft-ietf-ice-rfc5245bis normatively depends on

draft-ietf-ice-trickle normatively depends on
[I-D.ietf-ice-rfc5245bis]

draft-ietf-mmusic-dtls-sdp normatively depends on
[I-D.ietf-ice-rfc5245bis] [I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-ice-sip-sdp normatively depends on
[I-D.ietf-ice-rfc5245bis]

draft-ietf-mmusic-msid normatively depends on
[I-D.ietf-mmusic-sdp-mux-attributes] [I-D.ietf-rtcweb-jsep]

draft-ietf-mmusic-mux-exclusive normatively depends on
[I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-rid normatively depends on [I-D.ietf-avtext-rid]

draft-ietf-mmusic-sctp-sdp normatively depends on
[I-D.ietf-mmusic-dtls-sdp] [I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-sdp-bundle-negotiation normatively depends on
[I-D.ietf-ice-rfc5245bis] [I-D.ietf-mmusic-ice-sip-sdp]
[I-D.ietf-mmusic-mux-exclusive] [I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-sdp-mux-attributes normatively depends on
[I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-mmusic-sdp-simulcast normatively depends on
[I-D.ietf-avtext-rid] [I-D.ietf-mmusic-rid]
[I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-payload-flexible-fec-scheme normatively depends on

draft-ietf-rmcat-cc-requirements normatively depends on
[I-D.ietf-rtcweb-overview]

draft-ietf-rtcweb-alpn normatively depends on
[I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-data-channel normatively depends on
[I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-rtcweb-data-protocol]
[I-D.ietf-rtcweb-jsep] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-data-protocol normatively depends on
[I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-fec normatively depends on
[I-D.ietf-payload-flexible-fec-scheme]

draft-ietf-rtcweb-jsep normatively depends on [I-D.ietf-avtext-rid] [I-D.ietf-ice-trickle] [I-D.ietf-mmusic-dtls-sdp] [I-D.ietf-mmusic-msid] [I-D.ietf-mmusic-mux-exclusive] [I-D.ietf-mmusic-rid] [I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-mmusic-sdp-bundle-negotiation] [I-D.ietf-mmusic-sdp-mux-attributes] [I-D.ietf-mmusic-sdp-simulcast] [I-D.ietf-rtcweb-fec] [I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-overview normatively depends on [I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-data-protocol] [I-D.ietf-rtcweb-jsep] [I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-security-arch] [I-D.ietf-rtcweb-transports]

draft-ietf-rtcweb-rtp-usage normatively depends on [I-D.ietf-avtcore-multi-media-rtp-session] [I-D.ietf-avtcore-rtp-multi-stream] [I-D.ietf-avtcore-rtp-multi-stream-optimisation] [I-D.ietf-mmusic-mux-exclusive] [I-D.ietf-mmusic-sdp-bundle-negotiation] [I-D.ietf-rtcweb-fec] [I-D.ietf-rtcweb-overview] [I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-security normatively depends on

draft-ietf-rtcweb-security-arch normatively depends on [I-D.ietf-mmusic-sdp-uks] [I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security]

draft-ietf-rtcweb-transports normatively depends on [I-D.ietf-ice-dualstack-fairness] [I-D.ietf-ice-rfc5245bis] [I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-rmcat-cc-requirements] [I-D.ietf-rtcweb-alpn] [I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-data-protocol] [I-D.ietf-rtcweb-overview] [I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-security-arch] [I-D.ietf-tsvwg-rtcweb-qos]

draft-ietf-tsvwg-rtcweb-qos normatively depends on [I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-transports]

draft-ietf-tsvwg-sctp-dtls-encaps normatively depends on

draft-ietf-tsvwg-sctp-ndata normatively depends on

draft-ietf-tram-stunbis normatively depends on

draft-ietf-ace-oauth-authz normatively depends on [I-D.ietf-ace-cbor-web-token] [I-D.ietf-ace-cwt-proof-of-possession]

draft-ietf-ace-cbor-web-token normatively depends on

draft-ietf-ace-cwt-proof-of-possession normatively depends on

draft-ietf-avtcore-rtp-multi-stream normatively depends on

draft-ietf-avtcore-rtp-multi-stream-optimisation normatively depends on [I-D.ietf-avtcore-rtp-multi-stream] [I-D.ietf-mmusic-sdp-mux-attributes]

1.2. Status

RFC draft-ietf-cose-msg

draft-ietf-rtcweb-security AD

draft-ietf-rtcweb-security-arch AD

draft-ietf-tram-stunbis Expired

draft-ietf-rtcweb-jsep IESG

draft-ietf-avtcore-multi-media-rtp-session RFC-Editor

draft-ietf-avtext-rid RFC-Editor

draft-ietf-ice-dualstack-fairness RFC-Editor

draft-ietf-mmusic-dtls-sdp RFC-Editor

draft-ietf-mmusic-msid RFC-Editor

draft-ietf-mmusic-mux-exclusive RFC-Editor

draft-ietf-mmusic-sctp-sdp RFC-Editor

draft-ietf-mmusic-sdp-mux-attributes RFC-Editor

draft-ietf-rmcat-cc-requirements RFC-Editor

draft-ietf-rtcweb-alpn RFC-Editor

draft-ietf-rtcweb-data-channel RFC-Editor

draft-ietf-rtcweb-data-protocol RFC-Editor

draft-ietf-rtcweb-overview RFC-Editor

draft-ietf-rtcweb-rtp-usage RFC-Editor

draft-ietf-rtcweb-transports RFC-Editor

draft-ietf-tsvwg-rtcweb-qos RFC-Editor

draft-ietf-tsvwg-sctp-dtls-encaps RFC-Editor

draft-ietf-tsvwg-sctp-ndata RFC-Editor

draft-ietf-ace-cbor-web-token WorkingGroup

draft-ietf-ace-cwt-proof-of-possession WorkingGroup

draft-ietf-ace-oauth-authz WorkingGroup

draft-ietf-ice-rfc5245bis WorkingGroup

draft-ietf-ice-trickle WorkingGroup

draft-ietf-mmusic-data-channel-sdpneg WorkingGroup

draft-ietf-mmusic-ice-sip-sdp WorkingGroup

draft-ietf-mmusic-rfc4566bis WorkingGroup

draft-ietf-mmusic-rid WorkingGroup

draft-ietf-mmusic-sdp-bundle-negotiation WorkingGroup

draft-ietf-mmusic-sdp-simulcast WorkingGroup

draft-ietf-payload-flexible-fec-scheme WorkingGroup

draft-ietf-rtcweb-fec WorkingGroup

1.3. RFCs

The key RFC that the W3C WebRTC specification normatively depended on are:

[RFC2119] [RFC3550] [RFC3986] [RFC4566] [RFC4572] [RFC5389] [RFC5761] [RFC5888] [RFC6236] [RFC6464] [RFC6465] [RFC6544] [RFC6749] [RFC7064] [RFC7065] [RFC7515] [RFC7518] [RFC7635] [RFC7656] [RFC7675]

The following drafts and RFC are normative dependencies of WebRTC. This list excludes many common specs outside of WebRTC such as UDP and TCP that are also needed.

draft-ietf-avtcore-multi-media-rtp-session normatively depends on [RFC3550] [RFC3551] [I-D.ietf-avtcore-rtp-multi-stream] [I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-avtext-rid normatively depends on [RFC3550] [RFC5285] [RFC7491] [I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-ice-dualstack-fairness normatively depends on [RFC5245] [RFC6555] [I-D.ietf-ice-rfc5245bis]

draft-ietf-ice-rfc5245bis normatively depends on [RFC5389] [RFC5766] [RFC6336]

draft-ietf-ice-trickle normatively depends on [I-D.ietf-ice-rfc5245bis]

draft-ietf-mmusic-dtls-sdp normatively depends on [RFC3264] [RFC4145] [RFC4566] [RFC5763] [RFC7345] [RFC8122] [I-D.ietf-ice-rfc5245bis] [I-D.ietf-mmusic-sdp-bundle-negotiation] [I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-ice-sip-sdp normatively depends on [RFC3264] [RFC3556] [RFC3605] [RFC4566] [RFC5245] [RFC5389] [RFC5768] [RFC6336] [I-D.ietf-ice-rfc5245bis]

draft-ietf-mmusic-msid normatively depends on [RFC3550] [RFC4566] [I-D.ietf-mmusic-sdp-mux-attributes] [I-D.ietf-rtcweb-jsep]

draft-ietf-mmusic-mux-exclusive normatively depends on [RFC3264] [RFC4566] [RFC5245] [RFC5761] [RFC8035] [I-D.ietf-mmusic-sdp-bundle-negotiation] [I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-rid normatively depends on [RFC3264] [RFC3550] [RFC4566] [I-D.ietf-avtext-rid]

draft-ietf-mmusic-sctp-sdp normatively depends on [RFC3264] [RFC4145] [RFC4566] [RFC4571] [RFC6544] [RFC8122] [RFC8261] [I-D.ietf-mmusic-dtls-sdp] [I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-sdp-bundle-negotiation normatively depends on [RFC3264] [RFC3550] [RFC3605] [RFC3711] [RFC4566] [RFC4961] [RFC5761] [RFC5764] [RFC5888] [RFC7941] [RFC8285] [I-D.ietf-ice-rfc5245bis]

[I-D.ietf-mmusic-ice-sip-sdp] [I-D.ietf-mmusic-mux-exclusive]
[I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-mmusic-sdp-mux-attributes normatively depends on [RFC4566]
[I-D.ietf-mmusic-sdp-bundle-negotiation]

draft-ietf-mmusic-sdp-simulcast normatively depends on [RFC3550]
[RFC4566] [RFC7728] [I-D.ietf-avtext-rid] [I-D.ietf-mmusic-rid]
[I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-mmusic-sdp-mux-attributes]

draft-ietf-payload-flexible-fec-scheme normatively depends on
[RFC3264] [RFC3550] [RFC3555] [RFC4566] [RFC5956] [RFC6363] [RFC7022]

draft-ietf-rmcat-cc-requirements normatively depends on [RFC3550]
[RFC4585] [RFC5124] [I-D.ietf-rtcweb-overview]

draft-ietf-rtcweb-alpn normatively depends on [RFC5764] [RFC7301]
[I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-data-channel normatively depends on [RFC3758]
[RFC4820] [RFC5061] [RFC5245] [RFC6525] [RFC7496] [RFC8260] [RFC8261]
[I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-rtcweb-data-protocol]
[I-D.ietf-rtcweb-jsep] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-data-protocol normatively depends on [RFC8261]
[I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-fec normatively depends on [RFC2198] [RFC3264]
[RFC5956] [RFC7587] [I-D.ietf-payload-flexible-fec-scheme]

draft-ietf-rtcweb-jsep normatively depends on [RFC3264] [RFC3605]
[RFC3711] [RFC3890] [RFC4145] [RFC4566] [RFC4585] [RFC5124] [RFC5245]
[RFC5285] [RFC5761] [RFC5888] [RFC6236] [RFC6716] [RFC6904] [RFC7160]
[RFC7587] [RFC7742] [RFC7850] [RFC8108] [RFC8122]
[I-D.ietf-avtext-rid] [I-D.ietf-ice-trickle]
[I-D.ietf-mmusic-dtls-sdp] [I-D.ietf-mmusic-msid]
[I-D.ietf-mmusic-mux-exclusive] [I-D.ietf-mmusic-rid]
[I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-mmusic-sdp-bundle-negotiation]
[I-D.ietf-mmusic-sdp-mux-attributes] [I-D.ietf-mmusic-sdp-simulcast]
[I-D.ietf-rtcweb-fec] [I-D.ietf-rtcweb-rtp-usage]
[I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-overview normatively depends on [RFC3264] [RFC3550]
[RFC3711] [RFC5245] [RFC7742] [I-D.ietf-rtcweb-data-channel]
[I-D.ietf-rtcweb-data-protocol] [I-D.ietf-rtcweb-jsep]

[I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch] [I-D.ietf-rtcweb-transports]

draft-ietf-rtcweb-rtp-usage normatively depends on [RFC3550]
[RFC3551] [RFC3556] [RFC3711] [RFC4566] [RFC4585] [RFC4588] [RFC4961]
[RFC5104] [RFC5124] [RFC5285] [RFC5506] [RFC5761] [RFC5764] [RFC6051]
[RFC6464] [RFC6465] [RFC6562] [RFC6904] [RFC7022] [RFC7160] [RFC7164]
[RFC7667] [RFC7742] [RFC8083]
[I-D.ietf-avtcore-multi-media-rtp-session]
[I-D.ietf-avtcore-rtp-multi-stream]
[I-D.ietf-avtcore-rtp-multi-stream-optimisation]
[I-D.ietf-mmusic-mux-exclusive]
[I-D.ietf-mmusic-sdp-bundle-negotiation] [I-D.ietf-rtcweb-fec]
[I-D.ietf-rtcweb-overview] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch]

draft-ietf-rtcweb-security normatively depends on

draft-ietf-rtcweb-security-arch normatively depends on [RFC3711]
[RFC4566] [RFC5245] [RFC5763] [RFC5764] [RFC7022] [RFC7675] [RFC8122]
[RFC8259] [RFC8261] [I-D.ietf-mmusic-sdp-uks]
[I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security]

draft-ietf-rtcweb-transports normatively depends on [RFC4571]
[RFC5389] [RFC5764] [RFC5766] [RFC6062] [RFC6156] [RFC6544] [RFC7639]
[RFC7983] [RFC8083] [RFC8260] [RFC8261]
[I-D.ietf-ice-dualstack-fairness] [I-D.ietf-ice-rfc5245bis]
[I-D.ietf-mmusic-sctp-sdp] [I-D.ietf-rmcat-cc-requirements]
[I-D.ietf-rtcweb-alpn] [I-D.ietf-rtcweb-data-channel]
[I-D.ietf-rtcweb-data-protocol] [I-D.ietf-rtcweb-overview]
[I-D.ietf-rtcweb-rtp-usage] [I-D.ietf-rtcweb-security]
[I-D.ietf-rtcweb-security-arch] [I-D.ietf-tsvwg-rtcweb-qos]

draft-ietf-tsvwg-rtcweb-qos normatively depends on [RFC7657]
[RFC7742] [I-D.ietf-rtcweb-data-channel] [I-D.ietf-rtcweb-rtp-usage]
[I-D.ietf-rtcweb-security] [I-D.ietf-rtcweb-transports]

draft-ietf-tsvwg-sctp-dtls-encaps normatively depends on [RFC4820]
[RFC6520]

draft-ietf-tsvwg-sctp-ndata normatively depends on [RFC3758]
[RFC5061] [RFC6096] [RFC6525] [RFC7053]

draft-ietf-tram-stunbis normatively depends on [RFC7064] [RFC7350]
[RFC7616] [RFC8265] [RFC8305]

draft-ietf-ace-oauth-authz normatively depends on [RFC7662] [RFC7800] [RFC8152] [I-D.ietf-ace-cbor-web-token] [I-D.ietf-ace-cwt-proof-of-possession]

draft-ietf-ace-cbor-web-token normatively depends on [RFC7519] [RFC8152]

draft-ietf-ace-cwt-proof-of-possession normatively depends on [RFC8152]

draft-ietf-avtcore-rtp-multi-stream normatively depends on [RFC3550] [RFC3711] [RFC4585] [RFC5124] [RFC5506]

draft-ietf-avtcore-rtp-multi-stream-optimisation normatively depends on [RFC3264] [RFC3550] [RFC4566] [RFC7022] [I-D.ietf-avtcore-rtp-multi-stream] [I-D.ietf-mmusic-sdp-mux-attributes]

RFC3605 normatively depends on [RFC1889] [RFC2327] [RFC3489] [RFC3550]

RFC3711 normatively depends on [RFC3550] [RFC3551]

RFC4571 normatively depends on [RFC3264] [RFC3550] [RFC3551] [RFC3556] [RFC3605]

RFC4961 normatively depends on

RFC5061 normatively depends on [RFC4895]

RFC5104 normatively depends on [RFC3264] [RFC3550] [RFC4566] [RFC4585]

RFC5245 normatively depends on [RFC3264] [RFC3556] [RFC3605] [RFC4566] [RFC5389] [RFC5766] [RFC5768]

RFC5285 normatively depends on [RFC3550] [RFC3711] [RFC4566]

RFC5389 normatively depends on

RFC5506 normatively depends on [RFC3550] [RFC3551] [RFC4585] [RFC5124]

RFC5576 normatively depends on [RFC3264] [RFC3388] [RFC3550] [RFC4566] [RFC4756]

RFC5583 normatively depends on [RFC3388] [RFC3550] [RFC3551] [RFC3711] [RFC4566]

RFC5705 normatively depends on

RFC5763 normatively depends on [RFC3264] [RFC3550] [RFC4145] [RFC4566] [RFC4572] [RFC5389]

RFC5764 normatively depends on [RFC3711] [RFC4961] [RFC5705] [RFC5761]

RFC5766 normatively depends on [RFC5389]

RFC5768 normatively depends on [RFC3264] [RFC4566] [RFC5245]

RFC5888 normatively depends on [RFC3264] [RFC4566]

RFC5928 normatively depends on [RFC5389] [RFC5766]

RFC5956 normatively depends on [RFC3264] [RFC3550] [RFC4566] [RFC5576] [RFC5888]

RFC6051 normatively depends on [RFC3550] [RFC4585] [RFC5285] [RFC5506] [RFC5583]

RFC6062 normatively depends on [RFC5389] [RFC5766]

RFC6096 normatively depends on [RFC3758] [RFC4820] [RFC4895] [RFC5061]

RFC6156 normatively depends on [RFC5389] [RFC5766]

RFC6188 normatively depends on [RFC3550] [RFC3711]

RFC6236 normatively depends on [RFC3264] [RFC4566] [RFC5583] [RFC5888]

RFC6263 normatively depends on [RFC3550] [RFC4961] [RFC5761]

RFC6363 normatively depends on [RFC5052]

RFC6464 normatively depends on [RFC2198] [RFC3550] [RFC5285]

RFC6465 normatively depends on [RFC3550] [RFC5285]

RFC6520 normatively depends on

RFC6525 normatively depends on [RFC3758] [RFC5061] [RFC6096]

RFC6544 normatively depends on [RFC3264] [RFC3711] [RFC4145] [RFC4571] [RFC4572] [RFC5245] [RFC5389] [RFC5764] [RFC5766]

RFC6555 normatively depends on

RFC6562 normatively depends on [RFC3550] [RFC3711]

RFC6716 normatively depends on

RFC6749 normatively depends on

RFC6904 normatively depends on [RFC3550] [RFC3711] [RFC5285] [RFC6188]

RFC6951 normatively depends on [RFC4820] [RFC4895] [RFC5061]

RFC7022 normatively depends on [RFC3550]

RFC7053 normatively depends on [RFC6096]

RFC7064 normatively depends on

RFC7065 normatively depends on [RFC5766] [RFC5928]

RFC7160 normatively depends on [RFC3550]

RFC7301 normatively depends on

RFC7496 normatively depends on [RFC3758]

RFC7587 normatively depends on [RFC3264] [RFC3389] [RFC3550] [RFC3551] [RFC3711] [RFC4566] [RFC5576] [RFC6562] [RFC6716]

RFC7635 normatively depends on [RFC5389] [RFC6749]

RFC7639 normatively depends on [RFC7301]

RFC7657 normatively depends on [RFC3550] [RFC6951]

RFC7667 normatively depends on [RFC3550] [RFC4585]

RFC7675 normatively depends on [RFC5245] [RFC5389]

RFC7728 normatively depends on [RFC3264] [RFC3550] [RFC4566] [RFC4585] [RFC5104] [RFC5245] [RFC6263]

RFC7741 normatively depends on [RFC3550] [RFC3551] [RFC4566] [RFC4585]

RFC7742 normatively depends on [RFC6184] [RFC6236] [RFC7741]

RFC7850 normatively depends on [RFC4566] [RFC4571] [RFC4572] [RFC5245] [RFC5764] [RFC6544]

RFC7874 normatively depends on [RFC3389] [RFC3551] [RFC4733] [RFC6562] [RFC6716] [RFC7587]

RFC6336 normatively depends on [RFC5245]

RFC7350 normatively depends on [RFC3489] [RFC5245] [RFC5389] [RFC5764] [RFC5766] [RFC5928] [RFC6062] [RFC7064] [RFC7065]

RFC6365 normatively depends on

RFC7564 normatively depends on [RFC5198] [RFC6365]

RFC5198 normatively depends on

RFC7564 normatively depends on [RFC5198] [RFC6365]

RFC7345 normatively depends on [RFC3264] [RFC4145] [RFC4566] [RFC4572] [RFC5245] [RFC5389]

RFC7983 normatively depends on [RFC3550] [RFC3711] [RFC5245] [RFC5389] [RFC5764] [RFC5766]

RFC7635 normatively depends on [RFC5389] [RFC6749]

RFC7850 normatively depends on [RFC4566] [RFC4571] [RFC4572] [RFC5245] [RFC5764] [RFC6544]

RFC7941 normatively depends on [RFC3550] [RFC5285] [RFC6904]

RFC8035 normatively depends on [RFC3264] [RFC5761]

RFC8083 normatively depends on [RFC3550] [RFC3551] [RFC3611] [RFC4585]

RFC8108 normatively depends on [RFC3550] [RFC3711] [RFC4585] [RFC5124] [RFC5506]

RFC8260 normatively depends on [RFC3758] [RFC5061] [RFC6096] [RFC6525] [RFC7053]

RFC8261 normatively depends on [RFC4820] [RFC6520]

RFC7515 normatively depends on

RFC7519 normatively depends on

RFC7616 normatively depends on [RFC5198] [RFC7613] [RFC7615]

RFC7662 normatively depends on [RFC6749] [RFC6750] [RFC7519]

RFC7800 normatively depends on

RFC8152 normatively depends on [RFC8032]

RFC8265 normatively depends on [RFC6365] [RFC8264]

RFC8285 normatively depends on [RFC3264] [RFC3711] [RFC4566] [RFC6904]

RFC8305 normatively depends on [RFC6535] [RFC6555] [RFC7050]

RFC8264 normatively depends on [RFC5198] [RFC6365]

RFC8032 normatively depends on

RFC7615 normatively depends on

RFC7613 normatively depends on [RFC6365]

RFC7050 normatively depends on

RFC6750 normatively depends on [RFC6749]

RFC6535 normatively depends on

2. Normative References

[I-D.ietf-ace-cbor-web-token]
Jones, M., Wahlstroem, E., Erdtman, S., and H. Tschofenig, "CBOR Web Token (CWT)", draft-ietf-ace-cbor-web-token-14 (work in progress), March 2018.

[I-D.ietf-ace-cwt-proof-of-possession]
Jones, M., Seitz, L., Selander, G., Wahlstroem, E., Erdtman, S., and H. Tschofenig, "Proof-of-Possession Key Semantics for CBOR Web Tokens (CWTs)", draft-ietf-ace-cwt-proof-of-possession-02 (work in progress), March 2018.

[I-D.ietf-ace-oauth-authz]
Seitz, L., Selander, G., Wahlstroem, E., Erdtman, S., and H. Tschofenig, "Authentication and Authorization for Constrained Environments (ACE)", draft-ietf-ace-oauth-authz-10 (work in progress), February 2018.

[I-D.ietf-avtcore-multi-media-rtp-session]
Westerlund, M., Perkins, C., and J. Lennox, "Sending Multiple Types of Media in a Single RTP Session", draft-ietf-avtcore-multi-media-rtp-session-13 (work in progress), December 2015.

[I-D.ietf-avtcore-rtp-multi-stream]
Lennox, J., Westerlund, M., Wu, Q., and C. Perkins, "Sending Multiple RTP Streams in a Single RTP Session", draft-ietf-avtcore-rtp-multi-stream-11 (work in progress), December 2015.

[I-D.ietf-avtcore-rtp-multi-stream-optimisation]
Lennox, J., Westerlund, M., Wu, Q., and C. Perkins, "Sending Multiple RTP Streams in a Single RTP Session: Grouping RTCP Reception Statistics and Other Feedback", draft-ietf-avtcore-rtp-multi-stream-optimisation-12 (work in progress), March 2016.

[I-D.ietf-avtext-rid]
Roach, A., Nandakumar, S., and P. Thatcher, "RTP Stream Identifier Source Description (SDES)", draft-ietf-avtext-rid-09 (work in progress), October 2016.

[I-D.ietf-ice-dualstack-fairness]
Martinsen, P., Reddy, T., and P. Patil, "ICE Multihomed and IPv4/IPv6 Dual Stack Guidelines", draft-ietf-ice-dualstack-fairness-07 (work in progress), November 2016.

[I-D.ietf-ice-rfc5245bis]
Keranen, A., Holmberg, C., and J. Rosenberg, "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal", draft-ietf-ice-rfc5245bis-20 (work in progress), March 2018.

[I-D.ietf-ice-trickle]
Ivov, E., Rescorla, E., Uberti, J., and P. Saint-Andre, "Trickle ICE: Incremental Provisioning of Candidates for the Interactive Connectivity Establishment (ICE) Protocol", draft-ietf-ice-trickle-17 (work in progress), February 2018.

[I-D.ietf-mmusic-dtls-sdp]
Holmberg, C. and R. Shpount, "Session Description Protocol (SDP) Offer/Answer Considerations for Datagram Transport Layer Security (DTLS) and Transport Layer Security (TLS)", draft-ietf-mmusic-dtls-sdp-32 (work in progress), October 2017.

[I-D.ietf-mmusic-ice-sip-sdp]
Petit-Huguenin, M., Keranen, A., and S. Nandakumar, "Session Description Protocol (SDP) Offer/Answer procedures for Interactive Connectivity Establishment (ICE)", draft-ietf-mmusic-ice-sip-sdp-16 (work in progress), November 2017.

[I-D.ietf-mmusic-msid]
Alvestrand, H., "WebRTC MediaStream Identification in the Session Description Protocol", draft-ietf-mmusic-msid-16 (work in progress), February 2017.

[I-D.ietf-mmusic-mux-exclusive]
Holmberg, C., "Indicating Exclusive Support of RTP/RTCP Multiplexing using SDP", draft-ietf-mmusic-mux-exclusive-12 (work in progress), May 2017.

[I-D.ietf-mmusic-rid]
Roach, A., "RTP Payload Format Restrictions", draft-ietf-mmusic-rid-14 (work in progress), February 2018.

[I-D.ietf-mmusic-sctp-sdp]
Holmberg, C., Shpount, R., Loreto, S., and G. Camarillo, "Session Description Protocol (SDP) Offer/Answer Procedures For Stream Control Transmission Protocol (SCTP) over Datagram Transport Layer Security (DTLS) Transport.", draft-ietf-mmusic-sctp-sdp-26 (work in progress), April 2017.

[I-D.ietf-mmusic-sdp-bundle-negotiation]
Holmberg, C., Alvestrand, H., and C. Jennings, "Negotiating Media Multiplexing Using the Session Description Protocol (SDP)", draft-ietf-mmusic-sdp-bundle-negotiation-49 (work in progress), March 2018.

[I-D.ietf-mmusic-sdp-mux-attributes]
Nandakumar, S., "A Framework for SDP Attributes when Multiplexing", draft-ietf-mmusic-sdp-mux-attributes-17 (work in progress), February 2018.

[I-D.ietf-mmusic-sdp-simulcast]
Burman, B., Westerlund, M., Nandakumar, S., and M. Zanaty, "Using Simulcast in SDP and RTP Sessions", draft-ietf-mmusic-sdp-simulcast-11 (work in progress), December 2017.

[I-D.ietf-mmusic-sdp-uks]
Thomson, M. and E. Rescorla, "Unknown Key Share Attacks on uses of Transport Layer Security with the Session Description Protocol (SDP)", draft-ietf-mmusic-sdp-uks-01 (work in progress), January 2018.

[I-D.ietf-payload-flexible-fec-scheme]
Zanaty, M., Singh, V., Begen, A., and G. Mandyam, "RTP Payload Format for Flexible Forward Error Correction (FEC)", draft-ietf-payload-flexible-fec-scheme-06 (work in progress), March 2018.

[I-D.ietf-rmcat-cc-requirements]
Jesup, R. and Z. Sarker, "Congestion Control Requirements for Interactive Real-Time Media", draft-ietf-rmcat-cc-requirements-09 (work in progress), December 2014.

[I-D.ietf-rtcweb-alpn]
Thomson, M., "Application Layer Protocol Negotiation for Web Real-Time Communications (WebRTC)", draft-ietf-rtcweb-alpn-04 (work in progress), May 2016.

[I-D.ietf-rtcweb-data-channel]
Jesup, R., Loreto, S., and M. Tuexen, "WebRTC Data Channels", draft-ietf-rtcweb-data-channel-13 (work in progress), January 2015.

[I-D.ietf-rtcweb-data-protocol]
Jesup, R., Loreto, S., and M. Tuexen, "WebRTC Data Channel Establishment Protocol", draft-ietf-rtcweb-data-protocol-09 (work in progress), January 2015.

[I-D.ietf-rtcweb-fec]
Uberti, J., "WebRTC Forward Error Correction Requirements", draft-ietf-rtcweb-fec-08 (work in progress), March 2018.

[I-D.ietf-rtcweb-jsep]
Uberti, J., Jennings, C., and E. Rescorla, "JavaScript Session Establishment Protocol", draft-ietf-rtcweb-jsep-24 (work in progress), October 2017.

[I-D.ietf-rtcweb-overview]
Alvestrand, H., "Overview: Real Time Protocols for Browser-based Applications", draft-ietf-rtcweb-overview-19 (work in progress), November 2017.

[I-D.ietf-rtcweb-rtp-usage]
Perkins, C., Westerlund, M., and J. Ott, "Web Real-Time Communication (WebRTC): Media Transport and Use of RTP", draft-ietf-rtcweb-rtp-usage-26 (work in progress), March 2016.

[I-D.ietf-rtcweb-security]
Rescorla, E., "Security Considerations for WebRTC", draft-ietf-rtcweb-security-10 (work in progress), January 2018.

[I-D.ietf-rtcweb-security-arch]
Rescorla, E., "WebRTC Security Architecture", draft-ietf-rtcweb-security-arch-14 (work in progress), March 2018.

[I-D.ietf-rtcweb-transports]
Alvestrand, H., "Transports for WebRTC", draft-ietf-rtcweb-transports-17 (work in progress), October 2016.

[I-D.ietf-tram-stunbis]
Petit-Huguenin, M., Salgueiro, G., Rosenberg, J., Wing, D., Mahy, R., and P. Matthews, "Session Traversal Utilities for NAT (STUN)", draft-ietf-tram-stunbis-16 (work in progress), March 2018.

[I-D.ietf-tsvwg-rtcweb-qos]
Jones, P., Dhesikan, S., Jennings, C., and D. Druta, "DSCP Packet Markings for WebRTC QoS", draft-ietf-tsvwg-rtcweb-qos-18 (work in progress), August 2016.

[RFC1889] Audio-Video Transport Working Group, Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", RFC 1889, DOI 10.17487/RFC1889, January 1996, <https://www.rfc-editor.org/info/rfc1889>.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <https://www.rfc-editor.org/info/rfc2119>.

[RFC2198] Perkins, C., Kouvelas, I., Hodson, O., Hardman, V., Handley, M., Bolot, J., Vega-Garcia, A., and S. Fosse-Parisis, "RTP Payload for Redundant Audio Data", RFC 2198, DOI 10.17487/RFC2198, September 1997, <https://www.rfc-editor.org/info/rfc2198>.

[RFC2327] Handley, M. and V. Jacobson, "SDP: Session Description Protocol", RFC 2327, DOI 10.17487/RFC2327, April 1998, <https://www.rfc-editor.org/info/rfc2327>.

[RFC3264] Rosenberg, J. and H. Schulzrinne, "An Offer/Answer Model with Session Description Protocol (SDP)", RFC 3264, DOI 10.17487/RFC3264, June 2002, <https://www.rfc-editor.org/info/rfc3264>.

[RFC3388] Camarillo, G., Eriksson, G., Holler, J., and H. Schulzrinne, "Grouping of Media Lines in the Session Description Protocol (SDP)", RFC 3388, DOI 10.17487/RFC3388, December 2002, <https://www.rfc-editor.org/info/rfc3388>.

[RFC3389] Zopf, R., "Real-time Transport Protocol (RTP) Payload for Comfort Noise (CN)", RFC 3389, DOI 10.17487/RFC3389, September 2002, <https://www.rfc-editor.org/info/rfc3389>.

[RFC3489] Rosenberg, J., Weinberger, J., Huitema, C., and R. Mahy, "STUN - Simple Traversal of User Datagram Protocol (UDP) Through Network Address Translators (NATs)", RFC 3489, DOI 10.17487/RFC3489, March 2003, <https://www.rfc-editor.org/info/rfc3489>.

[RFC3550] Schulzrinne, H., Casner, S., Frederick, R., and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications", STD 64, RFC 3550, DOI 10.17487/RFC3550, July 2003, <https://www.rfc-editor.org/info/rfc3550>.

[RFC3551] Schulzrinne, H. and S. Casner, "RTP Profile for Audio and Video Conferences with Minimal Control", STD 65, RFC 3551, DOI 10.17487/RFC3551, July 2003, <https://www.rfc-editor.org/info/rfc3551>.

[RFC3555] Casner, S. and P. Hoschka, "MIME Type Registration of RTP Payload Formats", RFC 3555, DOI 10.17487/RFC3555, July 2003, <https://www.rfc-editor.org/info/rfc3555>.

[RFC3556] Casner, S., "Session Description Protocol (SDP) Bandwidth Modifiers for RTP Control Protocol (RTCP) Bandwidth", RFC 3556, DOI 10.17487/RFC3556, July 2003, <https://www.rfc-editor.org/info/rfc3556>.

[RFC3605] Huitema, C., "Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP)", RFC 3605, DOI 10.17487/RFC3605, October 2003, <https://www.rfc-editor.org/info/rfc3605>.

[RFC3611] Friedman, T., Ed., Caceres, R., Ed., and A. Clark, Ed., "RTP Control Protocol Extended Reports (RTCP XR)", RFC 3611, DOI 10.17487/RFC3611, November 2003, <https://www.rfc-editor.org/info/rfc3611>.

[RFC3711] Baugher, M., McGrew, D., Naslund, M., Carrara, E., and K. Norrman, "The Secure Real-time Transport Protocol (SRTP)", RFC 3711, DOI 10.17487/RFC3711, March 2004, <https://www.rfc-editor.org/info/rfc3711>.

[RFC3758] Stewart, R., Ramalho, M., Xie, Q., Tuexen, M., and P. Conrad, "Stream Control Transmission Protocol (SCTP) Partial Reliability Extension", RFC 3758, DOI 10.17487/RFC3758, May 2004, <https://www.rfc-editor.org/info/rfc3758>.

[RFC3890] Westerlund, M., "A Transport Independent Bandwidth Modifier for the Session Description Protocol (SDP)", RFC 3890, DOI 10.17487/RFC3890, September 2004, <https://www.rfc-editor.org/info/rfc3890>.

[RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, DOI 10.17487/RFC3986, January 2005, <https://www.rfc-editor.org/info/rfc3986>.

[RFC4145] Yon, D. and G. Camarillo, "TCP-Based Media Transport in the Session Description Protocol (SDP)", RFC 4145, DOI 10.17487/RFC4145, September 2005, <https://www.rfc-editor.org/info/rfc4145>.

[RFC4566] Handley, M., Jacobson, V., and C. Perkins, "SDP: Session Description Protocol", RFC 4566, DOI 10.17487/RFC4566, July 2006, <https://www.rfc-editor.org/info/rfc4566>.

[RFC4571] Lazzaro, J., "Framing Real-time Transport Protocol (RTP) and RTP Control Protocol (RTCP) Packets over Connection-Oriented Transport", RFC 4571, DOI 10.17487/RFC4571, July 2006, <https://www.rfc-editor.org/info/rfc4571>.

[RFC4572] Lennox, J., "Connection-Oriented Media Transport over the Transport Layer Security (TLS) Protocol in the Session Description Protocol (SDP)", RFC 4572, DOI 10.17487/RFC4572, July 2006, <https://www.rfc-editor.org/info/rfc4572>.

[RFC4585] Ott, J., Wenger, S., Sato, N., Burmeister, C., and J. Rey, "Extended RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/AVPF)", RFC 4585, DOI 10.17487/RFC4585, July 2006, <https://www.rfc-editor.org/info/rfc4585>.

[RFC4588] Rey, J., Leon, D., Miyazaki, A., Varsa, V., and R. Hakenberg, "RTP Retransmission Payload Format", RFC 4588, DOI 10.17487/RFC4588, July 2006, <https://www.rfc-editor.org/info/rfc4588>.

[RFC4733] Schulzrinne, H. and T. Taylor, "RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals", RFC 4733, DOI 10.17487/RFC4733, December 2006, <https://www.rfc-editor.org/info/rfc4733>.

[RFC4756] Li, A., "Forward Error Correction Grouping Semantics in Session Description Protocol", RFC 4756, DOI 10.17487/RFC4756, November 2006, <https://www.rfc-editor.org/info/rfc4756>.

[RFC4820] Tuexen, M., Stewart, R., and P. Lei, "Padding Chunk and Parameter for the Stream Control Transmission Protocol (SCTP)", RFC 4820, DOI 10.17487/RFC4820, March 2007, <https://www.rfc-editor.org/info/rfc4820>.

[RFC4895] Tuexen, M., Stewart, R., Lei, P., and E. Rescorla, "Authenticated Chunks for the Stream Control Transmission Protocol (SCTP)", RFC 4895, DOI 10.17487/RFC4895, August 2007, <https://www.rfc-editor.org/info/rfc4895>.

[RFC4961] Wing, D., "Symmetric RTP / RTP Control Protocol (RTCP)", BCP 131, RFC 4961, DOI 10.17487/RFC4961, July 2007, <https://www.rfc-editor.org/info/rfc4961>.

[RFC5052] Watson, M., Luby, M., and L. Vicisano, "Forward Error Correction (FEC) Building Block", RFC 5052, DOI 10.17487/RFC5052, August 2007, <https://www.rfc-editor.org/info/rfc5052>.

[RFC5061] Stewart, R., Xie, Q., Tuexen, M., Maruyama, S., and M. Kozuka, "Stream Control Transmission Protocol (SCTP) Dynamic Address Reconfiguration", RFC 5061, DOI 10.17487/RFC5061, September 2007, <https://www.rfc-editor.org/info/rfc5061>.

[RFC5104] Wenger, S., Chandra, U., Westerlund, M., and B. Burman, "Codec Control Messages in the RTP Audio-Visual Profile with Feedback (AVPF)", RFC 5104, DOI 10.17487/RFC5104, February 2008, <https://www.rfc-editor.org/info/rfc5104>.

[RFC5124] Ott, J. and E. Carrara, "Extended Secure RTP Profile for Real-time Transport Control Protocol (RTCP)-Based Feedback (RTP/SAVPF)", RFC 5124, DOI 10.17487/RFC5124, February 2008, <https://www.rfc-editor.org/info/rfc5124>.

[RFC5198] Klensin, J. and M. Padlipsky, "Unicode Format for Network Interchange", RFC 5198, DOI 10.17487/RFC5198, March 2008, <https://www.rfc-editor.org/info/rfc5198>.

[RFC5245] Rosenberg, J., "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols", RFC 5245, DOI 10.17487/RFC5245, April 2010, <https://www.rfc-editor.org/info/rfc5245>.

[RFC5285] Singer, D. and H. Desineni, "A General Mechanism for RTP Header Extensions", RFC 5285, DOI 10.17487/RFC5285, July 2008, <https://www.rfc-editor.org/info/rfc5285>.

[RFC5389] Rosenberg, J., Mahy, R., Matthews, P., and D. Wing, "Session Traversal Utilities for NAT (STUN)", RFC 5389, DOI 10.17487/RFC5389, October 2008, <https://www.rfc-editor.org/info/rfc5389>.

[RFC5506] Johansson, I. and M. Westerlund, "Support for Reduced-Size Real-Time Transport Control Protocol (RTCP): Opportunities and Consequences", RFC 5506, DOI 10.17487/RFC5506, April 2009, <https://www.rfc-editor.org/info/rfc5506>.

[RFC5576] Lennox, J., Ott, J., and T. Schierl, "Source-Specific Media Attributes in the Session Description Protocol (SDP)", RFC 5576, DOI 10.17487/RFC5576, June 2009, <https://www.rfc-editor.org/info/rfc5576>.

[RFC5583] Schierl, T. and S. Wenger, "Signaling Media Decoding Dependency in the Session Description Protocol (SDP)", RFC 5583, DOI 10.17487/RFC5583, July 2009, <https://www.rfc-editor.org/info/rfc5583>.

[RFC5705] Rescorla, E., "Keying Material Exporters for Transport Layer Security (TLS)", RFC 5705, DOI 10.17487/RFC5705, March 2010, <https://www.rfc-editor.org/info/rfc5705>.

[RFC5761] Perkins, C. and M. Westerlund, "Multiplexing RTP Data and Control Packets on a Single Port", RFC 5761, DOI 10.17487/RFC5761, April 2010, <https://www.rfc-editor.org/info/rfc5761>.

[RFC5763] Fischl, J., Tschofenig, H., and E. Rescorla, "Framework for Establishing a Secure Real-time Transport Protocol (SRTP) Security Context Using Datagram Transport Layer Security (DTLS)", RFC 5763, DOI 10.17487/RFC5763, May 2010, <https://www.rfc-editor.org/info/rfc5763>.

[RFC5764] McGrew, D. and E. Rescorla, "Datagram Transport Layer Security (DTLS) Extension to Establish Keys for the Secure Real-time Transport Protocol (SRTP)", RFC 5764, DOI 10.17487/RFC5764, May 2010, <https://www.rfc-editor.org/info/rfc5764>.

[RFC5766] Mahy, R., Matthews, P., and J. Rosenberg, "Traversal Using Relays around NAT (TURN): Relay Extensions to Session Traversal Utilities for NAT (STUN)", RFC 5766, DOI 10.17487/RFC5766, April 2010, <https://www.rfc-editor.org/info/rfc5766>.

[RFC5768] Rosenberg, J., "Indicating Support for Interactive Connectivity Establishment (ICE) in the Session Initiation Protocol (SIP)", RFC 5768, DOI 10.17487/RFC5768, April 2010, <https://www.rfc-editor.org/info/rfc5768>.

[RFC5888] Camarillo, G. and H. Schulzrinne, "The Session Description Protocol (SDP) Grouping Framework", RFC 5888, DOI 10.17487/RFC5888, June 2010, <https://www.rfc-editor.org/info/rfc5888>.

[RFC5928] Petit-Huguenin, M., "Traversal Using Relays around NAT (TURN) Resolution Mechanism", RFC 5928, DOI 10.17487/RFC5928, August 2010, <https://www.rfc-editor.org/info/rfc5928>.

[RFC5956] Begen, A., "Forward Error Correction Grouping Semantics in the Session Description Protocol", RFC 5956, DOI 10.17487/RFC5956, September 2010, <https://www.rfc-editor.org/info/rfc5956>.

[RFC6051] Perkins, C. and T. Schierl, "Rapid Synchronisation of RTP Flows", RFC 6051, DOI 10.17487/RFC6051, November 2010, <https://www.rfc-editor.org/info/rfc6051>.

[RFC6062] Perreault, S., Ed. and J. Rosenberg, "Traversal Using Relays around NAT (TURN) Extensions for TCP Allocations", RFC 6062, DOI 10.17487/RFC6062, November 2010, <https://www.rfc-editor.org/info/rfc6062>.

[RFC6096] Tuexen, M. and R. Stewart, "Stream Control Transmission Protocol (SCTP) Chunk Flags Registration", RFC 6096, DOI 10.17487/RFC6096, January 2011, <https://www.rfc-editor.org/info/rfc6096>.

[RFC6156] Camarillo, G., Novo, O., and S. Perreault, Ed., "Traversal Using Relays around NAT (TURN) Extension for IPv6", RFC 6156, DOI 10.17487/RFC6156, April 2011, <https://www.rfc-editor.org/info/rfc6156>.

[RFC6184] Wang, Y., Even, R., Kristensen, T., and R. Jesup, "RTP Payload Format for H.264 Video", RFC 6184, DOI 10.17487/RFC6184, May 2011, <https://www.rfc-editor.org/info/rfc6184>.

[RFC6188] McGrew, D., "The Use of AES-192 and AES-256 in Secure RTP", RFC 6188, DOI 10.17487/RFC6188, March 2011, <https://www.rfc-editor.org/info/rfc6188>.

[RFC6236] Johansson, I. and K. Jung, "Negotiation of Generic Image Attributes in the Session Description Protocol (SDP)", RFC 6236, DOI 10.17487/RFC6236, May 2011, <https://www.rfc-editor.org/info/rfc6236>.

[RFC6263] Marjou, X. and A. Sollaud, "Application Mechanism for Keeping Alive the NAT Mappings Associated with RTP / RTP Control Protocol (RTCP) Flows", RFC 6263, DOI 10.17487/RFC6263, June 2011, <https://www.rfc-editor.org/info/rfc6263>.

[RFC6336] Westerlund, M. and C. Perkins, "IANA Registry for Interactive Connectivity Establishment (ICE) Options", RFC 6336, DOI 10.17487/RFC6336, July 2011, <https://www.rfc-editor.org/info/rfc6336>.

[RFC6363] Watson, M., Begen, A., and V. Roca, "Forward Error Correction (FEC) Framework", RFC 6363, DOI 10.17487/RFC6363, October 2011, <https://www.rfc-editor.org/info/rfc6363>.

[RFC6365] Hoffman, P. and J. Klensin, "Terminology Used in Internationalization in the IETF", BCP 166, RFC 6365, DOI 10.17487/RFC6365, September 2011, <https://www.rfc-editor.org/info/rfc6365>.

[RFC6464] Lennox, J., Ed., Ivov, E., and E. Marocco, "A Real-time Transport Protocol (RTP) Header Extension for Client-to-Mixer Audio Level Indication", RFC 6464, DOI 10.17487/RFC6464, December 2011, <https://www.rfc-editor.org/info/rfc6464>.

[RFC6465] Ivov, E., Ed., Marocco, E., Ed., and J. Lennox, "A Real-time Transport Protocol (RTP) Header Extension for Mixer-to-Client Audio Level Indication", RFC 6465, DOI 10.17487/RFC6465, December 2011, <https://www.rfc-editor.org/info/rfc6465>.

[RFC6520] Seggelmann, R., Tuexen, M., and M. Williams, "Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension", RFC 6520, DOI 10.17487/RFC6520, February 2012, <https://www.rfc-editor.org/info/rfc6520>.

[RFC6525] Stewart, R., Tuexen, M., and P. Lei, "Stream Control Transmission Protocol (SCTP) Stream Reconfiguration", RFC 6525, DOI 10.17487/RFC6525, February 2012, <https://www.rfc-editor.org/info/rfc6525>.

[RFC6535] Huang, B., Deng, H., and T. Savolainen, "Dual-Stack Hosts Using "Bump-in-the-Host" (BIH)", RFC 6535, DOI 10.17487/RFC6535, February 2012, <https://www.rfc-editor.org/info/rfc6535>.

[RFC6544] Rosenberg, J., Keranen, A., Lowekamp, B., and A. Roach, "TCP Candidates with Interactive Connectivity Establishment (ICE)", RFC 6544, DOI 10.17487/RFC6544, March 2012, <https://www.rfc-editor.org/info/rfc6544>.

[RFC6555] Wing, D. and A. Yourtchenko, "Happy Eyeballs: Success with Dual-Stack Hosts", RFC 6555, DOI 10.17487/RFC6555, April 2012, <https://www.rfc-editor.org/info/rfc6555>.

[RFC6562] Perkins, C. and JM. Valin, "Guidelines for the Use of Variable Bit Rate Audio with Secure RTP", RFC 6562, DOI 10.17487/RFC6562, March 2012, <https://www.rfc-editor.org/info/rfc6562>.

[RFC6716] Valin, JM., Vos, K., and T. Terriberry, "Definition of the Opus Audio Codec", RFC 6716, DOI 10.17487/RFC6716, September 2012, <https://www.rfc-editor.org/info/rfc6716>.

[RFC6749] Hardt, D., Ed., "The OAuth 2.0 Authorization Framework", RFC 6749, DOI 10.17487/RFC6749, October 2012, <https://www.rfc-editor.org/info/rfc6749>.

[RFC6750] Jones, M. and D. Hardt, "The OAuth 2.0 Authorization Framework: Bearer Token Usage", RFC 6750, DOI 10.17487/RFC6750, October 2012, <https://www.rfc-editor.org/info/rfc6750>.

[RFC6904] Lennox, J., "Encryption of Header Extensions in the Secure Real-time Transport Protocol (SRTP)", RFC 6904, DOI 10.17487/RFC6904, April 2013, <https://www.rfc-editor.org/info/rfc6904>.

[RFC6951] Tuexen, M. and R. Stewart, "UDP Encapsulation of Stream Control Transmission Protocol (SCTP) Packets for End-Host to End-Host Communication", RFC 6951, DOI 10.17487/RFC6951, May 2013, <https://www.rfc-editor.org/info/rfc6951>.

[RFC7022] Begen, A., Perkins, C., Wing, D., and E. Rescorla, "Guidelines for Choosing RTP Control Protocol (RTCP) Canonical Names (CNAMEs)", RFC 7022, DOI 10.17487/RFC7022, September 2013, <https://www.rfc-editor.org/info/rfc7022>.

[RFC7050] Savolainen, T., Korhonen, J., and D. Wing, "Discovery of the IPv6 Prefix Used for IPv6 Address Synthesis", RFC 7050, DOI 10.17487/RFC7050, November 2013, <https://www.rfc-editor.org/info/rfc7050>.

[RFC7053] Tuexen, M., Ruengeler, I., and R. Stewart, "SACK-IMMEDIATELY Extension for the Stream Control Transmission Protocol", RFC 7053, DOI 10.17487/RFC7053, November 2013, <https://www.rfc-editor.org/info/rfc7053>.

[RFC7064] Nandakumar, S., Salgueiro, G., Jones, P., and M. Petit-Huguenin, "URI Scheme for the Session Traversal Utilities for NAT (STUN) Protocol", RFC 7064, DOI 10.17487/RFC7064, November 2013, <https://www.rfc-editor.org/info/rfc7064>.

[RFC7065] Petit-Huguenin, M., Nandakumar, S., Salgueiro, G., and P. Jones, "Traversal Using Relays around NAT (TURN) Uniform Resource Identifiers", RFC 7065, DOI 10.17487/RFC7065, November 2013, <https://www.rfc-editor.org/info/rfc7065>.

[RFC7160] Petit-Huguenin, M. and G. Zorn, Ed., "Support for Multiple Clock Rates in an RTP Session", RFC 7160, DOI 10.17487/RFC7160, April 2014, <https://www.rfc-editor.org/info/rfc7160>.

[RFC7164] Gross, K. and R. Brandenburg, "RTP and Leap Seconds", RFC 7164, DOI 10.17487/RFC7164, March 2014, <https://www.rfc-editor.org/info/rfc7164>.

[RFC7301] Friedl, S., Popov, A., Langley, A., and E. Stephan, "Transport Layer Security (TLS) Application-Layer Protocol Negotiation Extension", RFC 7301, DOI 10.17487/RFC7301, July 2014, <https://www.rfc-editor.org/info/rfc7301>.

[RFC7345] Holmberg, C., Sedlacek, I., and G. Salgueiro, "UDP Transport Layer (UDPTL) over Datagram Transport Layer Security (DTLS)", RFC 7345, DOI 10.17487/RFC7345, August 2014, <https://www.rfc-editor.org/info/rfc7345>.

[RFC7350] Petit-Huguenin, M. and G. Salgueiro, "Datagram Transport Layer Security (DTLS) as Transport for Session Traversal Utilities for NAT (STUN)", RFC 7350, DOI 10.17487/RFC7350, August 2014, <https://www.rfc-editor.org/info/rfc7350>.

[RFC7491] King, D. and A. Farrel, "A PCE-Based Architecture for Application-Based Network Operations", RFC 7491, DOI 10.17487/RFC7491, March 2015, <https://www.rfc-editor.org/info/rfc7491>.

[RFC7496] Tuexen, M., Seggelmann, R., Stewart, R., and S. Loreto, "Additional Policies for the Partially Reliable Stream Control Transmission Protocol Extension", RFC 7496, DOI 10.17487/RFC7496, April 2015, <https://www.rfc-editor.org/info/rfc7496>.

[RFC7515] Jones, M., Bradley, J., and N. Sakimura, "JSON Web Signature (JWS)", RFC 7515, DOI 10.17487/RFC7515, May 2015, <https://www.rfc-editor.org/info/rfc7515>.

[RFC7518] Jones, M., "JSON Web Algorithms (JWA)", RFC 7518, DOI 10.17487/RFC7518, May 2015, <https://www.rfc-editor.org/info/rfc7518>.

[RFC7519] Jones, M., Bradley, J., and N. Sakimura, "JSON Web Token (JWT)", RFC 7519, DOI 10.17487/RFC7519, May 2015, <https://www.rfc-editor.org/info/rfc7519>.

[RFC7587] Spittka, J., Vos, K., and JM. Valin, "RTP Payload Format for the Opus Speech and Audio Codec", RFC 7587, DOI 10.17487/RFC7587, June 2015, <https://www.rfc-editor.org/info/rfc7587>.

[RFC7613] Saint-Andre, P. and A. Melnikov, "Preparation, Enforcement, and Comparison of Internationalized Strings Representing Usernames and Passwords", RFC 7613, DOI 10.17487/RFC7613, August 2015, <https://www.rfc-editor.org/info/rfc7613>.

[RFC7615] Reschke, J., "HTTP Authentication-Info and Proxy-Authentication-Info Response Header Fields", RFC 7615, DOI 10.17487/RFC7615, September 2015, <https://www.rfc-editor.org/info/rfc7615>.

[RFC7616] Shekh-Yusef, R., Ed., Ahrens, D., and S. Bremer, "HTTP Digest Access Authentication", RFC 7616, DOI 10.17487/RFC7616, September 2015, <https://www.rfc-editor.org/info/rfc7616>.

[RFC7635] Reddy, T., Patil, P., Ravindranath, R., and J. Uberti, "Session Traversal Utilities for NAT (STUN) Extension for Third-Party Authorization", RFC 7635, DOI 10.17487/RFC7635, August 2015, <https://www.rfc-editor.org/info/rfc7635>.

[RFC7639] Hutton, A., Uberti, J., and M. Thomson, "The ALPN HTTP Header Field", RFC 7639, DOI 10.17487/RFC7639, August 2015, <https://www.rfc-editor.org/info/rfc7639>.

[RFC7656] Lennox, J., Gross, K., Nandakumar, S., Salgueiro, G., and B. Burman, Ed., "A Taxonomy of Semantics and Mechanisms for Real-Time Transport Protocol (RTP) Sources", RFC 7656, DOI 10.17487/RFC7656, November 2015, <https://www.rfc-editor.org/info/rfc7656>.

[RFC7657] Black, D., Ed. and P. Jones, "Differentiated Services (Diffserv) and Real-Time Communication", RFC 7657, DOI 10.17487/RFC7657, November 2015, <https://www.rfc-editor.org/info/rfc7657>.

[RFC7662] Richer, J., Ed., "OAuth 2.0 Token Introspection", RFC 7662, DOI 10.17487/RFC7662, October 2015, <https://www.rfc-editor.org/info/rfc7662>.

[RFC7667] Westerlund, M. and S. Wenger, "RTP Topologies", RFC 7667, DOI 10.17487/RFC7667, November 2015, <https://www.rfc-editor.org/info/rfc7667>.

[RFC7675] Perumal, M., Wing, D., Ravindranath, R., Reddy, T., and M. Thomson, "Session Traversal Utilities for NAT (STUN) Usage for Consent Freshness", RFC 7675, DOI 10.17487/RFC7675, October 2015, <https://www.rfc-editor.org/info/rfc7675>.

[RFC7728] Burman, B., Akram, A., Even, R., and M. Westerlund, "RTP Stream Pause and Resume", RFC 7728, DOI 10.17487/RFC7728, February 2016, <https://www.rfc-editor.org/info/rfc7728>.

[RFC7741] Westin, P., Lundin, H., Glover, M., Uberti, J., and F. Galligan, "RTP Payload Format for VP8 Video", RFC 7741, DOI 10.17487/RFC7741, March 2016, <https://www.rfc-editor.org/info/rfc7741>.

[RFC7742] Roach, A., "WebRTC Video Processing and Codec Requirements", RFC 7742, DOI 10.17487/RFC7742, March 2016, <https://www.rfc-editor.org/info/rfc7742>.

[RFC7800] Jones, M., Bradley, J., and H. Tschofenig, "Proof-of-Possession Key Semantics for JSON Web Tokens (JWTs)", RFC 7800, DOI 10.17487/RFC7800, April 2016, <https://www.rfc-editor.org/info/rfc7800>.

[RFC7850] Nandakumar, S., "Registering Values of the SDP 'proto' Field for Transporting RTP Media over TCP under Various RTP Profiles", RFC 7850, DOI 10.17487/RFC7850, April 2016, <https://www.rfc-editor.org/info/rfc7850>.

[RFC7941] Westerlund, M., Burman, B., Even, R., and M. Zanaty, "RTP Header Extension for the RTP Control Protocol (RTCP) Source Description Items", RFC 7941, DOI 10.17487/RFC7941, August 2016, <https://www.rfc-editor.org/info/rfc7941>.

[RFC7983] Petit-Huguenin, M. and G. Salgueiro, "Multiplexing Scheme Updates for Secure Real-time Transport Protocol (SRTP) Extension for Datagram Transport Layer Security (DTLS)", RFC 7983, DOI 10.17487/RFC7983, September 2016, <https://www.rfc-editor.org/info/rfc7983>.

[RFC8032] Josefsson, S. and I. Liusvaara, "Edwards-Curve Digital Signature Algorithm (EdDSA)", RFC 8032, DOI 10.17487/RFC8032, January 2017, <https://www.rfc-editor.org/info/rfc8032>.

[RFC8035] Holmberg, C., "Session Description Protocol (SDP) Offer/Answer Clarifications for RTP/RTCP Multiplexing", RFC 8035, DOI 10.17487/RFC8035, November 2016, <https://www.rfc-editor.org/info/rfc8035>.

[RFC8083] Perkins, C. and V. Singh, "Multimedia Congestion Control: Circuit Breakers for Unicast RTP Sessions", RFC 8083, DOI 10.17487/RFC8083, March 2017, <https://www.rfc-editor.org/info/rfc8083>.

[RFC8108] Lennox, J., Westerlund, M., Wu, Q., and C. Perkins, "Sending Multiple RTP Streams in a Single RTP Session", RFC 8108, DOI 10.17487/RFC8108, March 2017, <https://www.rfc-editor.org/info/rfc8108>.

[RFC8122] Lennox, J. and C. Holmberg, "Connection-Oriented Media Transport over the Transport Layer Security (TLS) Protocol in the Session Description Protocol (SDP)", RFC 8122, DOI 10.17487/RFC8122, March 2017, <https://www.rfc-editor.org/info/rfc8122>.

[RFC8152] Schaad, J., "CBOR Object Signing and Encryption (COSE)", RFC 8152, DOI 10.17487/RFC8152, July 2017, <https://www.rfc-editor.org/info/rfc8152>.

[RFC8259] Bray, T., Ed., "The JavaScript Object Notation (JSON) Data Interchange Format", STD 90, RFC 8259, DOI 10.17487/RFC8259, December 2017, <https://www.rfc-editor.org/info/rfc8259>.

[RFC8260] Stewart, R., Tuexen, M., Loreto, S., and R. Seggelmann, "Stream Schedulers and User Message Interleaving for the Stream Control Transmission Protocol", RFC 8260, DOI 10.17487/RFC8260, November 2017, <https://www.rfc-editor.org/info/rfc8260>.

[RFC8261] Tuexen, M., Stewart, R., Jesup, R., and S. Loreto, "Datagram Transport Layer Security (DTLS) Encapsulation of SCTP Packets", RFC 8261, DOI 10.17487/RFC8261, November 2017, <https://www.rfc-editor.org/info/rfc8261>.

[RFC8264] Saint-Andre, P. and M. Blanchet, "PRECIS Framework: Preparation, Enforcement, and Comparison of Internationalized Strings in Application Protocols", RFC 8264, DOI 10.17487/RFC8264, October 2017, <https://www.rfc-editor.org/info/rfc8264>.

[RFC8265] Saint-Andre, P. and A. Melnikov, "Preparation, Enforcement, and Comparison of Internationalized Strings Representing Usernames and Passwords", RFC 8265, DOI 10.17487/RFC8265, October 2017, <https://www.rfc-editor.org/info/rfc8265>.

[RFC8285] Singer, D., Desineni, H., and R. Even, Ed., "A General Mechanism for RTP Header Extensions", RFC 8285, DOI 10.17487/RFC8285, October 2017, <https://www.rfc-editor.org/info/rfc8285>.

[RFC8305] Schinazi, D. and T. Pauly, "Happy Eyeballs Version 2: Better Connectivity Using Concurrency", RFC 8305, DOI 10.17487/RFC8305, December 2017, <https://www.rfc-editor.org/info/rfc8305>.

Author's Address

Cullen Jennings
Cisco

Email: fluffy@iii.ca