Network Working Group Internet-Draft Intended status: Standards Track Expires: September 20, 2018

Too Many Requests Response Code for the Constrained Application Protocol <u>draft-keranen-core-too-many-reqs-01</u>

Abstract

A Constrained Application Protocol (CoAP) server can experience temporary overload because one or more clients are sending requests to the server at a higher rate than the server is capable or willing to handle. This document defines a new CoAP Response Code for a server to indicate that a client should reduce the rate of requests.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of <u>BCP 78</u> and <u>BCP 79</u>.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <u>http://datatracker.ietf.org/drafts/current/</u>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on September 20, 2018.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to <u>BCP 78</u> and the IETF Trust's Legal Provisions Relating to IETF Documents (<u>http://trustee.ietf.org/license-info</u>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License. Internet-Draft Too Many Requests Response Code for CoAP

Table of Contents

<u>1</u> .	Introduction	2
<u>2</u> .	Terminology	2
<u>3</u> .	CoAP Server Behavior	2
<u>4</u> .	CoAP Client Behavior	<u>3</u>
<u>5</u> .	Security Considerations	<u>3</u>
<u>6</u> .	IANA Considerations	<u>3</u>
<u>7</u> .	Acknowledgements	<u>3</u>
<u>8</u> .	References	<u>3</u>
	<u>.1</u> . Normative References	
<u>8</u> .	<u>.2</u> . Informative References	4
Auth	nor's Address	4

1. Introduction

The Constrained Application Protocol (CoAP) [<u>RFC7252</u>] Response Codes are used by a CoAP server to indicate the result of the attempt to understand and satisfy a request sent by a client.

CoAP Response Codes are similar to the HTTP [<u>RFC7230</u>] Status Codes and many codes are shared with similar semantics by both CoAP and HTTP. HTTP has the code "429" registered for "Too Many Requests" [<u>RFC6585</u>]. This document registers a CoAP Response Code "4.29" for similar purpose and also defines use of the Max-Age option to indicate when a client can try the request again.

The 4.29 code is similar to the 5.03 "Service Unavailable" [RFC7252] code in a way that the 5.03 code can also be used by a server to signal an overload situation. However the 4.29 code indicates that the too frequent requests from the requesting client are the reason for the overload.

2. Terminology

The key words 'MUST', 'MUST NOT', 'REQUIRED', 'SHALL', 'SHALL NOT', 'SHOULD', 'SHOULD NOT', 'RECOMMENDED', 'MAY', and 'OPTIONAL' in this specification are to be interpreted as described in [<u>RFC2119</u>].

Readers should also be familiar with the terms and concepts discussed in [RFC7252].

<u>3</u>. CoAP Server Behavior

If a CoAP server is unable to serve a client that is sending CoAP request messages more often than the server is capable or willing to handle, the server SHOULD respond to the request(s) with the Response Code 4.29, "Too Many Requests". The Max-Age option is used to

Keranen

indicate the number of seconds after which the server assumes it is OK for the client to retry the request.

4. CoAP Client Behavior

If a client receives the 4.29 Response Code from a CoAP server to a request, it SHOULD NOT send the same request to the server before the time indicated in the Max-Age option has passed.

A client MUST NOT rely on a server being able to send the 4.29 Response Code in an overload situation because an overloaded server may not be able to reply to all requests at all.

<u>5</u>. Security Considerations

Replying to CoAP requests with a Response Code consumes resources from a server. For a server under attack it may be more appropriate to simply drop requests without responding.

If a CoAP reply with the Too Many Requests Response Code is not authenticated and integrity protected, an attacker can attempt to spoof a reply and make the client wait for an extended period of time before trying again.

6. IANA Considerations

IANA is requested to register the following Response Code in the "CoRE Parameters Registry", "CoAP Response Codes" sub-registry:

- o Response Code: 4.29
- o Description: Too Many Requests
- o Reference: [[This document]]

7. Acknowledgements

This Response Code definition was originally part of the "Publish-Subscribe Broker for CoAP" document [<u>I-D.ietf-core-coap-pubsub</u>]. Author would like to thank Gyorgy Rethy, Klaus Hartke, and Sandor Katona for their contributions and reviews.

8. References

Keranen

Expires September 20, 2018 [Page 3]

8.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", <u>BCP 14</u>, <u>RFC 2119</u>, DOI 10.17487/ <u>RFC2119</u>, March 1997, <<u>https://www.rfc-editor.org/info/</u> rfc2119>.
- [RFC7252] Shelby, Z., Hartke, K., and C. Bormann, "The Constrained Application Protocol (CoAP)", <u>RFC 7252</u>, DOI 10.17487/ <u>RFC7252</u>, June 2014, <<u>https://www.rfc-editor.org/info/</u> <u>rfc7252</u>>.

<u>8.2</u>. Informative References

Koster, M., Keranen, A., and J. Jimenez, "Publish-Subscribe Broker for the Constrained Application Protocol (CoAP)", <u>draft-ietf-core-coap-pubsub-04</u> (work in progress), March 2018.

- [RFC6585] Nottingham, M. and R. Fielding, "Additional HTTP Status Codes", <u>RFC 6585</u>, DOI 10.17487/RFC6585, April 2012, <<u>https://www.rfc-editor.org/info/rfc6585</u>>.
- [RFC7230] Fielding, R., Ed. and J. Reschke, Ed., "Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing", <u>RFC</u> 7230, DOI 10.17487/RFC7230, June 2014, <<u>https://www.rfc-</u> editor.org/info/rfc7230>.

Author's Address

Ari Keranen Ericsson

Email: ari.keranen@ericsson.com

[[]I-D.ietf-core-coap-pubsub]

Keranen