

Network Working Group
Internet-Draft
Intended status: Informational
Expires: November 11, 2017

S. Kille
Isode Ltd
May 10, 2017

LDAP Schema for supporting XMPP in White Pages
draft-kille-ldap-xmpp-schema-00

Abstract

Extensible Messaging and Presence Protocol (XMPP) identifies users by use of JID (Jabber IDs). Lightweight Directory Access Protocol (LDAP) enables provision of a white pages service with schema relating to users and support for internet protocols. This specification defines schema to enable XMPP JIDs to be associated with objects in an LDAP directory so that this information can be used with white pages applications.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on November 11, 2017.

Copyright Notice

Copyright (c) 2017 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4.e](#) of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	Conventions Used in This Document	2
3.	Schema Definition	2
3.1.	Object Class	2
3.2.	Attribute	3
4.	IANA Considerations	3
5.	Security Considerations	3
6.	Normative References	3
Appendix A.	Acknowledgements	5
	Author's Address	5

[1.](#) Introduction

Extensible Messaging and Presence Protocol (XMPP) [[RFC6120](#)] identifies users by use of JID (Jabber IDs). Lightweight Directory Access Protocol (LDAP) [[RFC4510](#)] enables provision of a white pages service with schema relating to users and support for internet protocols defined in [[RFC4519](#)]. This specification defines schema to enable XMPP JIDs to be associated with LDAP directory objects so that this information can be used with white pages applications.

The LDAP schema for storing JIDs is defined to enable JIDs to be associated with any object stored in the directory. This is done by associating the new JID Attribute with a new Auxiliary Object Class

[2.](#) Conventions Used in This Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

[3.](#) Schema Definition

This section defines the schema used to store JIDs in the directory.

[3.1.](#) Object Class

This section defines a new Auxiliary Object Class (JIDObject) which may be associated with any primary Object Class.

```
( TBA.1 NAME 'JIDObject'
  AUXILIARY
  MAY jid )
```

Kille

Expires November 11, 2017

[Page 2]

3.2. Attribute

This section defines the JID attribute referenced by the ObjectWithJID Auxiliary Object Class. The syntax of the JID attribute SHOULD follow the rules of [RFC7622]. Note that the LDAP directory server is NOT expected to enforce this syntax. The syntax guidelines are for LDAP clients. The JID stored SHOULD be a bare JID and not a full JID.

```
( TBA.2 NAME 'jid'  
  EQUALITY caseIgnoreMatch  
  SUBSTR caseIgnoreSubstringsMatch  
  SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 )
```

1.3.6.1.4.1.1466.115.121.1.15 refers to the Directory String syntax defined in [RFC4517].

4. IANA Considerations

The two Object Identifiers, references as TBA.1 and TBA.2 in this draft are assigned by IANA in the "Object Identifier Descriptors" as the name of the LDAP Registry <<https://www.iana.org/assignments/ldap-parameters/ldap-parameters.xhtml>>.

5. Security Considerations

None.

6. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.
- [RFC4510] Zeilenga, K., Ed., "Lightweight Directory Access Protocol (LDAP): Technical Specification Road Map", [RFC 4510](#), DOI 10.17487/RFC4510, June 2006, <<http://www.rfc-editor.org/info/rfc4510>>.
- [RFC4517] Legg, S., Ed., "Lightweight Directory Access Protocol (LDAP): Syntaxes and Matching Rules", [RFC 4517](#), DOI 10.17487/RFC4517, June 2006, <<http://www.rfc-editor.org/info/rfc4517>>.

Kille

Expires November 11, 2017

[Page 3]

- [RFC4519] Sciberras, A., Ed., "Lightweight Directory Access Protocol (LDAP): Schema for User Applications", [RFC 4519](#), DOI 10.17487/RFC4519, June 2006, <<http://www.rfc-editor.org/info/rfc4519>>.
- [RFC6120] Saint-Andre, P., "Extensible Messaging and Presence Protocol (XMPP): Core", [RFC 6120](#), DOI 10.17487/RFC6120, March 2011, <<http://www.rfc-editor.org/info/rfc6120>>.
- [RFC7622] Saint-Andre, P., "Extensible Messaging and Presence Protocol (XMPP): Address Format", [RFC 7622](#), DOI 10.17487/RFC7622, September 2015, <<http://www.rfc-editor.org/info/rfc7622>>.

[Appendix A](#). Acknowledgements

Thanks to Alexey Melnikov for suggestions on preparing this draft.

Author's Address

Steve Kille
Isode Ltd
14 Castle Mews
Hampton, Middlesex TW12 2NP
UK

E-Mail: Steve.Kille@isode.com