Network Working Group

Internet-Draft

Updates: <u>1964</u>, <u>3961</u>, <u>4120</u>, <u>4121</u>

(if approved)

Intended status: Standards Track Expires: September 24, 2010

L. Hornquist Astrand Apple, Inc March 23, 2010

Kerberos number registry to IANA draft-lha-krb-wg-some-numbers-to-iana-00

Abstract

Kerberos have many registers where only some have been registered, this document tries to cover the rest of them. There is a private space but that can not be used for implementation in released software. Also private is not avaible for all types. This document moves control over the numbers to an IANA number registerty.

Status of this Memo

This Internet-Draft is submitted to IETF in full conformance with the provisions of \underline{BCP} 78 and \underline{BCP} 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at http://www.ietf.org/ietf/1id-abstracts.txt.

The list of Internet-Draft Shadow Directories can be accessed at http://www.ietf.org/shadow.html.

This Internet-Draft will expire on September 24, 2010.

Copyright Notice

Copyright (c) 2010 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal

Provisions Relating to IETF Documents

(http://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the BSD License.

Table of Contents

<u>1</u> .	Requirements Notation .										<u>3</u>
<u>2</u> .	Background										<u>4</u>
<u>3</u> .	Registration procedures										<u>5</u>
<u>4</u> .	Authorization Data Types										<u>6</u>
<u>5</u> .	Key Usage Numbers										<u>7</u>
<u>6</u> .	Address types										8
<u>7</u> .	Transited Encoding Types										9
<u>8</u> .	Name Types										<u>10</u>
<u>9</u> .	Error codes										<u>11</u>
<u> 10</u> .	Security Considerations										<u>12</u>
<u>11</u> .	IANA Considerations										<u>13</u>
<u>12</u> .	Normative References										<u>14</u>
Autl	nor's Address										<u>15</u>

1. Requirements Notation

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

2. Background

[RFC4120] and other draft, RFC and private documents currently defines uses of Kerberos protocol numbers, after serveral confusions and collisions in shipped code its time to move them to an IANA registerty.

3. Registration procedures

A Kerberos number registration have the same "Registration procedures" for number based registration.

Exceptions are: Error codes and Key Usage Numbers.

- o 0-65536: Specification Required, expert review (krb-wg mailinglist) that the specification is implementable in an interopable manner
- o 65536 and higher: first come, first serve

4. Authorization Data Types

5. Key Usage Numbers

Special considerations for key usage numbers in addition to what rules in specified in "Registration procedures".

Odd numbers SHOULD be allocated to checksums operations Even numbers SHOULD be allocated to encryption operations

6. Address types

7. Transited Encoding Types

8. Name Types

9. Error codes

Error codes may only be registered with Standards action.

10. Security Considerations

There is no security consideration, this documents move control over the registry to IANA.

11. IANA Considerations

This create a number of registries.

12. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", <u>BCP 14</u>, <u>RFC 2119</u>, March 1997.
- [RFC4120] Neuman, C., Yu, T., Hartman, S., and K. Raeburn, "The Kerberos Network Authentication Service (V5)", RFC 4120, July 2005.

Kerberos number registry to IANA Internet-Draft March 2010

Author's Address

Love Hornquist Astrand Apple, Inc Cupertino USA

Email: lha@apple.com