

Workgroup: Network Working Group  
Internet-Draft: draft-matsuhira-me6a-12  
Published: 4 April 2022  
Intended Status: Informational  
Expires: 6 October 2022  
Authors: N. Matsuhira

WIDE Project

## **Multiple Ethernet - IPv6 mapped IPv6 address (ME6A)**

### **Abstract**

This document specifies Multiple Ethernet - IPv6 mapped IPv6 address (ME6A) specification. ME6A is Ethernet mapped IPv6 address with plane ID. Unique allocation of plane id value enable duplicated MAC address unique in IPv6 address space. This address may use Ethernet over IPv6 encapsulation.

### **Requirements Language**

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

### **Status of This Memo**

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 6 October 2022.

### **Copyright Notice**

Copyright (c) 2022 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents

carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

## Table of Contents

- [1. Introduction](#)
- [2. ME6A architecture](#)
- [3. IANA Considerations](#)
- [4. Security Considerations](#)
- [5. Normative References](#)
- [Author's Address](#)

## 1. Introduction

This document specifies Multiple Ethernet - IPv6 mapped IPv6 address(ME6A) specification. ME6A is Ethernet mapped IPv6 address with plane ID. Unique allocation of plane ID value enable duplicated MAC address unique in IPv6 address space.

This address may use Ethernet over IPv6 encapsulation such as Multiple Ethernet - IPv6 mapping encapsulation - fixed prefix (ME6E-FP) [[I-D.draft-matsuhira-me6e-fp](#)] and Multiple Ethernet - IPv6 mapping encapsulation - prefix resolution (ME6E-PR)[[I-D.draft-matsuhira-me6e-pr](#)].

## 2. ME6A architecture

[Figure 1](#) shows ME6A architecture.



Figure 1

ME6A consists of three parts as follows.

**ME6A prefix**

ME6A prefix. This value is fixed value with M46E-FP, and non fixed value with M46E-PR.

**Ethernet plane ID**

Ethernet network plane ID is network identification of Ethernet network plane.

**Ethernet address**

Ethernet MAC address. EUI-48 address or EUI-64 address.

**3. IANA Considerations**

This document makes no request of IANA.

Note to RFC Editor: this section may be removed on publication as an RFC.

**4. Security Considerations****5. Normative References**

[I-D.draft-matsuhira-me6e-fp] Matsuhira, N., "Multiple Ethernet - IPv6 mapping encapsulation - fixed prefix", 1 June 2019.

[I-D.draft-matsuhira-me6e-pr] Matsuhira, N., "Multiple Ethernet - IPv6 address mapping encapsulation - prefix resolution", 1 June 2019.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.

**Author's Address**

Naoki Matsuhira  
WIDE Project  
Japan

Email: [naoki.matsuhira@gmail.com](mailto:naoki.matsuhira@gmail.com)