

Network Working Group
Internet Draft: [draft-myers-mime-md5-00.txt](#)
Expires in six months

J. Myers
Carnegie Mellon
M. Rose
Dover Beach Consulting, Inc.
October 1995

The Content-MD5 Header Field

Status of this Memo

This document is an Internet Draft. Internet Drafts are working documents of the Internet Engineering Task Force (IETF), its Areas, and its Working Groups. Note that other groups may also distribute working documents as Internet Drafts.

Internet Drafts are valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet Drafts as reference material or to cite them other than as a work in progress.

Abstract

This memo specifies an optional header field, Content-MD5, for use with MIME-conformant messages.

1. Introduction

Despite all of the mechanisms provided by MIME [[1](#)] which attempt to protect data from being damaged in the course of email transport, it is still desirable to have a mechanism for verifying that the data, once decoded, are intact. For this reason, this memo defines the use of an optional header field, Content-MD5, which may be used as a message integrity check (MIC), to verify that the decoded data are the same data that were initially sent.

MD5 is an algorithm for computing a 128 bit "digest" of arbitrary-length data, with a high degree of confidence that any alterations in the data will be reflected in alterations in the digest. The MD5 algorithm itself is defined in [[2](#)]. This memo specifies how the algorithm may be used as an integrity check for MIME mail.

2. Generation of the Content-MD5 Field

The Content-MD5 field is generated by only an originating user agent. Message relays and gateways are expressly forbidden from generating a Content-MD5 field.

Use of the Content-MD5 field is completely optional, but its use is recommended whenever data integrity is desired, but Privacy-Enhanced Mail services [[3](#)] are not available. (Consult [Section 4](#) for further details.) The Content-MD5 field may only be added to MIME entities of a 'leaf' nature, i.e., the Content-MD5 field may be used with any content type other than multipart or message/rfc822.

To generate the value of the Content-MD5 field, the MD5 algorithm is computed on the canonical form of the MIME entity's object. In particular, this means that the sender applies the MD5 algorithm on the data immediately after conversion to canonical form, before applying any content-transfer-encoding, and that the receiver also applies the MD5 algorithm on the canonical form, after undoing any content-transfer-encoding. For textual data, this means the MD5 algorithm must be computed on data in which the canonical form for newlines applies, that is, in which each newline is represented by a CR-LF pair. The canonical encoding model of MIME is described in [Appendix G](#) of [[1](#)].

The output of the MD5 algorithm is a 128 bit digest. When viewed in network byte order (big-endian order), this yields a sequence of 16 octets of binary data. These 16 octets are then encoded according to the base64 algorithm in order to obtain the value that is placed in the Content-MD5 field. Thus, if the application of the MD5 algorithm over the raw data of a MIME entity results in a digest having the (unlikely) value of "Check Integrity!", then that MIME entity's

header could contain the field

Content-MD5: Q2hlY2sgSW50ZWdyaXR5IQ==

Finally, as discussed in [Appendix B](#) of [1], textual data is regularly altered in the normal delivery of mail. Because the addition or deletion of trailing white space will result in a different digest, either the quoted-printable or base64 algorithm should be employed as a content-transfer-encoding when the Content-MD5 field is used.

3. Processing the Content-MD5 field

If the Content-MD5 field is present, a recipient user agent may choose to use it to verify that the contents of a MIME entity have not been modified during transport. Message relays and gateways are expressly forbidden to alter its processing based on the presence of the Content-MD5 field. However, a message gateway is allowed to remove the Content-MD5 field if the corresponding MIME entity is translated into a different content-type.

4. Security Considerations

This document specifies a data integrity service that protects data from accidental modification while in transit from the sender to the recipient. A secure data integrity service, such as that provided by Privacy Enhanced Mail [3], is conjectured to protect data from all modifications.

5. Acknowledgements

This memo is based almost entirely on text originally written by Nathaniel Borenstein of Bellcore. In addition, several improvements were suggested by Keith Moore of the University of Tennessee, Knoxville.

6. References

- [1] N. Borenstein, N. Freed. MIME: Mechanisms for Specifying and Describing the Format of Internet Message Bodies. Request for Comments 1521, (September, 1993).
- [2] R. Rivest, The MD5 Message-Digest Algorithm. Request for Comments 1321, (April, 1992).
- [3] J. Linn, Privacy Enhancement for Internet Electronic Mail, Part I: Message Encryption and Authentication Procedures. Request for Comments 1421, (February, 1993).

7. Authors' Addresses

John G. Myers
Carnegie Mellon University
jgm+@cmu.edu

Marshall T. Rose
Dover Beach Consulting, Inc.
mrose@dbc.mtview.ca.us

Table of Contents

Status of this Memo	<u>i</u>
Abstract	<u>i</u>
<u>1</u> . Introduction	<u>2</u>
<u>2</u> . Generation of the Content-MD5 Field	<u>2</u>
<u>3</u> . Processing the Content-MD5 field	<u>3</u>
<u>4</u> . Security Considerations	<u>3</u>
<u>5</u> . Acknowledgements	<u>3</u>
<u>6</u> . References	<u>3</u>
<u>7</u> . Authors' Addresses	<u>4</u>

