

RSS 2.0
draft-nottingham-rss2-00

Status of this Memo

This document is an Internet-Draft and is in full conformance with all provisions of [Section 10 of RFC2026](#) except that the right to produce derivative works is not granted.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on October 8, 2003.

Copyright Notice

Copyright (C) The Internet Society (2003). All Rights Reserved.

Abstract

This specification documents version 2.0 of RSS, an XML-based format for syndicating Web content and metadata.

Table of Contents

- [1.](#) Introduction [3](#)
- [1.1](#) Document terminology and conventions [3](#)
- [2.](#) Document Structure [3](#)
- [3.](#) The rss Element [3](#)
- [4.](#) The channel Element [3](#)
- [4.1](#) Required Children [3](#)
- [4.1.1](#) title Element [4](#)
- [4.1.2](#) link Element [4](#)
- [4.1.3](#) description Element [4](#)
- [4.2](#) Optional Children [4](#)
- [4.2.1](#) language Element [4](#)
- [4.2.2](#) copyright Element [4](#)
- [4.2.3](#) managingEditor Element [4](#)
- [4.2.4](#) webMaster Element [4](#)
- [4.2.5](#) pubDate Element [4](#)
- [4.2.6](#) lastBuildDate Element [5](#)
- [4.2.7](#) category Element [5](#)
- [4.2.8](#) generator Element [5](#)
- [4.2.9](#) docs Element [5](#)
- [4.2.10](#) cloud Element [5](#)
- [4.2.11](#) ttl Element [5](#)
- [4.2.12](#) image Element [5](#)
- [4.2.13](#) rating Element [6](#)
- [4.2.14](#) textInput Element [6](#)
- [4.2.15](#) skipHours Element [7](#)
- [4.2.16](#) skipDays Element [7](#)
- [4.3](#) The item Element [7](#)
- [4.3.1](#) Optional Children [7](#)
- [4.3.1.1](#) title Element [7](#)
- [4.3.1.2](#) link Element [7](#)
- [4.3.1.3](#) description Element [8](#)
- [4.3.1.4](#) author Element [8](#)
- [4.3.1.5](#) category Element [8](#)
- [4.3.1.6](#) comments Element [8](#)
- [4.3.1.7](#) enclosure Element [8](#)
- [4.3.1.8](#) guid Element [8](#)
- [4.3.1.9](#) pubDate Element [9](#)
- [4.3.1.10](#) source Element [9](#)
- [5.](#) Date Formatting [9](#)
- [6.](#) Extending RSS [9](#)
- [7.](#) IANA Considerations [10](#)
- [8.](#) Security Considerations [10](#)
- References [11](#)
- Author's Address [11](#)
- [A.](#) UserLand Copyright Statement [11](#)
- Intellectual Property and Copyright Statements [13](#)

1. Introduction

This specification documents version 2.0 of RSS (Really Simple Syndication), an XML-based format for syndicating Web content and metadata.

This specification provides stable documentation for the RSS 2.0 format [9] as described by Dave Winer of UserLand Software, to assist in implementation. As such, RSS documents conformant with this specification should be conformant with that specification, and vice versa.

[[[NOTE: This Internet-Draft is being made available ONLY to allow the community to ascertain whether the specification described herein is true to the original RSS 2.0 specification. Comments should be directed to the RSS2 Support mailing list (RSS2-Support@yahoogroups.com).]]]

1.1 Document terminology and conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [5].

2. Document Structure

RSS documents MUST be conformant to the XML 1.0 specification [1]. There is explicitly no namespace URI [2] associated with the elements described in this document.

3. The rss Element

The root (top-level) element of an RSS document MUST be the rss element. It has one mandatory attribute, version, which indicates the version of RSS which the document conforms to. Documents conformant to this specification MUST have a version attribute of "2.0".

The rss element MUST contain a channel element.

4. The channel Element

The channel element contains metadata about the RSS channel, as well as the items which comprise it.

4.1 Required Children

The following elements MUST be present as children of the channel element;

4.1.1 title Element

The title element MUST contain a string, to be used as a name for the channel. Its content SHOULD be the same as that of the human-readable Web page it refers to.

4.1.2 link Element

The link element MUST contain a URL [[6](#)] which indicates a (human-readable) Web page associated with the channel.

4.1.3 description Element

The description element MUST contain a string describing the channel.

4.2 Optional Children

The following elements MAY be present as children of the channel element;

4.2.1 language Element

The language element, if present, MUST contain a language tag, as defined in [RFC3066](#) [[8](#)].

4.2.2 copyright Element

The copyright element, if present, MUST contain a string, which serves as copyright notice regarding the channel's content.

4.2.3 managingEditor Element

The managingEditor element, if present, MUST contain an e-mail address, indicating the person or entity responsible for the content (in an editorial sense).

4.2.4 webMaster Element

The webMaster element, if present, MUST contain an e-mail address, indicating the person or entity responsible for the technical administration of the channel.

4.2.5 pubDate Element

The pubDate element, if present, MUST contain an [RFC822](#)-formatted [[4](#)] date (subject to the caveats below). It represents the publication date for the channel.

For example, the New York Times publishes on a daily basis, the publication date flips once every 24 hours. That's when the pubDate of the channel changes.

4.2.6 lastBuildDate Element

The lastBuildDate element, if present, MUST contain an [RFC822](#)-formatted [\[4\]](#) date (subject to the caveats below). It represents the moment when the content of the channel last changed.

4.2.7 category Element

The category element, when present, MUST contain a string that identifies a categorization for the channel. It SHOULD use forward slash delimitation to indicate hierarchy.

The category element MAY have a domain attribute, which MUST be a string that identifies a categorization taxonomy.

The category element MAY be repeated to associate multiple categorizations with a channel.

4.2.8 generator Element

The generator element, if present, MUST contain a string, indicating the program used to generate the document.

4.2.9 docs Element

The docs element, if present, MUST contain a URL that resolves to documentation for the format of the RSS file, for future reference.

4.2.10 cloud Element

The cloud element, if present, allows processes to register to be notified of updates to the channel, by using a lightweight publish-subscribe protocol.

For more information, see the rssCloud [\[10\]](#) interface.

4.2.11 ttl Element

The ttl element, when present, MUST contain an integer number of minutes that indicates how long a channel's representation can be cached.

4.2.12 image Element

The image element, when present, allows an image such as an illustration or photograph to be associated with the channel. It MUST have the following children: the url element, the title element, and the link element.

The url element MUST contain a URL which can be used to locate the image. It SHOULD be capable of returning an image with one of the following media types; image/gif, image/jpeg, image/png.

The title element MUST be a string describing the image (this element as the same semantic as the HTML alt attribute).

The link element MUST contain a URL which indicates the location of the site associated with the image.

In practice, the title element and link element SHOULD be the same as those associated with the channel itself.

Additionally, the image element MAY have the following children: the width element and the height element.

Both the width element and the height element MUST contain integers which indicate the width and height of the image in pixels, respectively.

The value of the width element MUST NOT be greater than 144; if it is not present, consumers MAY assume it to be 88.

The value of the height element MUST NOT be greater than 400; if it is not present, consumers MAY assume it to be 31.

4.2.13 rating Element

The rating element, when present, MUST contain the PICS [3] rating for the channel.

4.2.14 textInput Element

The textInput element describes a text input control that can be used in conjunction with the channel. It MUST contain the following children: the title element, the description element, the name element and the link element. It is included in this specification for backwards-compatibility.

The title element MUST contain a string that can be used as a label for the text input submission widget.

The description element MUST contain a string that explains the text

input area.

The name element MUST contain a string that associates a name with the input text.

The link element MUST contain a URL to which the text can be submitted.

4.2.15 skipHours Element

The skipHours element, if present, MUST contain one to 24 hour elements.

The hour element MUST contain an integer between 0 and 23. Its value indicates an hour in which consumers SHOULD NOT attempt to fetch representations of the channel; a value of 0 indicates midnight GMT.

4.2.16 skipDays Element

The skipDays element, if present, MUST contain one to seven day elements.

The day element MUST contain one of the following strings; "Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday" or "Sunday". Its value indicates a day on which consumers SHOULD NOT attempt to fetch representation of the channel.

4.3 The item Element

In addition to the required and optional children described above, the channel element MAY have any number of item elements following them.

item elements embody the payload of the RSS channel. Although all item child elements described here are optional, each item MUST have either a title element or description element as a child.

4.3.1 Optional Children

4.3.1.1 title Element

The title element, if present, MUST contain a string, to be used as a name for the item.

4.3.1.2 link Element

The link element, if present, MUST contain a URL which indicates a (human-readable) Web page associated with the item.

4.3.1.3 description Element

The description element, if present, MUST contain a string describing the item.

4.3.1.4 author Element

The author element, if present, MUST contain an e-mail address, indicating the author of the item.

For examples, publications syndicated via RSS might indicate the person who wrote the article that the item describes. For collaborative Weblogs, the author of the item might be different from the managing editor or Webmaster. For a Weblog authored by a single individual, it may be appropriate to omit the author element.

4.3.1.5 category Element

The category element, if present, MUST contain a string that identifies a categorization for the item. It SHOULD use forward slash delimitation to indicate hierarchy.

The category element MAY have a domain attribute, which MUST be a string that identifies a categorization taxonomy.

The category element MAY be repeated to associate multiple categorizations with an item.

4.3.1.6 comments Element

The comments element, if present, MUST be a URL, indicating a page for comments relating to the item.

4.3.1.7 enclosure Element

The enclosure element, if present, describes a media object that is logically attached to the item. It MUST have a url attribute, a length attribute, and a type attribute.

The url attribute indicates the location of the enclosure; it MUST be a http-schemed URL.

The length attribute indicates the size of the enclosure in bytes.

The type attribute indicates the media type of the enclosure.

4.3.1.8 guid Element

The guid element, if present, MUST contain a string that uniquely identifies the item. Commonly, the guid element is used to determine whether an item is new, and to disambiguate it from other items.

The guid element MAY have a isPermaLink attribute, whose value MUST be either "true" or "false". The isPermaLink attribute indicates whether the guid also serves as a long-lived URL for the item. If the isPermaLink attribute is not present, the default value is "true".

If the value of the isPermaLink attribute is "true", the contents of the guid element MUST contain a URL that points to a Web page described by the item element.

If the value of the isPermaLink attribute is "false", consumers of RSS documents MUST consider the guid string as opaque.

4.3.1.9 pubDate Element

The pubDate element, if present, MUST be an [RFC822](#)-formatted [4] date (subject to the caveats below) that indicates when the item was published. If pubDate indicates a future date, consumers MAY choose to ignore the item until that date has passed.

4.3.1.10 source Element

The source element, if present, MUST contain a string that indicates the RSS channel that the item came from. It SHOULD be derived from the channel's title.

The source element MUST have a url attribute, which MUST be a URL indicating an XML source of the channel.

This element is designed to enable the propagation of credit for items, and SHOULD be generated automatically by tools where appropriate.

5. Date Formatting

[RFC822](#)-formatted dates in this specification MAY use two or four digits to indicate a year; it is RECOMMENDED that four digits are used.

6. Extending RSS

Elements and attributes MAY be introduced in the RSS format to extend its functionality. Such extensions MUST use XML Namespaces [2] to distinguish themselves from RSS elements as well as other extensions.

7. IANA Considerations

To: ietf-types@iana.org

Subject: Registration of MIME media type application/rss+xml

MIME media type name: application

MIME subtype name: rss+xml

Required parameters: none

Optional parameters:

charset

Same as charset parameter of application/xml as specified in [RFC3023](#) [7].

revision

The optional revision parameter indicates the integer version of RSS used; the value is specified by the target RSS version.

namespace

The optional namespace parameter indicates the XML namespace [2] URI of the RSS format, if available.

Encoding considerations:

Same as encoding considerations of application/xml as specified in [RFC3023](#) [7].

8. Security Considerations

Like any Internet format, values in RSS documents should be examined for invalid content, and careful care should be taken if it is to be used as input to further processing (e.g., using a date value as the basis of a calculation).

Furthermore, because HTML is a common payload of RSS files, careful consideration should be given before executing content such as ECMAScript or similar.

Additionally, the security considerations of [RFC3023](#) [7] should be taken into account when generating and processing RSS files.

References

- [1] Bray, T., Paoli, J., Sperberg-McQueen, C. and E. Maler, "Extensible Markup Language (XML) 1.0 (Second Edition)", W3C REC REC-xml-20001006, October 2000.
- [2] Bray, T., Hollander, D. and A. Layman, "Namespaces in XML", W3C REC REC-xml-names-19990114, January 1999.
- [3] Krauskopf, T., Miller, J., Resnick, P. and W. Treese, "PICS 1.1 Label Distribution -- Label Syntax and Communication Protocols", W3C REC REC-PICS-labels-961031, October 1996.
- [4] Crocker, D., "Standard for the format of ARPA Internet text messages", STD 11, [RFC 822](#), August 1982.
- [5] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.
- [6] Berners-Lee, T., Fielding, R. and L. Masinter, "Uniform Resource Identifiers (URI): Generic Syntax", [RFC 2396](#), August 1998.
- [7] Murata, M., St. Laurent, S. and D. Kohn, "XML Media Types", [RFC 3023](#), January 2001.
- [8] Alvestrand, H., "Tags for the Identification of Languages", [BCP 47](#), [RFC 3066](#), January 2001.
- [9] <<http://backend.userland.com/rss>>
- [10] <<http://www.thetwowayweb.com/soapmeetsrss>>

Author's Address

Mark Nottingham

E-Mail: mnot@pobox.com

URI: <http://www.mnot.net/>

[Appendix A. UserLand Copyright Statement](#)

This work is derived from the RSS 2.0.1 specification, which requires the following statement:

è Copyright 1997-2002 UserLand Software. All Rights Reserved.

This document and translations of it may be copied and furnished

to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and these paragraphs are included on all such copies and derivative works.

This document may not be modified in any way, such as by removing the copyright notice or references to UserLand or other organizations. Further, while these copyright restrictions apply to the written RSS specification, no claim of ownership is made by UserLand to the format it describes. Any party may, for commercial or non-commercial purposes, implement this format without royalty or license fee to UserLand. The limited permissions granted herein are perpetual and will not be revoked by UserLand or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and USERLAND DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property Statement

The IETF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to rights in standards-track and standards-related documentation can be found in [BCP-11](#). Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification can be obtained from the IETF Secretariat.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this standard. Please address the information to the IETF Executive Director.

Full Copyright Statement

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assignees.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION

HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.