Workgroup: anima Working Group

Internet-Draft:

draft-richardson-cbor-network-addresses-00

Published: 25 January 2021

Intended Status: Standards Track

Expires: 29 July 2021 Authors: M. Richardson

Sandelman Software Works

CBOR tags for IPv4 and IPv6 addresses and prefixes

### Abstract

This document describes two CBOR Tags to be used with IPv4 and IPv6 addresses and prefixes.

RFC-EDITOR-please remove: This work is tracked at https://github.com/mcr/cbor-network-address.git

### Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <a href="https://datatracker.ietf.org/drafts/current/">https://datatracker.ietf.org/drafts/current/</a>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 29 July 2021.

### Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents

(<a href="https://trustee.ietf.org/license-info">https://trustee.ietf.org/license-info</a>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

### Table of Contents

- 1. Introduction
- 2. Protocol
  - 2.1. IPv4
  - 2.2. IPv6
- 3. Security Considerations
- 4. IANA Considerations
  - 4.1. <u>TBD1 IPv4</u>
  - 4.2. TBD2 IPv6
- <u>5</u>. <u>Acknowledgements</u>
- 6. Changelog
- 7. Normative References

Author's Address

#### 1. Introduction

[RFC8949] defines a number of CBOR Tags for common items.

Not included are ones to indicate if the item is an IPv4 or IPv6 address, or if it is an address plus prefix length. This document defines them.

### 2. Protocol

These tags can applied to byte strings to represent a single address.

When applied to an array, the represent a CIDR-style prefix. When a byte string (without prefix) appears in a context where a prefix is expected, then it is to be assumed that all bits are relevant. That is, for IPv4, a /32 is implied, and for IPv6, a /128 is implied.

### 2.1. IPv4

IANA has allocated tag TBD1 for IPv4 uses.

An IPv4 address is to be encoded as a four-byte bytestring ([RFC8949] section, 3.1, major type 2), prefixed with tag TBD1. Trailing zero octets may be omitted.

An IPv4 prefix, such as 192.0.0.1/24 is to be encoded as a two element array:

TBD1([ h'C0000001', 24])

# 2.2. IPv6

IANA has allocated tag TBD2 for IPv6 uses.

An IPv6 address is to be encoded as up to sixteen-byte bytestring ([RFC8949] section, 3.1, major type 2), prefixed with tag TBD2. Trailing zero octets may be omitted.

An IPv6 prefix, such as 2001:db8:1234::/48 is to be encoded as a two element array:

TBD2([ h'20010db81234', 24])

## 3. Security Considerations

Identifying which byte sequences in a protocol are addresses may allow an attacker or eavesdropper to better understand what parts of a packet to attack.

Reading the relevant RFC may provide more information, so it would seem that any additional security that was provided by not being able to identify what are IP addresses falls into the security by obscurity category.

### 4. IANA Considerations

IANA is asked to allocate two tags from the Specification Required area, in the ("1+1") area.

### 4.1. TBD1 - IPv4

Data Item: byte-string and array Semantics: IPv4 or [IPv4,prefixlen]

#### 4.2. TBD2 - IPv6

Data Item: byte-string and array Semantics: IPv6 or [IPv6,prefixlen]

### Acknowledgements

none yet

## 6. Changelog

## 7. Normative References

[BCP14] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <a href="https://www.rfc-editor.org/info/rfc8174">https://www.rfc-editor.org/info/rfc8174</a>.

[RFC8949] Bormann, C. and P. Hoffman, "Concise Binary Object Representation (CBOR)", STD 94, RFC 8949, DOI 10.17487/ RFC8949, December 2020, <a href="https://www.rfc-editor.org/info/rfc8949">https://www.rfc-editor.org/info/rfc8949</a>>.

# Author's Address

Michael Richardson Sandelman Software Works

Email: mcr+ietf@sandelman.ca