

Manet  
Internet-Draft  
Intended status: Standards Track  
Expires: 8 September 2022

H.R. Rogge  
Fraunhofer FKIE  
7 March 2022

DLEP Radio Band Extension  
draft-rogge-manet-dlep-radio-band-03

## Abstract

This document defines an extension to the Dynamic Link Exchange Protocol (DLEP) to provide the frequency bands used by the radio.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 8 September 2022.

## Copyright Notice

Copyright (c) 2022 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Revised BSD License.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">2</a>
<a href="#">1.1.</a>	Requirements Language . . . . .	<a href="#">2</a>
<a href="#">2.</a>	Extension Usage and Identification . . . . .	<a href="#">2</a>
<a href="#">3.</a>	Radio Band Data Item . . . . .	<a href="#">2</a>
<a href="#">4.</a>	Security Considerations . . . . .	<a href="#">4</a>
<a href="#">5.</a>	IANA Considerations . . . . .	<a href="#">4</a>
<a href="#">5.1.</a>	Extension Type Value . . . . .	<a href="#">4</a>
<a href="#">5.2.</a>	Data Item Value . . . . .	<a href="#">4</a>
<a href="#">6.</a>	Normative References . . . . .	<a href="#">5</a>
<a href="#">7.</a>	Informative References . . . . .	<a href="#">5</a>
	Author's Address . . . . .	<a href="#">5</a>

[1.](#) Introduction

The dynamic Link Exchange Protocol (DLEP) is defined in [[RFC8175](#)]. It provides the exchange of link-related control information between DLEP peers. DLEP peers are comprised of a modem and a router. DLEP defines a base set of mechanisms as well as support for possible extensions. This document defines one such extension.

[1.1.](#) Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

[2.](#) Extension Usage and Identification

The use of the Radio Band Extension SHOULD be configurable. To indicate that the Radio Band Extension is to be used, an implementation MUST include the Radio Band Extension Type Value in the Extensions Supported Data Item. The Extensions Supported Data Item is sent and processed according to [[RFC8175](#)].

The Radio Band Extension Type Value is TBD; see Section TBD.

[3.](#) Radio Band Data Item

Radio Band Data Item contains information which radio frequency resources are being used. These values are usually interface specific and static during the DLEP session.

The Radio Band Data Item can be used multiple times to represent multiple radio bands.

The Item can be used in a neighbor specific message if the radio use dedicated subcarriers to talk to neighbors.

The information in this Item gives the router an easy way to calculate the spectral efficiency of a radio link, how much bandwidth is used for the current data-rate reported by DLEP. This can be integrated into the routing metric to focus traffic on links that use the spectrum efficiently.

The Item can also be used as an interface to a cognitive radio controller on the router, analyzing the correlation of transmission disruptions with the frequency bands and could (together with the Request Link Characteristics message) be used to change the frequency of the radio in a standardized way.

The format of the Radio Band Data Item is:




Figure 1

Data Item Type: TBD

Length: 17

Center Frequency: The center frequency of the band in Hz.

Bandwidth: The bandwidth of the band in Hz.

Flags: Flags field as defined below.

The Flags field is defined as:

Rogge Expires 8 September 2022 [Page 3]

---

Internet-Draft DLEP Radio Band Extension March 2022

```
0 1 2 3 4 5 6 7
+-+--+--+--+--+
| Reserved |U|D|
+-+--+--+--+--+
```

Figure 2

U: Uplink Flag, indicating the band is used for transmitting data.

D: Downlink Flag, indicating the band is used for receiving data.

Reserved: MUST be zero. Left for future assignment.

#### [4.](#) Security Considerations

The extension introduces a new Data Item for DLEP. The extension does not inherently introduce any additional vulnerabilities above those documented in [\[RFC8175\]](#). The approach taken to security in that document applies equally when running the extension defined in this document.

#### [5.](#) IANA Considerations

As described below, IANA has assigned two values per this document. Both assignments are to registries defined by [\[RFC8175\]](#).

##### [5.1.](#) Extension Type Value

IANA has assigned the following value in the "Extension Type Values"

registry within the "Dynamic Link Exchange Protocol (DLEP) Parameters" registry. The new value is in the range with the "Specification Required" [[RFC8126](#)] policy:

Code	Description
TBD	Radio Band

Table 1: New Extension  
Type Value

## 5.2. Data Item Value

IANA has assigned the following value in the "Data Item Type Values" registry within the "Dynamic Link Exchange Protocol (DLEP) Parameters" registry. The new value is in the range with the "Specification Required" [RFC8126] policy:

Rogge

Expires 8 September 2022

[Page 4]

Internet-Draft

## DLEP Radio Band Extension

March 2022

Type Code	Description
TBD	Radio Band

Table 2: New Data Item Value

## 6. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997,  [<https://www.rfc-editor.org/info/rfc2119>](https://www.rfc-editor.org/info/rfc2119).
- [RFC8175] Ratliff, S., Jury, S., Satterwhite, D., Taylor, R., and B. Berry, "Dynamic Link Exchange Protocol (DLEP)", [RFC 8175](#), DOI 10.17487/RFC8175, June 2017,  [<https://www.rfc-editor.org/info/rfc8175>](https://www.rfc-editor.org/info/rfc8175).

## 7. Informative References

[RFC8126] Cotton, M., Leiba, B., and T. Narten, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 8126](#), DOI 10.17487/RFC8126, June 2017, <<https://www.rfc-editor.org/info/rfc8126>>.

Author's Address

Henning Rogge  
Fraunhofer FKIE  
Fraunhofer Strasse 20  
53343 Wachtberg  
Germany  
Email: [henning.rogge@fkie.fraunhofer.de](mailto:henning.rogge@fkie.fraunhofer.de)