Workgroup:

Calendaring Extensions Working Group

Internet-Draft:

draft-ryzokuken-datetime-extended-02

Published: 18 June 2021

Intended Status: Standards Track

Expires: 20 December 2021

Authors: U. Sharma Igalia, S.L.

Date and Time on the Internet: Timestamps with additional information

Abstract

This document defines an extension to the timestamp format defined in [RFC3339] for representing additional information including a time zone.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at https://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 20 December 2021.

Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents

(https://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

- 1. Introduction
- Definitions
- 3. Extended Date and Time format
 - 3.1. Informative
 - 3.2. Namespaced
 - 3.3. Syntax Extensions to RFC3339
 - 3.4. Examples
- 4. Normative References
- <u>5</u>. <u>Informative References</u>

Author's Address

1. Introduction

Dates and times are used in a very diverse set of internet applications, all the way from server-side logging to calendaring and scheduling.

Each distinct instant in time can be represented in a descriptive text format using a timestamp, and [ISO8601] standardizes a widely-adopted timestamp format, which forms the basis of [RFC3339]. However, this format doesn't allow timestamps to contain any additional relevant information, which means that any contextual information related to a given timestamp needs to be either handled separately or attached to it in a non-standard manner.

This is already a pressing issue for applications that handle each instant with an associated time zone name, to take into account things like DST transitions. Most of these applications attach the timezone to the timestamp in a non-standard format, atleast one of which is fairly well-adopted ([JAVAZDT]). Furthermore, applications might want to attach even more information to the timestamp, including but not limited to the calendar system it must be represented in.

This document defines an extension syntax for timestamps as specified in [RFC3339] that has the following properties:

- *The extension suffix is completely optional, making existing [RFC3339] timestamps compatible with this format.
- *The format is compatible to the pre-existing popular syntax for attaching time zone names to timestamps ([JAVAZDT]).
- *The format provides generalized way to attach any additional information to the timestamp.

2. Definitions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

UTC Coordinated Universal Time as maintained since 1988 by the Bureau International des Poids et Mesures (BIPM) in conjunction with leap seconds as announced by the International Earth Rotation and Reference Frames Service [IERS]. From 1972 through 1987 UTC was maintained entirely by Bureau International de l'Heure (BIH). Before 1972 UTC was not generally recognized and civil time was determined by individual jurisdictions using different techniques for attempting to follow Universal Time based on measuring the rotation of the earth.

ABNF Augmented Backus-Naur Form, a format used to represent permissible strings in a protocol or language, as defined in [RFC2234].

Internet Date/Time Format The date/time format defined in section 3
 of this document.

Timestamp This term is used in this document to refer to an unambiguous representation of some instant in time.

Z A suffix which, when applied to a time, denotes a UTC offset of 00:00; often spoken "Zulu" from the ICAO phonetic alphabet representation of the letter "Z".

Time Zone A time zone that is a included in the Time Zone Database (often called tz or zoneinfo) maintained by IANA.

For more information about time scales, see Appendix E of [RFC1305], Section 3 of [IS08601], and the appropriate ITU documents [ITU-R- $^{-}$ TF].

3. Extended Date and Time format

This section discusses desirable qualities of formats for the timestamp extension suffix and defines such a format that extends [RFC3339] for use in Internet protocols.

3.1. Informative

The format should allow implementations to specify additional important information in addition to the bare timestamp. This is done by allowing implementations to include an informative suffix at the end with as many tags as required, each with a key and value

separated by an equals sign. The value can be a hyphen delimited list of multiple values.

In case a key is repeated or conflicted, implementations MUST give precedence to whichever value is positioned first.

3.2. Namespaced

Since the suffix can include all sorts of additional information, different standards bodies/organizations need a way to identify which part adheres to their standards. For this, all information needs to be namespaced. Each key is therefore divided into two hyphen-separated sections: the namespace and the key. For example, the calendar as defined by the Unicode consortium could be included as u-ca=<value>.

All single-character namespaces are reserved for BCP47 extensions recorded in the BCP47 extensions registry. For these namespaces:

*Case differences are ignored.

*The namespace is restricted to single alphanum, corresponding to extension singletons ('x' can be used for a private use extension).

*In addition, for CLDR extensions:

- -There must be a namespace-key and it is restricted to 2 alphanum characters.
- -A suffix-value is limited to 3*8alphanum.

Multi-character namespaces can be registered specifically for use in this format. They are assigned by IANA using the "IETF Review" policy defined by [RFC5226]. This policy requires the development of an RFC, which SHALL define the name, purpose, processes, and procedures for maintaining the subtags. The maintaining or registering authority, including name, contact email, discussion list email, and URL location of the registry, MUST be indicated clearly in the RFC. The RFC MUST specify or include each of the following:

- *The specification MUST reference the specific version or revision of this document that governs its creation and MUST reference this section of this document.
- *The specification and all keys defined by the specification MUST follow the ABNF and other rules for the formation of keys as defined in this document. In particular, it MUST specify that

case is not significant and that keys MUST NOT exceed eight characters in length.

- *The specification MUST specify a canonical representation.
- *The specification of valid keys MUST be available over the Internet and at no cost.
- *The specification MUST be in the public domain or available via a royalty-free license acceptable to the IETF and specified in the RFC.
- *The specification MUST be versioned, and each version of the specification MUST be numbered, dated, and stable.
- *The specification MUST be stable. That is, namespace keys, once defined by a specification, MUST NOT be retracted or change in meaning in any substantial way.
- *The specification MUST include, in a separate section, the registration form reproduced in this section (below) to be used in registering the namespace upon publication as an RFC.
- *IANA MUST be informed of changes to the contact information and URL for the specification.

IANA will maintain a registry of allocated multi-character namespaces. This registry MUST use the record-jar format described by the ABNF in [RFC5646]. Upon publication of a namespace as an RFC, the maintaining authority defined in the RFC MUST forward this registration form to <mailto:iesg@ietf.org>, who MUST forward the request to <mailto:iana@iana.org>. The maintaining authority of the namespace MUST maintain the accuracy of the record by sending an updated full copy of the record to <mailto:iana@iana.org> with the subject line "TIMESTAMP FORMAT NAMESPACE UPDATE" whenever content changes. Only the 'Comments', 'Contact_Email', 'Mailing_List', and 'URL' fields MAY be modified in these updates.

Failure to maintain this record, maintain the corresponding registry, or meet other conditions imposed by this section of this document MAY be appealed to the IESG [RFC2028] under the same rules as other IETF decisions (see [RFC2026]) and MAY result in the authority to maintain the extension being withdrawn or reassigned by the IESG.

%%

%%

Identifier:
Description:
Comments:
Added:
RFC:
Authority:
Contact_Email:
Mailing_List:
URL:

'Identifier' contains the multi-character sequence assigned to the namespace. The Internet-Draft submitted to define the namespace SHOULD specify which sequence to use, although the IESG MAY change the assignment when approving the RFC.

'Description' contains the name and description of the namespace.

'Comments' is an OPTIONAL field and MAY contain a broader description of the namespace.

'Added' contains the date the namespace's RFC was published in the "date-full" format specified in <u>Section 3.3</u>. For example: 2004-06-28 represents June 28, 2004, in the Gregorian calendar.

'RFC' contains the RFC number assigned to the namespace.

'Authority' contains the name of the maintaining authority for the namespace.

'Contact_Email' contains the email address used to contact the maintaining authority.

'Mailing_List' contains the URL or subscription email address of the mailing list used by the maintaining authority.

'URL' contains the URL of the registry for this namespace.

The determination of whether an Internet-Draft meets the above conditions and the decision to grant or withhold such authority rests solely with the IESG and is subject to the normal review and appeals process associated with the RFC process.

3.3. Syntax Extensions to [RFC3339]

The following rules extend the ABNF syntax defined in [RFC3339] in order to allow the inclusion of an optional suffix.

time-zone-char = ALPHA / "." / "_"
time-zone-part = time-zone-char *13(time-zone-char / DIGIT / "-" / "+") ; but not "." or "..'
time-zone-name = time-zone-part *("/" time-zone-part)
time-zone = "[" time-zone-name "]"

namespace = 1*alphanum namespace-key = 1*alphanum

suffix-key = namespace ["-" namespace-key]

suffix-value = 1*alphanum

suffix-values = suffix-value *("-" suffix-value)
suffix-tag = "[" suffix-key "=" suffix-values "]"

suffix = [time-zone] *suffix-tag

date-time-ext = date-time suffix

3.4. Examples

Here are some examples of Internet extended date/time format.

1996-12-19T16:39:57-08:00

This represents 39 minutes and 57 seconds after the 16th hour of December 19th, 1996 with an offset of -08:00 from UTC. Note that this is equivalent to 1996-12-20T00:39:57Z in UTC.

1996-12-19T16:39:57-08:00[America/Los_Angeles]

This represents the exact same instant as the previous example but additionally specifies the human time zone associated with it ("Pacific Time") for time-zone-aware implementations to take into account.

1996-12-19T16:39:57-08:00[America/Los_Angeles][u-ca=hebrew]

This represents the exact same instant but it informs calendar-aware implementations that they should project it to the Hebrew calendar.

1996-12-19T16:39:57-08:00[x-foo=bar][x-baz=bat]

This timestamp utilizes the private use namespace to declare two additional pieces of information in the suffix that can be interpreted by any compatible implementations and ignored otherwise.

4. Normative References

- [RFC1305] Mills, D., "Network Time Protocol (Version 3)
 Specification, Implementation and Analysis", RFC 1305,
 IETF RFC 1305, DOI 10.17487/RFC1305, March 1992,
 https://www.rfc-editor.org/info/rfc1305>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate
 Requirement Levels", RFC 2119, IETF RFC 2119, DOI
 10.17487/RFC2119, March 1997, https://www.rfc-editor.org/info/rfc2119.
- [RFC5646] Phillips, A., Ed. and M. Davis, Ed., "Tags for
 Identifying Languages", RFC 5646, IETF RFC 5646, DOI
 10.17487/RFC5646, September 2009, https://www.rfc-editor.org/info/rfc5646>.
- [RFC2028] Hovey, R. and S. Bradner, "The Organizations Involved in the IETF Standards Process", RFC 2028, IETF RFC 2028, DOI 10.17487/RFC2028, October 1996, https://www.rfc-editor.org/info/rfc2028.

5. Informative References

- [IS08601] ISO, "Data elements and interchange formats", ISO 8601:1988, June 1988, https://www.iso.org/standard/15903.html.

RFC3339, July 2002, <https://www.rfc-editor.org/info/rfc3339>.

[ITU-R-TF] "", ITU-R TF.460-6.

[IERS] "International Earth Rotation Service Bulletins",

https://www.iers.org/IERS/EN/Publications/Bulletins/

bulletins.html>.

[JAVAZDT] "Java SE 8, java.time.format, DateTimeFormatter:

ISO_ZONED_DATE_TIME", < https://docs.oracle.com/javase/8/</pre>

docs/api/java/time/format/

DateTimeFormatter.html#ISO_ZONED_DATE_TIME>.

Author's Address

Ujjwal Sharma Igalia, S.L. Bugallal Marchesi, 22, 1° A Coruña Spain

Email: ryzokuken@igalia.com