

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: January 3, 2013

P. Saint-Andre
Cisco Systems, Inc.
July 2, 2012

The 'acct' URI Scheme
draft-saintandre-acct-uri-01

Abstract

This document defines the 'acct' URI scheme as a way to identify a user's account at a service provider, irrespective of the particular protocols that can be used to interact with the account.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 3, 2013.

Copyright Notice

Copyright (c) 2012 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	3
2.	Rationale	3
3.	Definition	3
4.	IANA Considerations	4
5.	Security Considerations	6
6.	Acknowledgements	6
7.	References	6
7.1.	Normative References	6
7.2.	Informative References	6
	Author's Address	7

1. Introduction

Existing URI schemes that enable interaction with, or that identify resources associated with, a user's account at a service provider are tied to particular services or application protocols. Two examples are the 'mailto' scheme (which enables interaction with a user's email account) and the 'http' scheme (which enables retrieval of web files controlled by a user or interaction with interfaces providing information about a user). However, there exists no URI scheme that generically identifies a user's account at a service provider, in the absence of interaction with the account using a particular application protocol. This specification fills that gap.

2. Rationale

During formalization of the WebFinger protocol [[I-D.jones-appsawg-webfinger](#)], much discussion occurred regarding the appropriate URI scheme to include when specifying a user's account as a web link [[RFC5988](#)]. Although both the 'mailto' [[RFC6068](#)] and 'http' [[RFC2616](#)] schemes were proposed, not all service providers support email services or web interfaces on behalf of user accounts (e.g., a microblogging or instant messaging provider might not provide email services, or an enterprise might not provide HTTP interfaces to information about its employees). Therefore, the discussants recognized that it would be helpful to define a URI scheme that could be used to generically identify a user's account at a service provider, irrespective of the particular services or application protocols that could be used to interact with the account. The result was the 'acct' URI scheme defined in this document.

3. Definition

The syntax of the 'acct' URI scheme is defined under [Section 4](#) of this document. Although 'acct' URIs take the form `userpart@domainpart`, the scheme is designed for the purpose of identification instead of interaction (regarding this distinction, see [Section 1.2.2 of \[RFC3986\]](#)). The "Internet resource" identified by an 'acct' URI is a user's account hosted at a service provider, where the service provider is associated with a DNS domain name. Thus a particular 'acct' URI is formed by setting the userpart portion of the URI to the user's account name at the service provider and by setting the domainpart portion of the URI to the DNS domain name of the service provider.

For example, if a user has an account name of "foobar" on a

Saint-Andre

Expires January 3, 2013

[Page 3]

microblogging service "status.example.net", it is taken as convention that the string "foobar@status.example.net" designates that account. This is expressed as a URI using the 'acct' scheme as "acct:foobar@status.example.net".

It is not assumed that an entity will necessarily be able to interact with a user's account using any particular application protocol, such as email; to enable such interaction, an entity would need to use the appropriate URI scheme for such a protocol, such as the 'mailto' scheme. While it might be true that the 'acct' URI minus the scheme name (e.g., user@example.com derived from acct:user@example.com) can be reached via email or some other application protocol, that fact would be purely contingent and dependent upon the deployment practices of the provider.

Because an 'acct' URI enables identification only and not interaction, it cannot be dereferenced directly (as can URIs for most application protocols). Any protocol that uses the 'acct' URI scheme, such as the WebFinger protocol, is responsible for specifying how an 'acct' URI is to be dereferenced in the context of that protocol.

[4.](#) IANA Considerations

In accordance with the guidelines and registration procedures for new URI schemes [[RFC4395](#)], this section provides the information needed to register the 'acct' URI scheme.

[4.1.](#) URI Scheme Name

acct

[4.2.](#) Status

permanent

[4.3.](#) URI Scheme Syntax

The 'acct' URI syntax is defined here in Augmented Backus-Naur Form (ABNF) [[RFC5234](#)], borrowing the 'pct-encoded', 'sub-delims', and 'unreserved' rules from that specification and the 'host' rule from [[RFC3986](#)]:

```
acctURI      = "acct:" userpart "@" host
userpart     = 1*( unreserved / pct-encoded / sub-delims )
```

Saint-Andre

Expires January 3, 2013

[Page 4]

[4.4.](#) URI Scheme Semantics

The 'acct' URI scheme is used to identify user accounts hosted at service providers. It is used only for identification, not interaction. A protocol that uses the 'acct' URI scheme is responsible for specifying how an 'acct' URI is to be dereferenced in the context of that protocol. There is no media type associated with the 'acct' URI scheme.

[4.5.](#) Encoding Considerations

The 'acct' URI scheme allows any character from the Unicode repertoire [[UNICODE](#)] encoded as a UTF-8 [[RFC3629](#)] string that is then percent-encoded as necessary into valid ASCII [[RFC20](#)]. Note that domain labels need to be encoded as A-labels as defined by [[RFC5890](#)] in order to support internationalized domain names (IDNs).

[4.6.](#) Applications/Protocols That Use This URI Scheme Name

At present, only the WebFinger protocol makes use of the 'acct' URI scheme. However, use is not restricted to the WebFinger protocol.

[4.7.](#) Interoperability Considerations

There are no known interoperability concerns related to use of the 'acct' URI scheme.

[4.8.](#) Security Considerations

See [Section 5](#) of RFCXXXX.

[Note to RFC Editor: please replace XXXX with the number issued to this document.]

[4.9.](#) Contact

Peter Saint-Andre, psaintan@cisco.com

[4.10.](#) Author/Change Controller

This scheme is registered under the IETF tree. As such, the IETF maintains change control.

[4.11.](#) References

For use of the 'acct' URI scheme with the WebFinger protocol, see [[I-D.jones-appsawg-webfinger](#)].

5. Security Considerations

Because the 'acct' URI scheme does not directly enable interaction with a user's account at a service provider, possible security concerns are minimized.

Protocols that make use of 'acct' URIs are responsible for defining security considerations related to such usage, e.g., the risks involved in dereferencing an 'acct' URI and the authentication and authorization methods that could be used to control access to personally identifying information.

6. Acknowledgements

Some text was borrowed from [[I-D.jones-appsawg-webfinger](#)].

Thanks to Graham Klyne and Barry Leiba for their substantive feedback.

7. References

7.1. Normative References

- [RFC20] Cerf, V., "ASCII format for network interchange", [RFC 20](#), October 1969.
- [RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", STD 63, [RFC 3629](#), November 2003.
- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, [RFC 3986](#), January 2005.
- [RFC5234] Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, [RFC 5234](#), January 2008.
- [UNICODE] The Unicode Consortium, "The Unicode Standard, Version 6.1", 2012, <<http://www.unicode.org/versions/Unicode6.1.0/>>.

7.2. Informative References

- [I-D.jones-appsawg-webfinger]
Jones, P., Salgueiro, G., and J. Smarr, "WebFinger", [draft-jones-appsawg-webfinger-06](#) (work in progress), June 2012.

- [RFC2616] Fielding, R., Gettys, J., Mogul, J., Frystyk, H., Masinter, L., Leach, P., and T. Berners-Lee, "Hypertext Transfer Protocol -- HTTP/1.1", [RFC 2616](#), June 1999.
- [RFC4395] Hansen, T., Hardie, T., and L. Masinter, "Guidelines and Registration Procedures for New URI Schemes", [BCP 35](#), [RFC 4395](#), February 2006.
- [RFC5890] Klensin, J., "Internationalized Domain Names for Applications (IDNA): Definitions and Document Framework", [RFC 5890](#), August 2010.
- [RFC5988] Nottingham, M., "Web Linking", [RFC 5988](#), October 2010.
- [RFC6068] Duerst, M., Masinter, L., and J. Zawinski, "The 'mailto' URI Scheme", [RFC 6068](#), October 2010.

Author's Address

Peter Saint-Andre
Cisco Systems, Inc.
1899 Wynkoop Street, Suite 600
Denver, CO 80202
USA

Email: psaintan@cisco.com

