

Network Working Group  
Internet-Draft  
Intended status: Informational  
Expires: December 1, 2013

P. Saint-Andre  
Cisco Systems, Inc.  
May 30, 2013

Instant Messaging and Presence Purpose for the Call-Info Header Field in  
the Session Initiation Protocol (SIP)  
[draft-saintandre-impp-call-info-04](#)

## Abstract

This document defines and registers a value of "impp" ("instant messaging and presence protocol") for the "purpose" header field parameter of the Call-Info header field in the Session Initiation Protocol (SIP).

## Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on December 1, 2013.

## Copyright Notice

Copyright (c) 2013 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

<a href="#">1.</a>	Introduction . . . . .	<a href="#">3</a>
<a href="#">2.</a>	Security Considerations . . . . .	<a href="#">3</a>
<a href="#">3.</a>	IANA Considerations . . . . .	<a href="#">3</a>
<a href="#">4.</a>	References . . . . .	<a href="#">4</a>
<a href="#">4.1.</a>	Normative References . . . . .	<a href="#">4</a>
<a href="#">4.2.</a>	Informative References . . . . .	<a href="#">4</a>
<a href="#">Appendix A.</a>	Acknowledgements . . . . .	<a href="#">4</a>
	Author's Address . . . . .	<a href="#">5</a>

## 1. Introduction

To improve interoperability among real-time communication endpoints that support the combined use of the Session Initiation Protocol (SIP) [[RFC3261](#)] and the Extensible Messaging and Presence Protocol (XMPP) [[RFC6120](#)] (so-called "CUSAX" endpoints [[I-D.ivoov-xmpp-cusax](#)]), it can be helpful to communicate the endpoint's SIP address over XMPP and the endpoint's XMPP address over SIP to provide hints about the endpoints communication capabilities. The former feature is enabled by an XMPP extension protocol called Reachability Addresses [[XEP-0152](#)]. As to the latter feature, discussion in the SIP community led to the conclusion that it would be best to use the Call-Info header field [[RFC3261](#)] with a value of "impp" ("instant messaging and presence protocol") for the "purpose" header field parameter. An example follows.

```
Call-Info: <xmpp:juliet@example.com> ;purpose=impp
```

Although CUSAX endpoints constitute the primary use case for the "impp" purpose, a Uniform Resource Identifier (URI) [[RFC3986](#)] for an instant messaging and presence protocol other than XMPP could be included in the Call-Info header field.

## 2. Security Considerations

Advertising an endpoint's XMPP address over SIP could inform malicious entities about an alternative attack vector. Because the "purpose" header field parameter could be spoofed, the receiving endpoint ought to check the value against an authoritative source such as a user directory. Clients can integrity protect and encrypt this header field using end-to-end mechanisms such as S/MIME or hop-by-hop mechanisms such as TLS.

This specification provides a new way to correlate otherwise possibly unconnected identifiers. Because such correlations can be privacy sensitive, user agents ought to provide a means for users to control whether or not these values are sent.

## 3. IANA Considerations

This document defines and registers a new predefined value "impp" for the "purpose" header field parameter of the Call-Info header field. The IANA can complete this action by adding this RFC as a reference to the line for the header field "Call-Info" and parameter name "purpose" in the Header Field Parameters and Parameter Values section of the Session Initiation Protocol (SIP) Parameters registry:



Header Field: Call-Info

Parameter Name: purpose

Predefined Values: Yes

Reference: [[RFC3261](#)][RFC5367][[RFC6910](#)][this document]

## **4. References**

### **4.1. Normative References**

- [RFC3261] Rosenberg, J., Schulzrinne, H., Camarillo, G., Johnston, A., Peterson, J., Sparks, R., Handley, M., and E. Schooler, "SIP: Session Initiation Protocol", [RFC 3261](#), June 2002.
- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, [RFC 3986](#), January 2005.
- [RFC6120] Saint-Andre, P., "Extensible Messaging and Presence Protocol (XMPP): Core", [RFC 6120](#), March 2011.

### **4.2. Informative References**

- [I-D.iovov-xmpp-cusax]  
Ivov, E., Saint-Andre, P., and E. Marocco, "Combined Use of the Session Initiation Protocol (SIP) and the Extensible Messaging and Presence Protocol (CUSAX)", [draft-iovov-xmpp-cusax-05](#) (work in progress), May 2013.
- [XEP-0152]  
Saint-Andre, P. and J. Hildebrand, "Reachability Addresses", XSF XEP 0152, February 2013.

## **Appendix A. Acknowledgements**

Thanks to Gonzalo Camarillo, Keith Drage, Saul Ibarra, Emil Ivov, Cullen Jennings, Olle Johanssen, Paul Kyzivat, Gonzalo Salgueiro, Dean Willis, and Dale Worley for their input. Elwyn Davies, Salvatore Loreto, Glen Zorn, and Mehmet Ersue completed reviews on behalf of the General Area Review Team, Applications Area Directorate, Security Directorate, and Operations and Management Directorate, respectively. Stephen Farrell and Pete Resnick provided substantive feedback during IESG review. Thanks to Yana Stamcheva for her helpful comments and for shepherding the document.



Author's Address

Peter Saint-Andre  
Cisco Systems, Inc.  
1899 Wynkoop Street, Suite 600  
Denver, CO 80202  
USA

Phone: +1-303-308-3282  
Email: psaintan@cisco.com