

Internet Engineering Task Force
Internet-Draft
Intended status: Best Current Practice
Expires: 8 September 2022

S.D. Schoen
J. Gilmore
D. Täht
IPv4 Unicast Extensions Project
7 March 2022

IETF Will Continue Maintaining IPv4
draft-schoen-intarea-ietf-maintaining-ipv4-00

Abstract

This document confirms the consensus of the IETF that IETF and its affiliated working groups will continue to maintain the IPv4 protocol family.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 8 September 2022.

Copyright Notice

Copyright (c) 2022 IETFTrust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Revised BSD License.

Table of Contents

| | | |
|-----------------------|---|--------------------|
| 1. | Introduction | 2 |
| 1.1. | Requirements Language | 2 |
| 2. | The Evolution of the Internet | 2 |
| 3. | Internet Evolution and IETF | 3 |
| 4. | Challenges to IETF's Role as Maintainer of IPv4 | 4 |
| 5. | Neglecting IPv4 is Not Our Transition Strategy | 5 |
| 6. | IPv4 Requires Ongoing Maintenance | 7 |
| 7. | IETF is Uniquely Positioned to Maintain IPv4 | 9 |
| 8. | IETF Continues to Support IPv4 as Well as IPv6 | 10 |
| 9. | IANA Considerations | 10 |
| 10. | Security Considerations | 10 |
| 11. | References | 10 |
| 11.1. | Normative References | 10 |
| 11.2. | Informative References | 10 |
| | Authors' Addresses | 13 |

[1.](#) Introduction

It might seem surprising to imagine IETF ceasing to maintain the IP version 4 protocol suite which it has led to worldwide success. However, just such a change has been advanced in the past. [[ipv6-ietf](#)], and the issue continues to produce confusion and uncertainty during discussions of unrelated technical questions.

This document explicitly confirms IETF's prior practice of maintaining IPv4 in the interest of its user and implementer community, and affirms that doing so is the considered and continued consensus of the IETF.

IETF actions or inactions whose motivation or effect is to fail to maintain IPv4 disrupt the ordinary practice of IETF working groups and functions, and bear a burden of justification.

[1.1.](#) Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

[2.](#) The Evolution of the Internet

Since version 4 of the Internet Protocol (IPv4) was created as an experiment in 1981 in [[RFC0791](#)], the Internet has grown enormously to become a vital resource for humanity.

IPv4 is easily the most popular network-layer protocol in the world, carrying the majority of the world's commercial data traffic, as well as the majority of traffic on private intranets. For more than 40 years, the IPv4 protocol has formed the central common agreement that has enabled technologists, entrepreneurs, and policymakers to build a worldwide network-of-networks containing billions of nodes, and serving billions of users. Use of the IPv4 protocol remains a necessity for the vast majority of Internet nodes today.

The Internet has grown by many orders of magnitude in physical size, bandwidth, and traffic volume. It has increased dramatically in organizational, administrative, and operational complexity. With that growth, the original specifications and understandings underlying IPv4 and its related protocol suite have required adaptation and adjustment. Congestion control, security, address allocation, routing, and many other areas were adjusted gradually over time as the world gained experience in managing and growing a single worldwide network that puts every user only a few hundred milliseconds away from every other user. Most such adjustments have been done with gradual, compatible changes. On a few occasions, this adjustment required protocol changes in every node on the Internet, such as the transition to CIDR [[RFC1519](#)] in the 1990s, or in every node that talked a particular protocol, such as the removal for security reasons of SSL v3 in [[RFC7568](#)].

[3.](#) Internet Evolution and IETF

To promote the reliability and stability of the Internet, the user and implementer base for IPv4 have gathered together for coordination, guidance in its use, and both technical and policy development and evolution. Since 1986, the Internet Engineering Task Force (IETF) has been the home of that community gathering.

Discussions in the IETF community have exposed a variety of attitudes toward the continued existence of IPv4 and toward occasions and circumstances in which IETF is called upon to maintain, support, and

coordinate the use of IPv4 and IPv4-based protocols. These occasions will likely continue to arise as the Internet continues to evolve.

This document confirms the consensus among IETF members and IETF leadership that the IETF will continue to maintain the IPv4 protocol suite.

[4.](#) Challenges to IETF's Role as Maintainer of IPv4

Some IETF participants would prefer that IETF act to hasten the day when IPv6 would completely replace the use of IPv4. Others see an ongoing role for both protocols. These differing points of view play out in the IETF in various ways.

The most radical position the authors have encountered views some limitations and problems with IPv4 as actively beneficial, because its proponents view increased pain or cost of using IPv4 as encouraging people to adopt IPv6 as a substitute.

Holders of this position have suggested that the IETF should sometimes deliberately allow breakage or degradation in the IPv4 protocol. [[nat-undocumented](#)] Or that IETF should declare that IPv4 has "historic" status and should no longer be implemented.[[v4historic](#)] They may wish that IETF or some other body could take on the power to actively put an end to use or deployment of IPv4, much as the ARPA funding agency could compel all ARPANET hosts to switch from NCP to IPv4 protocols between 1981 and 1983 [[RFC0801](#)]; or how the Defense Communications Agency, as the source of funding for the ARPANET, physically took apart the ARPANET by 1990-02-28 in order to force its users (who were all using IPv4) to switch to connecting via the NSFnet or other more modern networks. [[decommission-arpnet](#)]

Other positions do not necessarily view problems with IPv4 as a good thing in themselves. But they promote the view that the total resources available for standardization, coordination, and/or

implementation efforts, are inherently limited in such a way that doing any work related to the IPv4 protocol would cause less work to be done on the IPv6 protocol. Multiple people who seem to hold this position respond to requests to improve IPv4 with an objection that "we should not be improving IPv4; we should be deploying IPv6 instead".

The objection takes the form of a false dilemma; that is, it assumes that there are only two possible actions, and that taking one prevents the other from being taken. But in actual fact, it is possible to do neither, either, or both of those actions; they are unrelated. It is exceedingly unlikely that if this objection prevents someone from improving IPv4, as it did in 2008 during discussions of the unicast use of the 240/4 address block in the intarea Working Group [[FLM](#)], for example, that they would immediately turn their efforts to deploying IPv6. And most of the work required for increased deployment of IPv6 does not involve either coordinating new standards, nor implementing IPv6; IPv6 is already widely standardized and implemented.

Schoen, et al.

Expires 8 September 2022

[Page 4]

Internet-Draft

IETF Will Continue Maintaining IPv4

March 2022

Those expressing either of these views may worry that ongoing IPv4 work provides an "excuse" for decisionmakers, such as network operators, to delay IPv6 adoption, because they will seemingly perceive IETF's blessing for doing so, or because they will perceive IPv4 as not obsolete, or because specific technical problems they would otherwise encounter with IPv4 will be mitigated.

[5.](#) Neglecting IPv4 is Not Our Transition Strategy

A strong consensus exists to continue IETF's work in support of IPv6 and to promote its adoption [[RFC6540](#)]. However, no consensus has been found to actively discourage IPv4. Instead, one serious attempt to form such a consensus was definitively rejected.

IETF chartered a working group, "sunset4", which existed between 2012 and 2018. Its original remit included:

- | The IETF is committed to the deployment of IPv6 to ensure the
- | evolution of the Internet. However, the IPv4-only components of
- | the Internet must continue to operate as much as possible during
- | the transition from IPv4 to IPv6.
- |

| The Working Group will standardize technologies that facilitate
| the graceful sunseting of the IPv4 Internet in the context of the
| exhaustion of IPv4 address space while IPv6 is deployed.

A year later, the charter was revised to say:

| In order to fully transition the Internet to IPv6, individual
| applications, hosts, and networks that have enabled IPv6 must also
| be able to operate fully in the absence of IPv4. The Working
| Group will point out specific areas of concern, provide
| recommendations, and standardize protocols that facilitate the
| graceful "sunseting" of the IPv4 Internet in areas where IPv6 has
| been deployed. This includes the act of shutting down IPv4
| itself, as well as the ability of IPv6-only portions of the
| Internet to continue to connect with portions of the Internet that
| remain IPv4-only.

This working group produced an Internet-Draft [[v4historic](#)] entitled "IPv4 Declared Historic", whose abstract was the single sentence, "IPv4 has been superseded by IPv6, and is therefore Historic." It stated:

| The use of IPv4 is deprecated. The term "deprecated" is used to
| indicate a feature, characteristic, or practice that should be
| avoided, in this case because it is being superseded by a newer
| protocol. The term does not indicate that the practice is
| harmful, but that there will be no further development in IPv4...

This draft was discussed by the working group (with some of the results documented in its author's blog entry, [[IPv4-NOT-Declared-Historic](#)]). The working group's co-chair remarked on the mailing list, "That's part of the reason this discussion is happening - it's looking for rough consensus from the IETF that we are done making changes to IPv4." [[wes-george-sunset4-2016-03-22](#)] A later draft [[ipv6-support](#)] explicitly stated, "new functionality should be developed in IPv6, and IETF effort SHOULD NOT be spent retrofitting features into the legacy protocol."

Eventually an evolved draft [[ipv6-ietf](#)] went through a Working Group last call. The document was entitled "IETF: End Work on IPv4" and its abstract was:

| The IETF will stop working on IPv4, except where needed to
| mitigate documented security issues, to facilitate the transition
| to IPv6, or to enable IPv4 decommissioning.

It specifically declared: "The IETF will not initiate new IPv4 extension technology development." The WG chair officially summarized it as a request for "IETF to stop working on IPv4 except for security issues." He noted that

| The working group last call got strong support but only very few
| people participated in the last call. Given the relative
| inactivity of the working group for quite a while, it is possible
| that the mailing list is not watched. Given that this document
| has widespread implications to any work within IETF, the real wide
| review should be done IETF wide.

(Only three people had responded to the WG Last Call.) A Routing Directorate reviewer, Ron Bonica, reviewed it for the IESG, saying it "Needs Work", and noted, "Given that the majority of Internet traffic still runs over IPv4, is that a good idea?" as well as asking, "Does this mean that [RFC 791](#) cannot be updated? Or does it mean more than this?"

The draft went through an IETF Last Call, and generated a lot of controversy. While some participants were supportive, other participants expressed concerns that IETF was proposing to abdicate a vital responsibility for maintaining one of the most important and widely-used technologies in the world. If IETF would not do this

work, some suggested, other standards-development organizations would be compelled to take it up instead -- but they would likely be less qualified to do so because they would have far less historic expertise and experience with the technology, and would also not necessarily share other IETF values such as openness. The result was that the draft expired without attaining IETF-wide consensus. The IESG counted this as a rejection.

This history demonstrates that there was no IETF-wide consensus to neglect the maintenance of IPv4. However, it did not demonstrate the opposite consensus either, but left that question for a later day.

This document is in some sense that opposite proposal, demonstrating that there IS an IETF-wide consensus to continue to maintain IPv4.

6. IPv4 Requires Ongoing Maintenance

As a protocol in use in billions of nodes, IPv4 continues to evolve. New situations and new realizations have resulted in numerous proposals for protocol modifications that have reached consensus in the recent past. Below are several examples of recent work at IETF that contributed to this evolution.

- * In 2020, [[RFC8815](#)] deprecated any-source multicast packets for interdomain uses, and recommended application support of source-specific multicast.
- * In 2017, [[RFC8029](#)] defined a way to "ping" the data plane of an MPLS network that carries IPv4 or IPv6 traffic. The details changed the behavior of IPv4 routers which receive certain UDP packets that use destination addresses in the 127/8 range.
- * In 2016, [[RFC7766](#)] updated the host requirements for DNS resolvers and servers, requiring them to implement TCP as well as UDP. It also changed various other requirements to improve DNS implementations' compatability with larger resource records used for DNS Security. It superseded a similar update in [[RFC5966](#)] in 2010.

- * The IPv4 header's "ID" field is used in fragmentation and

reassembly of IP packets. Under the original specifications for IPv4, this 16-bit field had to have a unique value in every packet, that would remain unique for the lifetime of the packets in transit between a particular pair of source and destination addresses. With a potential packet lifetime of about 2 minutes (120 seconds) during routing flaps, and typical packet sizes, this limited transmission speeds to only about 6 megabits per second. In 2013, [[RFC6864](#)] updated the specifications for this field in the header of every IPv4 packet, to allow for implementations that meet the standards and can operate at gigabit and greater speeds.

- * Also in 2013, [[RFC6918](#)] formally deprecated some ICMP message types that had become obsolete in practice, such as the Information Request, Information Reply, Address Mask Request, and Address Mask Reply messages that have been replaced by DHCP.
- * Also in 2013, [[RFC6762](#)] defined Multicast DNS and required that DNS queries for names of the form "foo.local" must be sent to a link-local multicast address. This protocol is part of the IETF's Zeroconf effort to reduce manual configuration of IPv4 and IPv6 networks.
- * In 2012, [[RFC6528](#)] standardized a revised algorithm for generating Initial Sequence Numbers in the TCP protocol, which reduces the chance of an off-path attacker guessing those sequence numbers. This makes some kinds of automated attacks on network connections harder to accomplish.
- * Also in 2012, [[RFC6633](#)] deprecated the ICMP Source Quench mechanism for congestion control, which has not been reliably used in the Internet since the 1990s.
- * In 2011, [[RFC6093](#)] clarified the specifications and limitations of the TCP "Urgent Data" mechanism.
- * Also in 2011, [[RFC6298](#)] changed how the TCP retransmission timer is calculated, for recovering from a failure by the receiver to acknowledge sent data.

In recent years, various other draft proposals did not reach consensus, partly due to confusion about the proper role of IETF in working on IPv4-related protocols. Had this IPv4-maintenance issue been resolved independently, as proposed in this document, those proposals would have had a better chance of reaching consensus on their technical merits, rather than being pulled into unrelated issues about IPv4 versus IPv6.

In addition, various errata have been noted in the IPv4 standards, including significant technical errors in [[RFC0791](#)] noted in 2016 and 2021.

7. IETF is Uniquely Positioned to Maintain IPv4

The Internet Engineering Task Force (IETF) was initially an informal work group of government-funded grant recipients involved with building the Internet technologies. It has grown into a major standards development organization, while retaining its traditional values such as transparency, consensus, and informality. As changes in protocol specifications and operational practices have been needed, IETF has provided a forum where these can be discussed, agreed upon, and publicized.

Implementers and operators care a great deal about IETF's recommendation for the technologies that were developed here, and questions affecting interoperability in IPv4 continue to arise. There is no other organization that would be as clearly empowered to do this work as IETF. If IETF actively neglected to coordinate IPv4 work, it would squander some of the trust that the community places in it.

While predicting is hard, especially about the future, decades of experience suggest that the IPv4 and IPv6 protocols will continue to co-exist for the foreseeable future. Increased IPv6 adoption by individual sites does not typically eliminate those sites' need for continued use of IPv4 services in reaching parts of the Internet that do not use IPv6. In addition, even if IPv6 soon becomes the predominant network-layer protocol on the global Internet, IPv4 is likely to remain important on LANs and private networks, with corresponding needs for suppliers and operators to continue to coordinate interoperability.

Implementers and operators continue to look to IETF as the authority for IPv4 standardization efforts. IETF is better-positioned than any other organization to play this role both because of its conspicuous position in evolving IPv4 and IPv6, and because of its deep institutional knowledge and broadly representative participation model.

Since IPv4 is still the world's most-used networking protocol, many parties will look for a standards-development organization to coordinate its ongoing standardization and to maximize interoperability among systems using it. Though IETF could attempt to make IPv4 less attractive by deprecating it or refusing to

maintain it, it's not clear that this course of action would lead to faster IPv6 adoption. Instead, it might encourage non-IETF

organizations to take up responsibility for IPv4's maintenance, which could lead to IPv4 being a stronger competitor against IPv6, or greater fragmentation in Internet standards development as the location of the authority to define and coordinate IPv4 is no longer clear.

8. IETF Continues to Support IPv4 as Well as IPv6

There are many reasons to encourage IPv6 adoption and support everywhere on the Internet. This document does not change IETF's policy in favor of IPv6, but merely makes it clear that IETF intends to continue fully maintaining and supporting IPv4, in addition to continuing the promotion and evolution of IPv6.

9. IANA Considerations

This document makes no change to IANA's existing role in providing and maintaining IPv4-related registries.

10. Security Considerations

IETF's ongoing responsibility for IPv4 includes remaining apprised of emerging security threats to IPv4 users and applications, and developing or publicizing guidance for how to mitigate these threats. In some cases, IETF may modify existing and deployed protocols as required or useful in adjusting to security concerns. [[RFC2644](#)]

11. References

11.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC6540] George, W., Donley, C., Liljenstolpe, C., and L. Howard, "IPv6 Support Required for All IP-Capable Nodes", [BCP 177](#), [RFC 6540](#), DOI 10.17487/RFC6540, April 2012,

<<https://www.rfc-editor.org/info/rfc6540>>.

11.2. Informative References

[decommission-arpanet]

Living Internet, "NSFNET -- National Science Foundation Network", <https://livinginternet.com/i/ii_nsfnet.htm>.

Schoen, et al.

Expires 8 September 2022

[Page 10]

Internet-Draft

IETF Will Continue Maintaining IPv4

March 2022

[FLM]

Fuller, V., Lear, E., and D. Meyer, "Reclassifying 240/4 as usable unicast address space", Work in Progress, Internet-Draft, [draft-fuller-240space-02](#), 25 March 2008, <<https://datatracker.ietf.org/doc/html/draft-fuller-240space-02>>.

[IPv4-NOT-Declared-Historic]

Howard, L., "IPv4 NOT Declared Historic", 29 April 2016, <<https://web.archive.org/web/20200708045029/http://www.wleecoyote.com/blog/ietf95-sunset4.htm>>.

[ipv6-ietf]

Howard, L., "IETF: End Work on IPv4", Work in Progress, Internet-Draft, [draft-ietf-sunset4-ipv6-ietf-01](#), 18 September 2017, <<https://datatracker.ietf.org/doc/html/draft-ietf-sunset4-ipv6-ietf-01>>.

[ipv6-support]

George, W. and L. Howard, "IPv6 Support Within IETF work", Work in Progress, Internet-Draft, [draft-george-ipv6-support-03](#), 30 September 2014, <<https://datatracker.ietf.org/doc/html/draft-george-ipv6-support-03>>.

[nat-undocumented]

Perlman, R., "Keynote: Do the Wrong Thing! (starting from 41:50 within the presentation)", 25 February 2022, <<https://www.youtube.com/watch?v=5D1v42nw25E>>.

[RFC0791]

Postel, J., "Internet Protocol", STD 5, [RFC 791](#), DOI 10.17487/RFC0791, September 1981, <<https://www.rfc-editor.org/info/rfc791>>.

- [RFC0801] Postel, J., "NCP/TCP transition plan", [RFC 801](#), DOI 10.17487/RFC0801, November 1981, <<https://www.rfc-editor.org/info/rfc801>>.
- [RFC1519] Fuller, V., Li, T., Yu, J., and K. Varadhan, "Classless Inter-Domain Routing (CIDR): an Address Assignment and Aggregation Strategy", [RFC 1519](#), DOI 10.17487/RFC1519, September 1993, <<https://www.rfc-editor.org/info/rfc1519>>.
- [RFC2644] Senie, D., "Changing the Default for Directed Broadcasts in Routers", [BCP 34](#), [RFC 2644](#), DOI 10.17487/RFC2644, August 1999, <<https://www.rfc-editor.org/info/rfc2644>>.

- [RFC5966] Bellis, R., "DNS Transport over TCP - Implementation Requirements", [RFC 5966](#), DOI 10.17487/RFC5966, August 2010, <<https://www.rfc-editor.org/info/rfc5966>>.
- [RFC6093] Gont, F. and A. Yourtchenko, "On the Implementation of the TCP Urgent Mechanism", [RFC 6093](#), DOI 10.17487/RFC6093, January 2011, <<https://www.rfc-editor.org/info/rfc6093>>.
- [RFC6298] Paxson, V., Allman, M., Chu, J., and M. Sargent, "Computing TCP's Retransmission Timer", [RFC 6298](#), DOI 10.17487/RFC6298, June 2011, <<https://www.rfc-editor.org/info/rfc6298>>.
- [RFC6528] Gont, F. and S. Bellovin, "Defending against Sequence Number Attacks", [RFC 6528](#), DOI 10.17487/RFC6528, February 2012, <<https://www.rfc-editor.org/info/rfc6528>>.
- [RFC6633] Gont, F., "Deprecation of ICMP Source Quench Messages", [RFC 6633](#), DOI 10.17487/RFC6633, May 2012, <<https://www.rfc-editor.org/info/rfc6633>>.
- [RFC6762] Cheshire, S. and M. Krochmal, "Multicast DNS", [RFC 6762](#), DOI 10.17487/RFC6762, February 2013, <<https://www.rfc-editor.org/info/rfc6762>>.

- [RFC6864] Touch, J., "Updated Specification of the IPv4 ID Field", [RFC 6864](#), DOI 10.17487/RFC6864, February 2013, <<https://www.rfc-editor.org/info/rfc6864>>.
- [RFC6918] Gont, F. and C. Pignataro, "Formally Deprecating Some ICMPv4 Message Types", [RFC 6918](#), DOI 10.17487/RFC6918, April 2013, <<https://www.rfc-editor.org/info/rfc6918>>.
- [RFC7568] Barnes, R., Thomson, M., Pironti, A., and A. Langley, "Deprecating Secure Sockets Layer Version 3.0", [RFC 7568](#), DOI 10.17487/RFC7568, June 2015, <<https://www.rfc-editor.org/info/rfc7568>>.
- [RFC7766] Dickinson, J., Dickinson, S., Bellis, R., Mankin, A., and D. Wessels, "DNS Transport over TCP - Implementation Requirements", [RFC 7766](#), DOI 10.17487/RFC7766, March 2016, <<https://www.rfc-editor.org/info/rfc7766>>.
- [RFC8029] Kompella, K., Swallow, G., Pignataro, C., Ed., Kumar, N., Aldrin, S., and M. Chen, "Detecting Multiprotocol Label Switched (MPLS) Data-Plane Failures", [RFC 8029](#), DOI 10.17487/RFC8029, March 2017, <<https://www.rfc-editor.org/info/rfc8029>>.

Schoen, et al.

Expires 8 September 2022

[Page 12]

Internet-Draft

IETF Will Continue Maintaining IPv4

March 2022

- [RFC8815] Abrahamsson, M., Chown, T., Giuliano, L., and T. Eckert, "Deprecating Any-Source Multicast (ASM) for Interdomain Multicast", [BCP 229](#), [RFC 8815](#), DOI 10.17487/RFC8815, August 2020, <<https://www.rfc-editor.org/info/rfc8815>>.

[v4historic]

Howard, L., "IPv4 Declared Historic", Work in Progress, Internet-Draft, [draft-howard-sunset4-v4historic-00](#), 14 March 2016, <<https://datatracker.ietf.org/doc/html/draft-howard-sunset4-v4historic-00>>.

[wes-george-sunset4-2016-03-22]

George, W., "Re: [sunset4] Declaring IPv4 Historic", 22 March 2016, <<https://mailarchive.ietf.org/arch/msg/sunset4/bvuqbcPPazA9WF1I3hye7envYRU/>>.

Authors' Addresses

Seth David Schoen
IPv4 Unicast Extensions Project
San Francisco, CA
United States of America
Email: schoen@loyalty.org

John Gilmore
IPv4 Unicast Extensions Project
PO Box 170640-rfc
San Francisco, CA 94117-0640
United States of America
Email: gnu@rfc.toad.com

David M. Täht
IPv4 Unicast Extensions Project
Half Moon Bay, CA
United States of America
Email: dave@taht.net