

Network Working Group
Internet-Draft
Intended status: Informational
Expires: November 4, 2020

V. Smyslov
ELVIS-PLUS
May 3, 2020

Using GOST ciphers in ESP and IKEv2
draft-smyslov-esp-gost-03

Abstract

This document defines a set of encryption transforms for use in the Encapsulating Security Payload (ESP) and in the Internet Key Exchange version 2 (IKEv2) protocols. The transforms are based on Russian cryptographic standard algorithms (GOST) in a Multilinear Galois Mode (MGM).

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on November 4, 2020.

Copyright Notice

Copyright (c) 2020 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	Requirements Language	2
3.	Overview	3
4.	Transforms Description	3
4.1.	Tree-based External Re-Keying	4
4.2.	Initialization Vector Format	5
4.3.	Nonce Format for MGM	5
4.3.1.	MGM Nonce Format for "Kuznyechik" based Transforms	6
4.3.2.	MGM Nonce Format for "Magma" based Transforms	6
4.4.	Keying Material	7
4.5.	Integrity Check Value	7
4.6.	Plaintext Padding	8
4.7.	AAD Construction	8
4.7.1.	ESP AAD	8
4.7.2.	IKEv2 AAD	10
4.8.	Using Transforms	10
5.	Security Considerations	11
6.	IANA Considerations	11
7.	References	11
7.1.	Normative References	11
7.2.	Informative References	12
Appendix A.	Test Vectors	13
	Author's Address	21

[1.](#) Introduction

This document defines four encryption transforms for the Encapsulating Security Payload (ESP) [[RFC4303](#)] and the Internet Key Exchange version 2 (IKEv2) [[RFC7296](#)]. These transforms are based on two block ciphers from Russian cryptographic standard algorithms (often called "GOST" algorithms) - "Kuznyechik" [[RFC7801](#)] and "Magma" [[I-D.dolmatov-magma](#)]. These ciphers are used in Multilinear Galois Mode (MGM) [[I-D.smyshlyaev-mgm](#)] which provides Authenticated Encryption with Associated Data (AEAD). In addition these transforms use external re-keying mechanism, described in [[RFC8645](#)] to limit a load on a session key.

[2.](#) Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and

"OPTIONAL" in this document are to be interpreted as described in [BCP 14](#) [[RFC2119](#)] [[RFC8174](#)] when, and only when, they appear in all capitals, as shown here.

[3.](#) Overview

Russian cryptographic standard algorithms, often referred as "GOST" algorithms, are a set of cryptographic algorithms of different types - ciphers, hash functions, digital signatures etc. In particular, Russian cryptographic standard [[GOST3412-2015](#)] defines two block ciphers - "Kuznyechik" (also defined in [[RFC7801](#)]) and "Magma" (also defined in [[I-D.dolmatov-magma](#)]). Both these ciphers use 256-bit key. "Kuznyechik" has a block size of 128 bits, while "Magma" has a 64-bit block.

Multilinear Galois Mode (MGM) is an AEAD mode defined in [[I-D.smyshlyaev-mgm](#)]. It is claimed to provide defense against some attacks on well-known AEAD modes, like Galois Counter Mode (GCM).

In addition, [[RFC8645](#)] defines some mechanisms that can be used to limit the number of times any particular session key is used. One of these mechanisms, called External Re-Keying with Tree-based Construction (defined in [Section 5.2.3 of \[RFC8645\]](#)), is used in the defined transforms. For the purpose of deriving subordinate keys a Key Derivation Function (KDF) KDF_GOSTR3411_2012_256 defined in [Section 4.5 of \[RFC7836\]](#), is used. This KDF is based on an HMAC [[RFC2104](#)] in a combination with a Russian GOST hash function defined in Russian cryptographic standard [[GOST3411-2012](#)] (also defined in [[RFC6986](#)]).

[4.](#) Transforms Description

This document defines four transforms for use in ESP and IKEv2. All of them use MGM mode of operation with Tree-based External Re-Keying. The transforms differ in used underlying algorithms and in cryptographic services they provide.

- o ENCR_KUZNYECHIK_MGM_KTREE is an AEAD transform based on "Kuznyechik" algorithm; it provides confidentiality and message authentication and thus can be used both in ESP and IKEv2; the

Transform ID is <TBA1 by IANA>;

- o ENCR_MAGMA_MGM_KTREE is an AEAD transform based on "Magma" algorithm; it provides confidentiality and message authentication and thus can be used both in ESP and IKEv2; the Transform ID is <TBA2 by IANA>
- o ENCR_KUZNYECHIK_MGM_MAC_KTREE is a MAC-only transform based on "Kuznyechik" algorithm; it provides no confidentiality and thus can only be used in ESP, but not in IKEv2; the Transform ID is <TBA3 by IANA>

Smyslov

Expires November 4, 2020

[Page 3]

Internet-Draft

GOST ciphers in ESP & IKEv2

May 2020

- o ENCR_MAGMA_MGM_MAC_KTREE is a MAC-only transform based on "Magma" algorithm; it provides no confidentiality and thus can only be used in ESP, but not in IKEv2; the Transform ID is <TBA4 by IANA>

4.1. Tree-based External Re-Keying

All four transforms use the same Tree-based External Re-Keying mechanism. The idea is that the key that is provided for the transform (Child SA key derived from KEYMAT in case of ESP or SK_{ei}/SK_{er} in case of IKEv2) is not directly used to protect messages. Instead a tree of keys is derived using this key as a root. This tree may have several levels. The leaf keys are used for message protection, while intermediate nodes keys are used to derive lower level keys (including leaf keys). See [Section 5.2.3 of \[RFC8645\]](#) for more detail. This construction allows to protect a large amount of data, but at the same time providing a bound on a number of times any particular key in the tree is used, thus defending from some side channel attacks.

The transforms defined in this document use three-level tree. The leaf key that protects a message is computed as follows:

$$K_{\text{msg}} = \text{KDF} (\text{KDF} (\text{KDF} (K, l_1, i_1), l_2, i_2), l_3, i_3)$$

where:

KDF (k, l, s) Key Derivation Function KDF_GOSTR3411_2012_256 defined in [Section 4.5 of \[RFC7836\]](#), which accepts three input parameters - a key (k), a label (l) and a




Figure 1: IV Format

where:

- o i1 (1 octet), i2 (2 octets), i3 (2 octets) - parameters, determining the particular key used to protect this message; 2-octets parameters are integers in network byte order
- o pnum (3 octets) - message counter in network byte order for the leaf key protecting this message; up to 2²⁴ messages may be protected using a single leaf key

For any given SA the IV MUST NOT repeat, but there is no requirement that IV is unpredictable.

4.3. Nonce Format for MGM

MGM requires a per-message nonce (called Initial Counter Nonce, ICN, in the [I-D.smyshlyaev-mgm]) that must be unique in the context of any leaf key (that are used to actually protect messages). The size of the ICN is n-1 bits, where n is the size of the block of the

underlying cipher. The two ciphers used in the defined transforms have different block sizes, so two different formats for the ICN are defined.

MGM specification requires that the nonce be n-1 bits in size, where n is a block size of underlying cipher. This document defines MGM nonces that are n bits in size, because that makes them having a whole number of bytes. When used inside MGM the most significant bit of the first octet of the nonce (represented as an octet string) is dropped, making an effective size of the nonce equal to n-1 bits. Note, that the dropped bit is a part of zero field (see Figure 2 and Figure 3) which is always set to 0, so no information is lost when it is dropped.

4.3.1. MGM Nonce Format for "Kuznyechik" based Transforms




Figure 3: Nonce format for "Magma" based transforms

where:

- o zero (1 octet) - set to 0
- o pnum (3 octets) - the counter for the messages protected by the given leaf key; this field MUST be equal to the pnum field in the IV
- o salt (4 octets) - secret salt

4.4. Keying Material

The key for ENCR_KUZNYECHIK_MGM_KTREE and ENCR_KUZNYECHIK_MGM_MAC_KTREE transforms consists of 352 bits, of which the first 256 bits is a root key for the tree (denoted as K in [Section 4.1](#)) and the remaining 96 bits is a secret salt (see [Section 4.3.1](#)).

The key for ENCR_MAGMA_MGM_KTREE and ENCR_MAGMA_MGM_MAC_KTREE transforms consists of 288 bits, of which the first 256 bits is a root key for the tree (denoted as K in [Section 4.1](#)) and the remaining 32 bits is a secret salt (see [Section 4.3.2](#)).

The keys in case ESP are extracted from the KEYMAT, and in case IKEv2 they are SK_ei/SK_er keys. Note, that since these transforms provide authenticated encryption, no additional keys are needed for authentication. It means that in case of IKEv2 the keys SK_ai/SK_ar are not used.

4.5. Integrity Check Value

The MGM computes authentication tag equal to the size of the block of the underlying cipher. For "Kuznyechik" based transforms (ENCR_KUZNYECHIK_MGM_KTREE and ENCR_KUZNYECHIK_MGM_MAC_KTREE) the resulting Integrity Check Value (ICV) is truncated to 96 bits by

dropping the last 4 octets of the produced authentication tag. For

"Magma" based transforms the full 64-bit authentication tag is used as ICV.

4.6. Plaintext Padding

Transforms defined in this document don't require any plaintext padding, as specified in [I-D.smyshlyaev-mgm]. It means, that only those padding requirements that are imposed by the protocol are applied (4 bytes for ESP, no padding for IKEv2).

4.7. AAD Construction

4.7.1. ESP AAD

Additional Authenticated Data (AAD) in ESP is constructed differently depending on the transform being used and whether Extended Sequence Number (ESN) is in use or not. The ENCR_KUZNYECHIK_MGM_KTREE and ENCR_MAGMA_MGM_KTREE provide confidentiality, so the content of the ESP body is encrypted and AAD consists of the ESP SPI and (E)SN. The AAD is constructed similar to the one in [RFC4106].

On the other hand the ENCR_KUZNYECHIK_MGM_MAC_KTREE and ENCR_MAGMA_MGM_MAC_KTREE don't provide confidentiality, they provide only message authentication. For this purpose the IV and the part of ESP packet that is normally encrypted are included in the AAD. For these transforms encryption capability provided by MGM is not used. The AAD is constructed similar to the one in [RFC4543].




Figure 4: AAD for AEAD transforms with 32-bit SN




Figure 5: AAD for AEAD transforms with 64-bit ESN




Figure 6: AAD for authentication only transforms with 32-bit SN




Figure 7: AAD for authentication only transforms with 64-bit ESN

[4.7.2.](#) IKEv2 AAD

For IKEv2 the AAD consists of the IKEv2 Header, the unencrypted payload followed it and an Encrypted (or Encrypted Fragment) payload header. The AAD is constructed similar to one in [\[RFC5282\]](#).




Figure 8: AAD for IKEv2

[4.8.](#) Using Transforms

When SA is established the `i1`, `i2` and `i3` parameters are set to 0 by the sender and a leaf key is calculated. The `pnum` parameter starts from 0 and is incremented with each message protected by the same leaf key. When sender decides that the leaf should be changed, it increments `i3` parameter and generates a new leaf key. The `pnum` parameter for the new leaf key is reset to 0 and the process

continues. If the sender decides, that 3-rd level key corresponding to `i3` is used enough times, it increments `i2`, resets `i3` to 0 and calculates a new leaf key. The `pnum` is reset to 0 (as with every new leaf key) and the process continues.

The receiver always uses `i1`, `i2` and `i3` from the incoming message. If they differ from the values in previous packets, a new leaf key is calculated. The `pnum` parameter is always used from the incoming packet. To improve performance implementations may cache recently used leaf key. When new leaf key is calculated (based on the values from incoming message) the old key may be kept for some time to improve performance in case of possible packet reordering (when packets protected by the old leaf key are delayed and arrive later).

[5.](#) Security Considerations

The most important security consideration for MGM is that the nonce never repeat for a given key. For this reason the transforms defined in this document MUST NOT be used with manual keying.

Security properties of MGM are discussed in [\[MGM-SECURITY\]](#).

[6.](#) IANA Considerations

IANA has assigned four Transform IDs in the "Transform Type 1 - Encryption Algorithm Transform IDs" registry (where RFCXXXX is this document):

Number	Name	ESP Reference	IKEv2 Reference
32	ENCR_KUZNYECHIK_MGM_KTREE	[RFCXXXX]	[RFCXXXX]
33	ENCR_MAGMA_MGM_KTREE	[RFCXXXX]	[RFCXXXX]

34	ENCR_KUZYNECHIK_MGM_MAC_KTREE	[RFCXXXX]	Not allowed
35	ENCR_MAGMA_MGM_MAC_KTREE	[RFCXXXX]	Not allowed

7. References

7.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.

Smyslov Expires November 4, 2020 [Page 11]

Internet-Draft GOST ciphers in ESP & IKEv2 May 2020

- [RFC4303] Kent, S., "IP Encapsulating Security Payload (ESP)", [RFC 4303](#), DOI 10.17487/RFC4303, December 2005, <<https://www.rfc-editor.org/info/rfc4303>>.
- [RFC7296] Kaufman, C., Hoffman, P., Nir, Y., Eronen, P., and T. Kivinen, "Internet Key Exchange Protocol Version 2 (IKEv2)", STD 79, [RFC 7296](#), DOI 10.17487/RFC7296, October 2014, <<https://www.rfc-editor.org/info/rfc7296>>.
- [RFC6986] Dolmatov, V., Ed. and A. Degtyarev, "GOST R 34.11-2012: Hash Function", [RFC 6986](#), DOI 10.17487/RFC6986, August 2013, <<https://www.rfc-editor.org/info/rfc6986>>.
- [RFC7801] Dolmatov, V., Ed., "GOST R 34.12-2015: Block Cipher "Kuznyechik"", [RFC 7801](#), DOI 10.17487/RFC7801, March 2016, <<https://www.rfc-editor.org/info/rfc7801>>.
- [I-D.dolmatov-magma]
Dolmatov, V. and D. Eremin-Solenikov, "GOST R 34.12-2015: Block Cipher "Magma"", [draft-dolmatov-magma-06](#) (work in progress), March 2020.
- [I-D.smyshlyaev-mgm]
Smyshlyaev, S., Nozdrunov, V., Shishkin, V., and S. Ekaterina, "Multilinear Galois Mode (MGM)", [draft-](#)

[smyshlyaev-mgm-17](#) (work in progress), March 2020.

- [RFC7836] Smyshlyaev, S., Ed., Alekseev, E., Oshkin, I., Popov, V., Leontiev, S., PodobaeV, V., and D. Belyavsky, "Guidelines on the Cryptographic Algorithms to Accompany the Usage of Standards GOST R 34.10-2012 and GOST R 34.11-2012", [RFC 7836](#), DOI 10.17487/RFC7836, March 2016, <<https://www.rfc-editor.org/info/rfc7836>>.

[7.2.](#) Informative References

- [GOST3411-2012]
Federal Agency on Technical Regulating and Metrology, "Information technology. Cryptographic Data Security. Hashing function", GOST R 34.11-2012 (in Russian), 2012.

(In Russian)

- [GOST3412-2015]
Federal Agency on Technical Regulating and Metrology, "Information technology. Cryptographic data security. Block ciphers", GOST R 34.12-2015 (in Russian), 2015.

Smyslov

Expires November 4, 2020

[Page 12]

Internet-Draft

GOST ciphers in ESP & IKEv2

May 2020

(In Russian)

- [RFC2104] Krawczyk, H., Bellare, M., and R. Canetti, "HMAC: Keyed-Hashing for Message Authentication", [RFC 2104](#), DOI 10.17487/RFC2104, February 1997, <<https://www.rfc-editor.org/info/rfc2104>>.
- [RFC4106] Viega, J. and D. McGrew, "The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP)", [RFC 4106](#), DOI 10.17487/RFC4106, June 2005, <<https://www.rfc-editor.org/info/rfc4106>>.
- [RFC4543] McGrew, D. and J. Viega, "The Use of Galois Message Authentication Code (GMAC) in IPsec ESP and AH", [RFC 4543](#), DOI 10.17487/RFC4543, May 2006, <<https://www.rfc-editor.org/info/rfc4543>>.
- [RFC5282] Black, D. and D. McGrew, "Using Authenticated Encryption

Algorithms with the Encrypted Payload of the Internet Key Exchange version 2 (IKEv2) Protocol", [RFC 5282](#), DOI 10.17487/RFC5282, August 2008, <<https://www.rfc-editor.org/info/rfc5282>>.

[RFC8645] Smyshlyaev, S., Ed., "Re-keying Mechanisms for Symmetric Keys", [RFC 8645](#), DOI 10.17487/RFC8645, August 2019, <<https://www.rfc-editor.org/info/rfc8645>>.

[MGM-SECURITY]

Akhmetzyanova, L., Alekseev, E., Karpunin, G., and V. Nozdrunov, "Security of Multilinear Galois Mode (MGM)", 2019, <<https://eprint.iacr.org/2019/123.pdf>>.

[Appendix A](#). Test Vectors

1. ENCR_KUZNYECHIK_MGM_KTREE, example 1:

Smyslov

Expires November 4, 2020

[Page 13]

Internet-Draft

GOST ciphers in ESP & IKEv2

May 2020

K:

b6 18 0c 14 5c 51 2d bd 69 d9 ce a9 2c ac 1b 5c
e1 bc fa 73 79 2d 61 af 0b 44 0d 84 b5 22 cc 38

i1 = 00, i2 = 0000, i3 = 0000, pnum = 000000

K_msg:

2f f1 c9 0e de 78 6e 06 1e 17 b3 74 d7 82 af 7b
d8 80 bd 52 7c 66 a2 ba dc 3e 56 9a ab 27 1d a4

salt [12]:

7b 67 e6 f2 44 f9 7f 06 78 95 2e 45

nonce [16]:

00 00 00 00 7b 67 e6 f2 44 f9 7f 06 78 95 2e 45

```
IV [8]:
 00 00 00 00 00 00 00 00
AAD [8]:
 51 46 53 6b 00 00 00 01
plaintext [64]:
 45 00 00 3c 23 35 00 00 7f 01 ee cc 0a 6f 0a c5
 0a 6f 0a 1d 08 00 f3 5b 02 00 58 00 61 62 63 64
 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
 75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04
ciphertext [64]:
 18 9d 12 88 b7 18 f9 ea be 55 4b 23 9b ee 65 96
 c6 d4 ea fd 31 64 96 ef 90 1c ac 31 60 05 aa 07
 62 97 b2 24 bf 6d 2b e3 5f d6 f6 7e 7b 9d eb 31
 85 ff e9 17 9c a9 bf 0b db af c2 3e ae 4d a5 6f
ESP ICV [12]:
 50 b0 70 a1 5a 2b d9 73 86 89 f8 ed
ESP packet [112]:
 45 00 00 70 00 4d 00 00 ff 32 91 4f 0a 6f 0a c5
 0a 6f 0a 1d 51 46 53 6b 00 00 00 01 00 00 00 00
 00 00 00 00 18 9d 12 88 b7 18 f9 ea be 55 4b 23
 9b ee 65 96 c6 d4 ea fd 31 64 96 ef 90 1c ac 31
 60 05 aa 07 62 97 b2 24 bf 6d 2b e3 5f d6 f6 7e
 7b 9d eb 31 85 ff e9 17 9c a9 bf 0b db af c2 3e
 ae 4d a5 6f 50 b0 70 a1 5a 2b d9 73 86 89 f8 ed
```

2. ENCR_KUZNYECHIK_MGM_KTREE, example 2:

K:

```
b6 18 0c 14 5c 51 2d bd 69 d9 ce a9 2c ac 1b 5c
e1 bc fa 73 79 2d 61 af 0b 44 0d 84 b5 22 cc 38
i1 = 00, i2 = 0001, i3 = 0001, pnum = 000000
```



```

K_msg:
  9a ba c6 57 78 18 0e 6f 2a f6 1f b8 d5 71 62 36
  66 c2 f5 13 0d 54 e2 11 6c 7d 53 0e 6e 7d 48 bc
salt [12]:
  7b 67 e6 f2 44 f9 7f 06 78 95 2e 45
nonce [16]:
  00 00 00 00 7b 67 e6 f2 44 f9 7f 06 78 95 2e 45
IV [8]:
  00 00 01 00 01 00 00 00
AAD [8]:
  51 46 53 6b 00 00 00 10
plaintext [64]:
  45 00 00 3c 23 48 00 00 7f 01 ee b9 0a 6f 0a c5
  0a 6f 0a 1d 08 00 e4 5b 02 00 67 00 61 62 63 64
  65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
  75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04
ciphertext [64]:
  78 0a 2c 62 62 32 15 7b fe 01 76 32 f3 2d b4 d0
  a4 fa 61 2f 66 c2 bf 79 d5 e2 14 9b ac 1d fc 4b
  15 4b 69 03 4d c2 1d ef 20 90 6d 59 62 81 12 7c
  ff 72 56 ab f0 0b a1 22 bb 5e 6c 71 a4 d4 9a 4d
ESP ICV [12]:
  c2 2f 87 40 83 8e 3d fa ce 91 cc b8
ESP packet [112]:
  45 00 00 70 00 5c 00 00 ff 32 91 40 0a 6f 0a c5
  0a 6f 0a 1d 51 46 53 6b 00 00 00 10 00 00 01 00
  01 00 00 00 78 0a 2c 62 62 32 15 7b fe 01 76 32
  f3 2d b4 d0 a4 fa 61 2f 66 c2 bf 79 d5 e2 14 9b
  ac 1d fc 4b 15 4b 69 03 4d c2 1d ef 20 90 6d 59
  62 81 12 7c ff 72 56 ab f0 0b a1 22 bb 5e 6c 71
  a4 d4 9a 4d c2 2f 87 40 83 8e 3d fa ce 91 cc b8

```

3. ENCR_MAGMA_MGM_KTREE, example 1:

K:

5b 50 bf 33 78 87 02 38 f3 ca 74 0f d1 24 ba 6c
22 83 ef 58 9b e6 f4 6a 89 4a a3 5d 5f 06 b2 03

i1 = 00, i2 = 0000, i3 = 0000, pnum = 000000

K_msg:

25 65 21 e2 70 b7 4a 16 4d fc 26 e6 bf 0c ca 76
5e 9d 41 02 7d 4b 7b 19 76 2b 1c c9 01 dc de 7f

salt [4]:

cf 36 63 12

nonce [8]:

00 00 00 00 cf 36 63 12

IV [8]:

00 00 00 00 00 00 00 00

AAD [8]:

c8 c2 b2 8d 00 00 00 01

plaintext [64]:

45 00 00 3c 24 2d 00 00 7f 01 ed d4 0a 6f 0a c5
0a 6f 0a 1d 08 00 de 5b 02 00 6d 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04

ciphertext [64]:

fa 08 40 33 2c 4f 3f c9 64 4d 8c 2c 4a 91 7e 0c
d8 6f 8e 61 04 03 87 64 6b b9 df bd 91 50 3f 4a
f5 d2 42 69 49 d3 5a 22 9e 1e 0e fc 99 ac ee 9e
32 43 e2 3b a4 d1 1e 84 5c 91 a7 19 15 52 cc e8

ESP ICV [8]:

5f 4a fa 8b 02 94 0f 5c

ESP packet [108]:

45 00 00 6c 00 62 00 00 ff 32 91 3e 0a 6f 0a c5
0a 6f 0a 1d c8 c2 b2 8d 00 00 00 01 00 00 00 00
00 00 00 00 fa 08 40 33 2c 4f 3f c9 64 4d 8c 2c
4a 91 7e 0c d8 6f 8e 61 04 03 87 64 6b b9 df bd
91 50 3f 4a f5 d2 42 69 49 d3 5a 22 9e 1e 0e fc
99 ac ee 9e 32 43 e2 3b a4 d1 1e 84 5c 91 a7 19
15 52 cc e8 5f 4a fa 8b 02 94 0f 5c

4. ENCR_MAGMA_MGM_KTREE, example 2:

Internet-Draft

GOST ciphers in ESP & IKEv2

May 2020

K:

```
5b 50 bf 33 78 87 02 38 f3 ca 74 0f d1 24 ba 6c
22 83 ef 58 9b e6 f4 6a 89 4a a3 5d 5f 06 b2 03
```

i1 = 00, i2 = 0001, i3 = 0001, pnum = 000000

K_msg:

```
20 e0 46 d4 09 83 9b 23 f0 66 a5 0a 7a 06 5b 4a
39 24 4f 0e 29 ef 1e 6f 2e 5d 2e 13 55 f5 da 08
```

salt [4]:

cf 36 63 12

nonce [8]:

00 00 00 00 cf 36 63 12

IV [8]:

00 00 01 00 01 00 00 00

AAD [8]:

c8 c2 b2 8d 00 00 00 10

plaintext [64]:

```
45 00 00 3c 24 40 00 00 7f 01 ed c1 0a 6f 0a c5
0a 6f 0a 1d 08 00 cf 5b 02 00 7c 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04
```

ciphertext [64]:

```
7a 71 48 41 a5 34 b7 58 93 6a 8e ab 26 91 40 a8
25 a7 f3 5d b9 e4 37 1f e7 6c 99 9c 9b 88 db 72
1d c7 59 f6 56 b5 b3 ea b6 b1 4d 6b d7 7a 07 1d
4b 93 78 bd 08 97 6c 33 ed 9a 01 91 bf fe a1 dd
```

ESP ICV [8]:

dd 5d 50 9a fd b8 09 98

ESP packet [108]:

```
45 00 00 6c 00 71 00 00 ff 32 91 2f 0a 6f 0a c5
0a 6f 0a 1d c8 c2 b2 8d 00 00 00 10 00 00 01 00
01 00 00 00 7a 71 48 41 a5 34 b7 58 93 6a 8e ab
26 91 40 a8 25 a7 f3 5d b9 e4 37 1f e7 6c 99 9c
9b 88 db 72 1d c7 59 f6 56 b5 b3 ea b6 b1 4d 6b
d7 7a 07 1d 4b 93 78 bd 08 97 6c 33 ed 9a 01 91
bf fe a1 dd dd 5d 50 9a fd b8 09 98
```

5. ENCR_KUZNYECHIK_MGM_MAC_KTREE, example 1:

K:

98 bd 34 ce 3b e1 9a 34 65 e4 87 c0 06 48 83 f4
88 cc 23 92 63 dc 32 04 91 9b 64 3f e7 57 b2 be

i1 = 00, i2 = 0000, i3 = 0000, pnum = 000000

K_msg:

98 f1 03 01 81 0a 04 1c da dd e1 bd 85 a0 8f 21
8b ac b5 7e 00 35 e2 22 c8 31 e3 e4 f0 a2 0c 8f

salt [12]:

6c 51 cb ac 93 c4 5b ea 99 62 79 1d

nonce [16]:

00 00 00 00 6c 51 cb ac 93 c4 5b ea 99 62 79 1d

IV [8]:

00 00 00 00 00 00 00 00

AAD [80]:

3d ac 92 6a 00 00 00 01 00 00 00 00 00 00 00
45 00 00 3c 0c f1 00 00 7f 01 05 11 0a 6f 0a c5
0a 6f 0a 1d 08 00 48 5c 02 00 03 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04

plaintext [0]:

ciphertext [0]:

ESP ICV [12]:

ca c5 8c e5 e8 8b 4b f3 2d 6c f0 4d

ESP packet [112]:

45 00 00 70 00 01 00 00 ff 32 91 9b 0a 6f 0a c5
0a 6f 0a 1d 3d ac 92 6a 00 00 00 01 00 00 00 00
00 00 00 00 45 00 00 3c 0c f1 00 00 7f 01 05 11
0a 6f 0a c5 0a 6f 0a 1d 08 00 48 5c 02 00 03 00
61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70
71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69
01 02 02 04 ca c5 8c e5 e8 8b 4b f3 2d 6c f0 4d

6. ENCR_KUZNYECHIK_MGM_MAC_KTREE, example 2:

K:

98 bd 34 ce 3b e1 9a 34 65 e4 87 c0 06 48 83 f4
88 cc 23 92 63 dc 32 04 91 9b 64 3f e7 57 b2 be

i1 = 00, i2 = 0000, i3 = 0001, pnum = 000000

K_msg:

02 c5 41 87 7c c6 23 f3 f1 35 91 9a 75 13 b6 f8
a8 a1 8c b2 63 99 86 2f 50 81 4f 52 91 01 67 84

salt [12]:

6c 51 cb ac 93 c4 5b ea 99 62 79 1d

nonce [16]:

00 00 00 00 6c 51 cb ac 93 c4 5b ea 99 62 79 1d

IV [8]:

00 00 00 00 01 00 00 00

AAD [80]:

3d ac 92 6a 00 00 00 06 00 00 00 00 01 00 00 00
45 00 00 3c 0c fb 00 00 7f 01 05 07 0a 6f 0a c5
0a 6f 0a 1d 08 00 43 5c 02 00 08 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04

plaintext [0]:

ciphertext [0]:

ESP ICV [12]:

ba bc 67 ec 72 a8 c3 1a 89 b4 0e 91

ESP packet [112]:

45 00 00 70 00 06 00 00 ff 32 91 96 0a 6f 0a c5
0a 6f 0a 1d 3d ac 92 6a 00 00 00 06 00 00 00 00

```
01 00 00 00 45 00 00 3c 0c fb 00 00 7f 01 05 07
0a 6f 0a c5 0a 6f 0a 1d 08 00 43 5c 02 00 08 00
61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70
71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69
01 02 02 04 ba bc 67 ec 72 a8 c3 1a 89 b4 0e 91
```

7. ENCR_MAGMA_MGM_MAC_KTREE, example 1:

K:

```
d0 65 b5 30 fa 20 b8 24 c7 57 0c 1d 86 2a e3 39
2c 1c 07 6d fa da 69 75 74 4a 07 a8 85 7d bd 30
```

i1 = 00, i2 = 0000, i3 = 0000, pnum = 000000

K_msg:

```
4c 61 45 99 a0 a0 67 f1 94 87 24 0a e1 00 e1 b7
ea f2 3e da f8 7e 38 73 50 86 1c 68 3b a4 04 46
```

salt [4]:

```
88 79 8f 29
```

nonce [8]:

```
00 00 00 00 88 79 8f 29
```

IV [8]:

```
00 00 00 00 00 00 00 00
```

AAD [80]:

```
3e 40 69 9c 00 00 00 01 00 00 00 00 00 00 00 00
45 00 00 3c 0e 08 00 00 7f 01 03 fa 0a 6f 0a c5
0a 6f 0a 1d 08 00 36 5c 02 00 15 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04
```

```
plaintext [0]:
ciphertext [0]:
ESP ICV [8]:
  4d d4 25 8a 25 35 95 df
ESP packet [108]:
  45 00 00 6c 00 13 00 00 ff 32 91 8d 0a 6f 0a c5
  0a 6f 0a 1d 3e 40 69 9c 00 00 00 01 00 00 00 00
  00 00 00 00 45 00 00 3c 0e 08 00 00 7f 01 03 fa
  0a 6f 0a c5 0a 6f 0a 1d 08 00 36 5c 02 00 15 00
  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70
  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69
  01 02 02 04 4d d4 25 8a 25 35 95 df
```

8. ENCR_MAGMA_MGM_MAC_KTREE, example 2:

```
K:
  d0 65 b5 30 fa 20 b8 24 c7 57 0c 1d 86 2a e3 39
  2c 1c 07 6d fa da 69 75 74 4a 07 a8 85 7d bd 30
i1 = 00, i2 = 0000, i3 = 0001, pnum = 000000
K_msg:
  b4 f3 f9 0d c4 87 fa b8 c4 af d0 eb 45 49 f2 f0
  e4 36 32 b6 79 19 37 2e 1e 96 09 ea f0 b8 e2 28
salt [4]:
  88 79 8f 29
nonce [8]:
  00 00 00 00 88 79 8f 29
IV [8]:
```

```
00 00 00 00 01 00 00 00
AAD [80]:
3e 40 69 9c 00 00 00 06 00 00 00 00 01 00 00 00
45 00 00 3c 0e 13 00 00 7f 01 03 ef 0a 6f 0a c5
0a 6f 0a 1d 08 00 31 5c 02 00 1a 00 61 62 63 64
65 66 67 68 69 6a 6b 6c 6d 6e 6f 70 71 72 73 74
75 76 77 61 62 63 64 65 66 67 68 69 01 02 02 04
plaintext [0]:
ciphertext [0]:
ESP ICV [8]:
84 84 a9 23 30 a0 b1 96
ESP packet [108]:
45 00 00 6c 00 18 00 00 ff 32 91 88 0a 6f 0a c5
0a 6f 0a 1d 3e 40 69 9c 00 00 00 06 00 00 00 00
01 00 00 00 45 00 00 3c 0e 13 00 00 7f 01 03 ef
0a 6f 0a c5 0a 6f 0a 1d 08 00 31 5c 02 00 1a 00
61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70
71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69
01 02 02 04 84 84 a9 23 30 a0 b1 96
```

Author's Address

Valery Smyslov
ELVIS-PLUS
PO Box 81
Moscow (Zelenograd) 124460
RU

Phone: +7 495 276 0211
Email: svan@elvis.ru