

Network Working Group	J. Snell	
Internet-Draft	October 27, 2007	
Intended status: Experimental		
Expires: April 29, 2008		

[TOC](#)

## Atom Publishing Protocol Feature Discovery draft-snell-atompub-feature-12.txt

### Status of this Memo

By submitting this Internet-Draft, each author represents that any applicable patent or other IPR claims of which he or she is aware have been or will be disclosed, and any of which he or she becomes aware will be disclosed, in accordance with Section 6 of BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on April 29, 2008.

### Abstract

This document introduces extensions to the Atom Publishing Protocol Service Document format for expressing metadata about the behaviors, functions and capabilities supported by an Atom Publishing Protocol collection.

---

### Table of Contents

- [1.](#) Introduction
- [2.](#) Notational Conventions
- [3.](#) The f:features Element
- [4.](#) The f:feature element
  - [4.1.](#) Example
- [5.](#) Feature Documents
  - [5.1.](#) Example
- [6.](#) The "supportsDraft" Feature
- [7.](#) The "ignoresDraft" Feature
- [8.](#) Security Considerations
- [9.](#) IANA Considerations
  - [9.1.](#) Content-type registration for 'application/atomfeature+xml'
- [10.](#) Normative References
- [Appendix A.](#) Acknowledgements
- [§](#) Author's Address

## 1. Introduction

[TOC](#)

This document introduces an extension to the Atom Publishing Protocol (Atompub) service document [\[RFC5023\]](#) (Gregorio, J. and B. de hOra, "The Atom Publishing Protocol," October 2007.) format that allows for the documentation and discovery of behaviors, functions or capabilities supported by an Atompub collection. Examples of such capabilities can include the preservation of certain kinds of content, support for draft entries, support for the scheduled publication of entries, use of a particular set of Atom format extensions, and so on. Describing features using the mechanisms defined in this specification is currently considered to be largely experimental. While there are examples of such mechanisms being put to practical use in deployed applications, there is currently not enough collective implementation experience to determine whether the mechanism defined here is sufficient to fully address the general needs of Atom Publishing Protocol client and server implementations. Implementations and feedback are encouraged.

---

## 2. Notational Conventions

[TOC](#)

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14, [\[RFC2119\]](#) (Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels," March 1997.).

This specification uses XML Namespaces [\[W3C.REC-xml-names-20060816\]](#) (Hollander, D., Layman, A., and T. Bray, "Namespaces in XML 1.0 (Second Edition)," August 2006.) to uniquely identify XML element names. It uses the following namespace prefix for the indicated namespace URI;

```
"f": "http://purl.org/atompub/features/1.0"
```

This specification uses terms from the XML Infoset [\[W3C.REC-xml-infoset-20040204\]](#) (Tobin, R. and J. Cowan, "XML Information Set (Second Edition)," February 2004.). However, this specification uses a shorthand; the phrase "Information Item" is omitted when naming Element Information Items. Therefore, when this specification uses the terms "element" and "attribute" it is referring, respectively, to the Element and Attribute Information Items in Infoset terms.

This specification uses the terms "atomUri" and "atomCommonAttributes" from the non-normative RELAX NG Compact schema included in [\[RFC4287\]](#) (Nottingham, M., Ed. and R. Sayre, Ed., "The Atom Syndication Format," December 2005.). Where used, these serve the same purpose and have the same meaning as their use in [\[RFC4287\]](#) (Nottingham, M., Ed. and R. Sayre, Ed., "The Atom Syndication Format," December 2005.).

Atom allows the use of IRIs [\[RFC3987\]](#) (Duerst, M. and M. Suignard, "Internationalized Resource Identifiers (IRIs)," January 2005.). Every

URI [\[RFC3986\]](#) (Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax," January 2005.) is also an IRI, so a URI may be used wherever below an IRI is named. There are two special considerations: (1) when an IRI that is not also a URI is given for dereferencing, it MUST be mapped to a URI using the steps in Section 3.1 of [\[RFC3987\]](#) (Duerst, M. and M. Suignard, "Internationalized Resource Identifiers (IRIs)," January 2005.) and (2) when an IRI is serving as an identifier, it MUST NOT be so mapped. Any element defined by this specification MAY have an `xml:base` attribute [\[W3C.REC-xmlbase-20010627\]](#) (Marsh, J., "XML Base," June 2001.). When `xml:base` is used, it serves the function described in section 5.1.1 of [\[RFC3986\]](#) (Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax," January 2005.), establishing the base URI (or IRI) for resolving any relative references found within the effective scope of the `xml:base` attribute.

Any element defined by this specification MAY have an `xml:lang` attribute, whose content indicates the natural language for the element and its descendents. The language context is only significant for elements and attributes declared to be "Language-Sensitive". Requirements regarding the content and interpretation of `xml:lang` are specified in XML 1.0 [\[W3C.REC-xml-20060816\]](#) (Bray, T., Paoli, J., Yergeau, F., Maler, E., and C. Sperberg-McQueen, "Extensible Markup Language (XML) 1.0 (Fourth Edition)," August 2006.), Section 2.12.

---

### 3. The `f:features` Element

[TOC](#)

The `f:features` element is used in an `app:collection` element or as the root element of a Features Document as a container for zero or more `f:feature` elements.

An `f:features` element MAY contain any number of `f:feature` elements but MUST NOT contain more than one with the same `ref` attribute value. The order in which `f:feature` elements appear within the `f:features` element is insignificant.

An `app:collection` element MUST NOT contain more than one `f:features` element.

```
inlineFeatures =
  element f:features {
    (feature*,
     undefinedContent)
  }

outOfLineFeatures =
  element f:features {
    attribute href { atomURI }
  }

features = inlineFeatures | outOfLineFeatures
```

When used within an `app:collection` element, the `f:features` element MAY contain an "href" attribute, whose value MUST be an IRI reference identifying a Features Document. If the "href" attribute is provided, the `f:features` element MUST be empty.

---

## 4. The f:feature element

[TOC](#)

The f:feature element is used within an f:features element to declare a collection's support for a feature.

```
feature = element f:feature {
  atomCommonAttributes,
  attribute ref    { atomUri },
  attribute href   { atomUri }?,
  attribute label  { text }?,
  (anyElement)*
}

anyElement = element * - f:feature {
  (attribute * { text }
  | text
  | anyElement)*
}
```

The ref attribute specifies a globally unique IRI identifying a feature. The value of the ref attribute MUST be compared on a case-sensitive, character-by-character basis. Relative references MUST NOT be used. The IRI is used strictly for identification and cannot be assumed to be dereferenceable.

An optional href attribute MAY be used to specify a dereferenceable IRI of a human-readable description of the feature. Relative references MAY be used.

The optional label attribute MAY be used to specify a human-readable label for the feature. The value of the label attribute is Language-Sensitive as defined by Section 2 of [\[RFC4287\] \(Nottingham, M., Ed. and R. Sayre, Ed., "The Atom Syndication Format," December 2005.\)](#).

The f:feature element MAY contain a mix of text and any number of child elements and attributes from any XML namespace, with the exception of the f:feature element itself. Such markup is considered to be metadata applicable to the feature identified. Software agents MUST NOT stop processing or signal an error or change their behavior as a result of encountering such markup.

The presence of a f:feature element is an indication that the collection supports the feature identified. The lack of a f:feature element identifying a particular feature indicates that support for that feature is unspecified. This does not mean that the feature is not supported, only that the server has not explicitly declared support. There are no means by which a server can indicate that a given feature is unsupported.

---

### 4.1. Example

[TOC](#)

The following is an example of a collection using the f:feature element to indicate its support for the app:draft element as defined by [\[RFC5023\] \(Gregorio, J. and B. de hOra, "The Atom Publishing Protocol," October 2007.\)](#).

```
<service
  xmlns="http://www.w3.org/2007/app"
  xmlns:atom="http://www.w3.org/2005/Atom"
  xmlns:f="http://purl.org/atompub/features/1.0">
  <workspace>
    <atom:title>My Workspace</atom:title>
    <collection href="...">
      <atom:title>My Atom Collection</atom:title>
      <accept>application/atom+xml;type=entry</accept>
      <f:features>
        <f:feature
          ref="http://purl.org/atompub/features/1.0/supportsDraft" />
      </f:features>
    </collection>
  </workspace>
</service>
```

---

## 5. Feature Documents

[TOC](#)

A Feature Document contains a listing of `f:feature` elements that can be referenced by multiple `app:collection` elements. Separating the list of `f:features` out into a separate document enables and promotes the reuse of features across multiple collections.

The root of a Feature Document is the `f:features` element. The `f:features` element MUST NOT contain an `href` attribute. Feature documents are identified with the `"application/atomfeature+xml"` media type (see Section 9.1).

---

### 5.1. Example

[TOC](#)

```
<?xml version="1.0?">
<features xmlns="http://purl.org/atompub/features/1.0">
  <feature ref="http://purl.org/atompub/features/1.0/supportsDraft" />
  <feature ref="http://example.org/foo/supportsFoo" />
</features>
```

This Feature Document indicates support for the `app:draft` publishing control and a hypothetical extension.

The following is an example of a collection using the `f:features` element to reference a Feature Document.

```
<service
  xmlns="http://www.w3.org/2007/app"
  xmlns:atom="http://www.w3.org/2005/Atom"
  xmlns:f="http://purl.org/atopub/features/1.0">
  <workspace>
    <atom:title>My Workspace</atom:title>
    <collection href="...">
      <atom:title>My Atom Collection</atom:title>
      <accept>application/atom+xml;type=entry</accept>
      <f:features href="http://example.org/features.xml" />
    </collection>
  </workspace>
</service>
```

---

## 6. The "supportsDraft" Feature

[TOC](#)

The "supportsDraft" feature is used to indicate that a collection supports the use of the app:draft control element as defined by Section 13.1.1 of [\[RFC5023\] \(Gregorio, J. and B. de hOra, "The Atom Publishing Protocol," October 2007.\)](#). The IRI of the "supportsDraft" feature is:

<http://purl.org/atopub/features/1.0/supportsDraft>

---

## 7. The "ignoresDraft" Feature

[TOC](#)

The "ignoresDraft" feature is used to indicate that a collection will ignore the use of the app:draft control element as defined by Section 13.1.1 of [\[RFC5023\] \(Gregorio, J. and B. de hOra, "The Atom Publishing Protocol," October 2007.\)](#). The IRI of the "ignoresDraft" feature is:

<http://purl.org/atopub/features/1.0/ignoresDraft>

---

A server MUST NOT declare support for both the "supportsDraft" and "ignoresDraft" features within the a single app:collection element.

---

## 8. Security Considerations

[TOC](#)

Specific features supported by a collection may introduce security considerations and concerns beyond those discussed by the Atom Publishing Protocol and Atom Syndication Format specifications. Implementors must refer to the specifications and description of each feature to determine the security considerations relevant to each. Implementations of this specification handle URIs and IRIs. See Section 7 of [\[RFC3986\] \(Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier \(URI\): Generic Syntax," January 2005.\)](#) and Section 8 of [\[RFC3987\] \(Duerst, M. and M. Suignard, "Internationalized](#)

[Resource Identifiers \(IRIs\),” January 2005.](#)) for security considerations related to their handling and use.

---

## 9. IANA Considerations

[TOC](#)

This specification uses a new media type that conforms to the registry mechanism described in [\[RFC4288\]](#) (Freed, N. and J. Klensin, “Media Type Specifications and Registration Procedures,” December 2005.).

---

### 9.1. Content-type registration for 'application/atomfeature+xml'

[TOC](#)

A Feature Document, when serialized as XML 1.0, can be identified with the following media type:

**MIME media type name:** application

**MIME subtype name:** atomfeature+xml

**Mandatory parameters:** None.

**Optional parameters:**

**"charset":** This parameter has identical semantics to the charset parameter of the "application/xml" media type as specified in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, “XML Media Types,” January 2001.).

**Encoding considerations:** Identical to those of "application/xml" as described in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, “XML Media Types,” January 2001.), section 3.2.

**Security considerations:** As defined in this specification.

In addition, as this media type uses the "+xml" convention, it shares the same security considerations as described in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, “XML Media Types,” January 2001.), section 10.

**Interoperability considerations:** There are no known interoperability issues.

**Published specification:** This specification.

**Applications that use this media type:** No known applications currently use this media type.

Additional information:

**Magic number(s):** As specified for "application/xml" in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, “XML Media Types,” January 2001.), section 3.2.

**File extension:**

.atomfeature

**Fragment identifiers:** As specified for "application/xml" in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, "XML Media Types," January 2001.), section 5.

**Base URI:** As specified in [\[RFC3023\]](#) (Murata, M., St. Laurent, S., and D. Kohn, "XML Media Types," January 2001.), section 6.

**Macintosh File Type code:** TEXT

**Person and email address to contact for further information:** James Snell <jasnell@gmail.com>

**Intended usage:** COMMON

**Author/Change controller:** IETF (iesg@ietf.org) Internet Engineering Task Force

---



## 10. Normative References

[TOC](#)

[RFC2119]	<a href="#">Bradner, S.</a> , " <a href="#">Key words for use in RFCs to Indicate Requirement Levels</a> ," BCP 14, RFC 2119, March 1997 ( <a href="#">TXT</a> , <a href="#">HTML</a> , <a href="#">XML</a> ).
[RFC3023]	<a href="#">Murata, M.</a> , <a href="#">St. Laurent, S.</a> , and <a href="#">D. Kohn</a> , " <a href="#">XML Media Types</a> ," RFC 3023, January 2001 ( <a href="#">TXT</a> ).
[RFC3986]	<a href="#">Berners-Lee, T.</a> , <a href="#">Fielding, R.</a> , and <a href="#">L. Masinter</a> , " <a href="#">Uniform Resource Identifier (URI): Generic Syntax</a> ," STD 66, RFC 3986, January 2005 ( <a href="#">TXT</a> , <a href="#">HTML</a> , <a href="#">XML</a> ).
[RFC3987]	<a href="#">Duerst, M.</a> and <a href="#">M. Suignard</a> , " <a href="#">Internationalized Resource Identifiers (IRIs)</a> ," RFC 3987, January 2005 ( <a href="#">TXT</a> ).
[RFC4287]	<a href="#">Nottingham, M., Ed.</a> and <a href="#">R. Sayre, Ed.</a> , " <a href="#">The Atom Syndication Format</a> ," RFC 4287, December 2005 ( <a href="#">TXT</a> , <a href="#">HTML</a> , <a href="#">XML</a> ).
[RFC4288]	<a href="#">Freed, N.</a> and <a href="#">J. Klensin</a> , " <a href="#">Media Type Specifications and Registration Procedures</a> ," BCP 13, RFC 4288, December 2005 ( <a href="#">TXT</a> ).
[RFC5023]	<a href="#">Gregorio, J.</a> and <a href="#">B. de h0ra</a> , " <a href="#">The Atom Publishing Protocol</a> ," RFC 5023, October 2007 ( <a href="#">TXT</a> ).
[W3C.REC-xml-20060816]	<a href="#">Bray, T.</a> , <a href="#">Paoli, J.</a> , <a href="#">Yergeau, F.</a> , <a href="#">Maler, E.</a> , and <a href="#">C. Sperberg-McQueen</a> , " <a href="#">Extensible Markup Language (XML) 1.0 (Fourth Edition)</a> ," World Wide Web Consortium FirstEdition REC-xml-20060816, August 2006 ( <a href="#">HTML</a> ).
[W3C.REC-xml-infoset-20040204]	<a href="#">Tobin, R.</a> and <a href="#">J. Cowan</a> , " <a href="#">XML Information Set (Second Edition)</a> ," World Wide Web Consortium Recommendation REC-xml-infoset-20040204, February 2004 ( <a href="#">HTML</a> ).
[W3C.REC-xml-names-20060816]	<a href="#">Hollander, D.</a> , <a href="#">Layman, A.</a> , and <a href="#">T. Bray</a> , " <a href="#">Namespaces in XML 1.0 (Second Edition)</a> ," World Wide Web Consortium FirstEdition REC-xml-names-20060816, August 2006 ( <a href="#">HTML</a> ).
[W3C.REC-xmlbase-20010627]	<a href="#">Marsh, J.</a> , " <a href="#">XML Base</a> ," World Wide Web Consortium FirstEdition REC-xmlbase-20010627, June 2001 ( <a href="#">HTML</a> ).

---

## Appendix A. Acknowledgements

[TOC](#)

The author acknowledges the feedback from the other members of the IETF Atom Publishing working group during the development of this specification.

---

## Author's Address

[TOC](#)

	James M Snell
Phone:	

Email:	<a href="mailto:jasnell@gmail.com">jasnell@gmail.com</a>
URI:	<a href="http://snellspace.com">http://snellspace.com</a>

---

## Full Copyright Statement

[TOC](#)

Copyright © The IETF Trust (2007).

This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY, THE IETF TRUST AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in BCP 78 and BCP 79.

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at [ietf-ipr@ietf.org](mailto:ietf-ipr@ietf.org).