

MILE
Internet-Draft
Intended status: Standards Track
Expires: December 10, 2016

T. Takahashi
NICT
June 8, 2016

**JSON representation of IODEF
draft-takahashi-mile-jsoniodef-00**

Abstract

[RFC5070](#)-bis provides XML-based data representation on incident information, but the use of the IODEF data model is not limited to XML. JSON representation is sometimes preferred since it is easy to handle from certain programming environments. This draft represents the IODEF data model in JSON. Note that this 00 version draft is prepared for the purpose of encouraging discussion on the need for JSON representation.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on December 10, 2016.

Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4](#).e of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	3
1.1.	Requirements Language	4
2.	The IODEF Information Model in JSON	4
2.1.	IODEF-Document Class	4
2.2.	Incident Class	4
2.3.	Common Attributes	5
2.3.1.	restriction Attribute	5
2.3.2.	observable-id Attribute	5
2.4.	IncidentID Class	5
2.5.	AlternativeID Class	6
2.6.	RelatedActivity Class	6
2.7.	ThreatActor Class	6
2.8.	Campaign Class	7
2.9.	Contact Class	7
2.9.1.	RegistryHandle Class	7
2.9.2.	PostalAddress Class	8
2.9.3.	Email Class	8
2.9.4.	Telephone Class	8
2.10.	Discovery Class	8
2.10.1.	DetectionPattern Class	9
2.11.	Method Class	9
2.11.1.	Reference Class	9
2.12.	Assessment Class	9
2.12.1.	SystemImpact Class	10
2.12.2.	BusinessImpact Class	10
2.12.3.	TimeImpact Class	10
2.12.4.	MonetaryImpact Class	10
2.12.5.	Confidence Class	10
2.13.	History Class	11
2.13.1.	HistoryItem Class	11
2.14.	EventData Class	11
2.15.	Expectation Class	12
2.16.	System Class	12
2.17.	Node Class	13
2.17.1.	Address Class	13
2.17.2.	NodeRole Class	13
2.17.3.	Counter Class	13
2.18.	DomainData Class	14
2.18.1.	Nameserver Class	14
2.18.2.	DomainContacts Class	14
2.19.	Service Class	14
2.19.1.	ServiceName Class	15
2.19.2.	ApplicationHeader Class	15

2.20.	EmailData Class	15
2.21.	Record Class	15
2.21.1.	RecordPattern Class	16
2.22.	WindowsRegistryKeysModified Class	16
2.22.1.	Key Class	16
2.23.	CertificateData Class	17
2.23.1.	Certificate Class	17
2.24.	FileData Class	17
2.24.1.	File Class	18
2.25.	HashData Class	18
2.25.1.	Hash Class	18
2.25.2.	FuzzyHash Class	18
2.26.	SignatureData Class	19
2.27.	Indicator Class	19
2.27.1.	IndicatorID Class	19
2.27.2.	AlternativeIndicatorID Class	20
2.27.3.	Observable Class	20
2.27.4.	IndicatorExpression Class	20
2.27.5.	ObservableReference Class	20
2.27.6.	IndicatorReference Class	21
2.27.7.	AttackPhase Class	21
3.	Notable differences from RFC5070 -bis (to be deleted)	21
4.	Examples	21
4.1.	Minimal Example	21
4.2.	Indicators from a Campaign	22
5.	The IODEF Data Model (JSON Schema)	24
6.	Acknowledgements	57
7.	IANA Considerations	57
8.	Security Considerations	58
9.	References	58
9.1.	Normative References	58
9.2.	Informative References	58
	Author's Address	58

[1.](#) Introduction

[RFC5070](#)-bis defines an data model for sharing incident information. It facilitates automated exchange of information among parties over networks. The data model can be implemented in a form of XML, but it is not always suitable for implementation. JSON-based representation is often useful.

Therefore, in this document, we provide a means to represent IODEF data model in JSON.

1.1. Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

2. The IODEF Information Model in JSON

The data model of IODEF is defined in [RFC5070](#)-bis, and this section represent the elements of the data model in JSON.

2.1. IODEF-Document Class

The IODEF-Document class is the top level class in the IODEF data model. All IODEF documents are an instance of this class. This class provides seven parameters: version, lang, format-id, private-enum-name, private-enum-id, Incident, and AdditionalData.

The example below represents how to describe this class in JSON.

```
"IODEF-Document": {  
  "version": "1.0",  
  "lang": "en",  
  "format-id": "RFC5070",  
  "Incident": [  
    <<< omitted >>>  
  ]  
}
```

Figure 1: IODEF-Document Class in JSON

2.2. Incident Class

The Incident class describes commonly exchanged information when reporting or sharing derived analysis from security incidents.

The example below represents how to describe this class in JSON.


```
"Incident": {
  "purpose": "reporting",
  "lang": "en",
  "restriction": "green",
  "IncidentID": {<<< omitted >>>},
  "RelatedActivity": [<<< omitted >>>],
  "GenerationTime": "2015-10-02T11:18:00-05:00",
  "Description": ["Incident class description field"],
  "Assessment": [<<< omitted >>>],
  "Methods": [<<< omitted >>>],
  "Contact": [<<< omitted >>>]
  "EventData": [<<< omitted >>>],
  "IndicatorList": [<<< omitted >>>] # check whether it can exist once or more
  "History": {<<< omitted >>>},
  "AdditionalData": [<<< omitted >>>],
}
```

Figure 2: Incident Class in JSON

2.3. Common Attributes

There are a number of recurring attributes used in the information model. They are documented in this section.

2.3.1. restriction Attribute

[RFC5070](#)-bis defines the restriction Attribute as one of common attributes. It is defined as below:

```
"restriction":{"enum": ["public", "partner", "need-to-know",
"private", "default", "white", "green", "amber", "red", "ext-value"]}
```

2.3.2. observable-id Attribute

[RFC5070](#)-bis defines the observable-id attribute as one of common attributes. The value of this attribute is a unique identifier in the scope of the document. It is defined as below:

```
"observable-id": {"type": "string"},
```

Figure 3: observable-id in JSON

2.4. IncidentID Class

The example below represents how to describe this class in JSON.


```
"IncidentID": {  
  "id": "nict20150518-0001",  
  "name": "NICT_cert",  
  "instance": "cyberlab"  
}
```

Figure 4: IncidentID Class in JSON

[2.5.](#) **AlternativeID Class**

The example below represents how to describe this class in JSON.

```
"AlternativeID": {  
  "restriction": "private",  
  "IncidentID": [<<<omitted>>>]  
}
```

Figure 5: AlternativeID Class in JSON

[2.6.](#) **RelatedActivity Class**

The example below represents how to describe this class in JSON.

```
"RelatedActivity": {  
  "restriction": "private",  
  "ThreatActor": [  
    {  
      "ThreatActorID": "TA-12-AGGRESSIVE-BUTTERFLY",  
      "Description": "Aggressive Butterfly"  
    }  
  ],  
  "Campaign": [  
    {  
      "CampaignID": "C-2015-59405",  
      "Description": "Orange Giraffe"  
    }  
  ]  
}
```

Figure 6: RelatedActivity Class in JSON

[2.7.](#) **ThreatActor Class**

The example below represents how to describe this class in JSON.


```
"ThreatActor": {  
  "ThreatActorID": "TA-12-AGGRESSIVE-BUTTERFLY",  
  "Description": "Aggressive Butterfly"  
}
```

Figure 7: ThreatActor Class in JSON

2.8. Campaign Class

The example below represents how to describe this class in JSON.

```
"Campaign": {  
  "CampaignID": "C-2015-59405",  
  "Description": "Orange Giraffe"  
}
```

Figure 8: Campaign Class in JSON

2.9. Contact Class

The example below represents how to describe this class in JSON.

```
"Contact": {  
  "type": "organization",  
  "role": "creator",  
  "ContactName": "CSIRT for example.com",  
  "email": {  
    "emailTo": "contact@csirt.example.com"  
  }  
}
```

Figure 9: Contact Class in JSON

2.9.1. RegistryHandle Class

The example below represents how to describe this class in JSON.

```
"RegistryHandle": {  
  "RegistryHandleName": "MyAPNIC",  
  "registry": "apnic",  
}
```

Figure 10: RegistryHandle Class in JSON

[2.9.2.](#) **PostalAddress Class**

The example below represents how to describe this class in JSON.

```
"PostalAddress": {  
  "type": "mailing",  
  "PAddress": "184-8795",  
  "Description": "4-2-1 Nukui-Kitamachi Koganei Tokyo, Japan"  
},
```

Figure 11: PostalAddress Class in JSON

[2.9.3.](#) **Email Class**

The example below represents how to describe this class in JSON.

```
"Email": {  
  "emailTo": "contact@csirt.example.com"  
},
```

Figure 12: Email Class in JSON

[2.9.4.](#) **Telephone Class**

The example below represents how to describe this class in JSON.

```
"Telephone": {  
  "TelephoneNumber": "+81423275862"  
},
```

Figure 13: Telephone Class in JSON

[2.10.](#) **Discovery Class**

The example below represents how to describe this class in JSON.

```
"Discovery": {  
  "DetectionPattern": {  
    "Application": {  
      "Description": "Microsoft Win"  
    }  
  }  
}
```

Figure 14: Discovery Class in JSON

2.10.1. DetectionPattern Class

The example below represents how to describe this class in JSON.

```
"DetectionPattern": {  
  "Application": {  
    "Description": "Microsoft Win"  
  }  
}
```

Figure 15: DetectionPattern Class in JSON

2.11. Method Class

The example below represents how to describe this class in JSON.

```
"Method": {  
  "Vulnerability": {}  
}
```

Figure 16: Method Class in JSON

2.11.1. Reference Class

The example below represents how to describe this class in JSON.

```
"Reference":{  
  "URL":"http://www.nict.go.jp"  
}
```

Figure 17: Reference Class in JSON

2.12. Assessment Class

The example below represents how to describe this class in JSON.

```
"Assessment": {  
  "BusinessImpact": {  
    "type": "breach-proprietary"  
  }  
}
```

Figure 18: Assessment Class in JSON

[2.12.1.](#) **SystemImpact Class**

The example below represents how to describe this class in JSON.

```
"SystemImpact":{
  "severity":"low",
  "type":"unknown"
},
```

Figure 19: SystemImpact Class in JSON

[2.12.2.](#) **BusinessImpact Class**

The example below represents how to describe this class in JSON.

```
"BusinessImpact": {
  "type": "breach-proprietary"
}
```

Figure 20: BusinessImpact Class in JSON

[2.12.3.](#) **TimeImpact Class**

The example below represents how to describe this class in JSON.

```
"TimeImpact":{
  "value":"5 hours",
  "metric":"elapsed"
}
```

Figure 21: TimeImpact Class in JSON

[2.12.4.](#) **MonetaryImpact Class**

The example below represents how to describe this class in JSON.

```
"MonetaryImpact":{}
```

Figure 22: MonetaryImpact Class in JSON

[2.12.5.](#) **Confidence Class**

The example below represents how to describe this class in JSON.


```
"Confidence": {  
  "rating": "medium"  
}
```

Figure 23: Confidence Class in JSON

[2.13.](#) History Class

The example below represents how to describe this class in JSON.

```
"History": {  
  "HistoryItem": {  
    "DateTime": "2015-10-15T11:18:00-05:00",  
    "action": "investigate"  
  }  
},
```

Figure 24: History Class in JSON

[2.13.1.](#) HistoryItem Class

The example below represents how to describe this class in JSON.

```
"HistoryItem": {  
  "DateTime": "2015-10-15T11:18:00-05:00",  
  "action": "investigate"  
}
```

Figure 25: HistoryItem Class in JSON

[2.14.](#) EventData Class

The example below represents how to describe this class in JSON.


```
"EventData": {
  "ReportTime": "2016-06-01 18:05:33",
  "System": {
    "category": "source",
    "Node": {
      "Address": {
        "category": "ipv4-addr",
        "AddressValue": "192.228.139.118"
      },
      "Location": "OrgID=7"
    },
    "Service": {
      "ip-protocol": 6,
      "Port": 49183
    }
  },
},
```

Figure 26: EventData Class in JSON

[2.15.](#) Expectation Class

The example below represents how to describe this class in JSON.

```
"Expectation": {
  "action": "investigate"
},
```

Figure 27: Expectation Class in JSON

[2.16.](#) System Class

The example below represents how to describe this class in JSON.

```
"System": {
  "category": "source",
  "Node": {
    "Address": {
      "category": "ipv4-addr",
      "AddressValue": "192.228.139.118"
    },
    "Location": "OrgID=7"
  },
  "Service": {
    "ip-protocol": 6,
    "Port": 49183
  }
}
```

Figure 28: System Class in JSON

[2.17.](#) Node Class

The example below represents how to describe this class in JSON.

```
"Node": {  
  "Address": {  
    "category": "ipv4-addr",  
    "AddressValue": "192.228.139.118"  
  },  
}
```

Figure 29: Node Class in JSON

[2.17.1.](#) Address Class

The example below represents how to describe this class in JSON.

```
"Address": {  
  "category": "ipv4-addr",  
  "AddressValue": "192.228.139.118"  
},
```

Figure 30: Address Class in JSON

[2.17.2.](#) NodeRole Class

The example below represents how to describe this class in JSON.

```
"NodeRole": {  
  "category": "client"  
},
```

Figure 31: NodeRole Class in JSON

[2.17.3.](#) Counter Class

The example below represents how to describe this class in JSON.

```
"Counter": {  
  "value": "3",  
  "type": "count",  
  "unit": "packet"  
}
```

Figure 32: Counter Class in JSON

[2.18.](#) DomainData Class

The example below represents how to describe this class in JSON.

```
"DomainData": {  
  "system-status": "innocent-hacked",  
  "domain-status": "assignedAndInactive",  
  "Name": "temp1.nict.go.jp"  
},
```

Figure 33: DomainData Class in JSON

[2.18.1.](#) Nameserver Class

The example below represents how to describe this class in JSON.

```
"NameServers": {  
  "Server": "vgw.nict.go.jp",  
  "Address": {  
    "AddressValue": "133.243.18.5",  
    "category": "ipv4-addr"  
  }  
}
```

Figure 34: Nameserver Class in JSON

[2.18.2.](#) DomainContacts Class

The example below represents how to describe this class in JSON.

```
"DomainContacts": {  
  "Contact": {  
    "role": "user",  
    "type": "organization"  
  }  
}
```

Figure 35: DomainContacts Class in JSON

[2.19.](#) Service Class

The example below represents how to describe this class in JSON.


```
    "Service": {
      "ServiceName": {
        "Description": "It seems to be a scan from an infected
machine."
      },
      "ip-protocol": 6,
      "Port": 49183
    }
```

Figure 36: Service Class in JSON

[2.19.1.](#) **ServiceName Class**

The example below represents how to describe this class in JSON.

```
    "ServiceName": {
      "Description": "It seems to be a scan from an infected
machine."
    },
```

Figure 37: ServiceName Class in JSON

[2.19.2.](#) **ApplicationHeader Class**

The example below represents how to describe this class in JSON.

```
    "ApplicationHeader": {}
```

Figure 38: ApplicationHeader Class in JSON

[2.20.](#) **EmailData Class**

The example below represents how to describe this class in JSON.

```
    "EmailData": {}
```

Figure 39: EmailData Class in JSON

[2.21.](#) **Record Class**

The example below represents how to describe this class in JSON.


```
"Record": {
  "RecordPattern": {
    "type": "regex",
    "value": "[0-9][A-Z]"
  },
  "RecordItem": {}
},
```

Figure 40: Record Class in JSON

[2.21.1.](#) RecordPattern Class

The example below represents how to describe this class in JSON.

```
"RecordPattern": {
  "type": "regex",
  "value": "[0-9][A-Z]"
},
```

Figure 41: RecordPattern Class in JSON

[2.22.](#) WindowsRegistryKeysModified Class

The example below represents how to describe this class in JSON.

```
"WindowsRegistryKeysModified": {
  "Key": {
    "KeyValue": "xxxxxxxxxxxxxxxxxxxxxxxx",
    "KeyName": "HKEY_LOCAL_MACHINExxxxxx",
  }
}
```

Figure 42: WindowsRegistryKeysModified Class in JSON

[2.22.1.](#) Key Class

The example below represents how to describe this class in JSON.

```
"Key": {
  "KeyValue": "xxxxxxxxxxxxxxxxxxxxxxxx",
  "KeyName": "HKEY_LOCAL_MACHINExxxxxx",
}
```

Figure 43: Key Class in JSON

[2.23.](#) CertificateData Class

The example below represents how to describe this class in JSON.

```
"CertificateData": {
  "Certificate": {
    "X509Data": {
      "X509IssuerSerial": {
        "X509IssuerName": "CN=TAMURA Kent, OU=TRL, O=IBM, L=Yamato-
shi, ST=Kanagawa, C=JP",
        "X509SerialNumber": "12345678"
      },
      "X509SKI": "31d97bd7"
    }
  }
}
```

Figure 44: CertificateData Class in JSON

[2.23.1.](#) Certificate Class

The example below represents how to describe this class in JSON.

```
"Certificate": {
  "X509Data": {
    "X509IssuerSerial": {
      "X509IssuerName": "CN=TAMURA Kent, OU=TRL, O=IBM, L=Yamato-
shi, ST=Kanagawa, C=JP",
      "X509SerialNumber": "12345678"
    },
    "X509SKI": "31d97bd7"
  }
}
```

Figure 45: Certificate Class in JSON

[2.24.](#) FileData Class

The example below represents how to describe this class in JSON.

```
"FileData": {
  "File": {
    "FileName": "dummy.exe"
  }
},
```

Figure 46: FileData Class in JSON

[2.24.1.](#) File Class

The example below represents how to describe this class in JSON.

```
"File": {  
  "FileName": "dummy.exe"  
}
```

Figure 47: File Class in JSON

[2.25.](#) HashData Class

The example below represents how to describe this class in JSON.

```
"HashData": {  
  "scope": "file-contents",  
  "Hash": {  
    "DigestMethod": "http://www.w3.org/2000/09/xmlsig#sha1",  
    "DigestValue": "xxxxxxxxxxxx"  
  }  
}
```

Figure 48: HashData Class in JSON

[2.25.1.](#) Hash Class

The example below represents how to describe this class in JSON.

```
"Hash": {  
  "DigestMethod": "http://www.w3.org/2000/09/xmlsig#sha1",  
  "DigestValue": "xxxxxxxxxxxx"  
}
```

Figure 49: Hash Class in JSON

[2.25.2.](#) FuzzyHash Class

The example below represents how to describe this class in JSON.

```
"FuzzyHash": {  
  "FuzzyHashValue": {}  
}
```

Figure 50: FuzzyHash Class in JSON

[2.26.](#) SignatureData Class

The example below represents how to describe this class in JSON.

```
"SignatureData": {  
  "Signature": "xxxxxxx"  
}
```

Figure 51: SignatureData Class in JSON

[2.27.](#) Indicator Class

The example below represents how to describe this class in JSON.

```
"Indicator": {  
  "IndicatorID": {  
    "id": "G90823490",  
    "name": "csirt.example.com",  
    "version": "1"  
  },  
  "Description": "C2 domains",  
  "StartTime": "2014-12-02T11:18:00-05:00",  
  "Observable": {  
    "BulkObservable": {  
      "type": "fqdn"  
    },  
    "BulkObservableList": [  
      "kj290023j09r34.example.com",  
      "09ijk23jfj0k8.example.net",  
      "klknjwfjiowjefr923.example.org",  
      "oimireik79msd.example.org"  
    ]  
  }  
}
```

Figure 52: Indicator Class in JSON

[2.27.1.](#) IndicatorID Class

The example below represents how to describe this class in JSON.

```
"IndicatorID": {  
  "id": "G90823490",  
  "name": "csirt.example.com",  
  "version": "1"  
},
```

Figure 53: IndicatorID Class in JSON

[2.27.2.](#) **AlternativeIndicatorID Class**

The example below represents how to describe this class in JSON.

```
"AlternativeIndicatorID": {  
  "IndicatorReference": {  
    "uid-ref": "xxxxx"  
  }  
},
```

Figure 54: AlternativeIndicatorID Class in JSON

[2.27.3.](#) **Observable Class**

The example below represents how to describe this class in JSON.

```
"Observable": {  
  "BulkObservable": {  
    "type": "fqdn"  
  },  
  "BulkObservableList": [  
    "kj290023j09r34.example.com",  
    "09ijk23jfj0k8.example.net",  
    "klknjwfjiowjefr923.example.org",  
    "oimireik79msd.example.org"  
  ]  
}
```

Figure 55: Observable Class in JSON

[2.27.4.](#) **IndicatorExpression Class**

The example below represents how to describe this class in JSON.

```
"IndicatorExpression": {}
```

Figure 56: IndicatorExpression Class in JSON

[2.27.5.](#) **ObservableReference Class**

The example below represents how to describe this class in JSON.

```
"ObservableReference": {  
  "uid-ref": "xxxxx"  
},
```

Figure 57: ObservableReference Class in JSON

2.27.6. IndicatorReference Class

The example below represents how to describe this class in JSON.

```
"IndicatorReference": {  
  "uid-ref": "xxxxx"  
}
```

Figure 58: IndicatorReference Class in JSON

2.27.7. AttackPhase Class

The example below represents how to describe this class in JSON.

```
"AttackPhase": {  
  "Description": "Currently, the infected host is scanning  
arbitrary hosts to find next targets."  
}
```

Figure 59: AttackPhase Class in JSON

3. Notable differences from [RFC5070-bis](#) (to be deleted)

- o Flow class is deleted, and eventData class now has the instance of System class.
- o Record class is deleted, and the link to the Record class are directly connected to RecordData class, which is then renamed to Record class.

4. Examples

This section provides example of IODEF documents. These examples do not represent the full capabilities of the data model or the the only way to encode particular information.

4.1. Minimal Example

A document containing only the mandatory elements and attributes.


```
{
  "version": "2.0",
  "lang": "en",
  "Incident": [
    {
      "purpose": "reporting",
      "restriction": "private",
      "IncidentID": {
        "id": 492382,
        "name": "csirt.example.com"
      },
      "GenerationTime": "2015-07-18T09:00:00-05:00",
      "Contact": [
        {
          "type": "organization",
          "role": "creator",
          "email": {
            "emailTo": "contact@csirt.example.com"
          }
        }
      ]
    }
  ]
}
```

Figure 60: JSON representation example 1

[4.2.](#) Indicators from a Campaign

An example of C2 domains from a given campaign.

```
{
  "version": "2.0",
  "lang": "en",
  "Incidents": [
    {
      "purpose": "watch",
      "restriction": "green",
      "IncidentID": {
        "id": "897923",
        "name": "csirt.example.com"
      },
      "RelatedActivity": [
        {
          "ThreatActor": [
            {
              "ThreatActorID": "TA-12-AGGRESSIVE-BUTTERFLY",
              "Description": "Aggressive Butterfly"
            }
          ]
        }
      ]
    }
  ]
}
```



```
    }
  ],
  "Campaign": [
    {
      "CampaignID": "C-2015-59405",
      "Description": "Orange Giraffe"
    }
  ]
},
"GenerationTime": "2015-10-02T11:18:00-05:00",
"Description": [
  "Summarizes the Indicators of Compromise for the Orange Giraffe
campaign of the Aggressive Butterfly crime gang."
],
"Assessment": [
  {
    "BusinessImpact": {
      "type": "breach-proprietary"
    }
  }
],
"Contacts": [
  {
    "type": "organization",
    "role": "creator",
    "ContactName": "CSIRT for example.com",
    "Email": {
      "emailTo": "contact@csirt.example.com"
    }
  }
],
"IndicatorList": [
  {
    "IndicatorID": {
      "id": "G90823490",
      "name": "csirt.example.com",
      "version": "1"
    },
    "Description": "C2 domains",
    "StartTime": "2014-12-02T11:18:00-05:00",
    "Observable": {
      "BulkObservable": {
        "type": "fqdn"
      }
    },
    "BulkObservableList": [
      "kj290023j09r34.example.com",
      "09ijk23jfj0k8.example.net",

```

"klknjwfjiowjefr923.example.org",

Takahashi

Expires December 10, 2016

[Page 23]

```

        "oimireik79msd.example.org"
      ]
    }
  }
]
}

```

Figure 61: JSON representation example 2

5. The IODEF Data Model (JSON Schema)

```

{
  {
    "$schema": "http://json-schema.org/draft-04/schema#",
    "definitions": {
      "lang": {
        "enum": [
          "en",
          "jp"
        ]
      },
      "restriction": {
        "enum": [
          "public",
          "partner",
          "need-to-know",
          "private",
          "default",
          "white",
          "green",
          "amber",
          "red",
          "ext-value"
        ]
      },
      "URLtype": {
        "type": "string"
      },
      "IDtype": {
        "type": "string"
      },
      "ExtensionType": {
        "type": "object",
        "properties": {
          "name": {
            "type": "string"
          }
        }
      }
    }
  }
}

```



```
    },
    "dtype": {
      "enum": [
        "boolean",
        "byte",
        "bytes",
        "character",
        "date-time",
        "ntpstamp",
        "integer",
        "portlist",
        "real",
        "string",
        "file",
        "path",
        "frame",
        "packet",
        "ipv4-packet",
        "ipv6-packet",
        "url",
        "csv",
        "winreg",
        "xml",
        "ext-value"
      ]
    },
    "ext-dtype": {
      "type": "string"
    },
    "meaning": {
      "type": "string"
    },
    "formatid": {
      "type": "string"
    },
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    }
  }
},
"SoftwareType": {
  "type": "object",
```



```
"properties": {
  "SoftwareReference": {
    "$ref": "#/definitions/SoftwareReference"
  },
  "URL": {
    "$ref": "#/definitions/URLtype"
  },
  "Description": {
    "type": "string"
  }
},
"required": [],
"additionalProperties": false
},
"SoftwareReference": {
  "type": "object",
  "properties": {
    "value": {
      "type": "string"
    },
    "spec-name": {
      "type": "string"
    },
    "ext-spec-name": {
      "type": "string"
    },
    "dtype": {
      "type": "string"
    },
    "ext-dtype": {
      "type": "string"
    }
  },
  "required": [
    "spec-name"
  ],
  "additionalProperties": false
},
"Incident": {
  "title": "Incident",
  "description": "JSON schema for Incident class",
  "type": "object",
  "properties": {
    "purpose": {
      "enum": [
        "traceback",
        "mitigation",
        "reporting",
```



```
        "watch",
        "other",
        "ext-value"
    ]
},
"ext-purpose": {
    "type": "string"
},
"status": {
    "enum": [
        "blabla"
    ]
},
"ext-status": {
    "type": "string"
},
"lang": {
    "$ref": "#/definitions/lang"
},
"restriction": {
    "$ref": "#/definitions/restriction"
},
"ext-restriction": {
    "type": "string"
},
"observable-id": {
    "$ref": "#/definitions/IDtype"
},
"IncidentID": {
    "$ref": "#/definitions/IncidentID"
},
"AlternativeID": {
    "type": "object"
},
"RelatedActivity": {
    "type": "array",
    "items": {
        "$ref": "#/definitions/RelatedActivity"
    }
},
"DetectTime": {
    "type": "string"
},
"StartTime": {
    "type": "string"
},
"EndTime": {
    "type": "string"
}
```



```
,
"RecoveryTime": {
  "type": "string"
},
"ReportTime": {
  "type": "string"
},
"GenerationTime": {
  "type": "string"
},
"Description": {
  "type": "array",
  "items": {
    "type": "string"
  }
},
"Discovery": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Discovery"
  }
},
"Assessment": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Assessment"
  }
},
"Methods": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Method"
  }
},
"Contacts": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/Contact"
  }
},
"EventData": {
  "type": "array",
  "items": {
    "$ref": "#/definitions/EventData"
  }
},
"IndicatorList": {
  "type": "array",
```



```
        "items": {
          "$ref": "#/definitions/Indicator"
        },
      },
      "History": {
        "$ref": "#/definitions/History"
      },
      "AdditionalData": {
        "type": "array",
        "items": {
          "$ref": "#/definitions/ExtensionType"
        }
      }
    },
    "required": [
      "IncidentID",
      "GenerationTime",
      "Contacts",
      "purpose"
    ],
    "additionalProperties": false
  },
  "IncidentID": {
    "title": "IncidentID",
    "description": "JSON schema for IncidentID class",
    "type": "object",
    "properties": {
      "id": {
        "type": "string"
      },
      "name": {
        "type": "string"
      },
      "instance": {
        "type": "string"
      },
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      }
    },
    "required": [
      "name"
    ],
    "additionalProperties": false
  },
}
```



```
"RelatedActivity": {
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "IncidentID": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/IncidentID"
      }
    },
    "URL": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/URLtype"
      }
    },
    "ThreatActor": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ThreatActor"
      }
    },
    "Campaign": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/Campaign"
      }
    },
    "IndicatorID": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/IndicatorID"
      }
    },
    "Confidence": {
      "$ref": "#/definitions/Confidence"
    },
    "Description": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "AdditionalData": {
```



```
        "type": "array",
        "items": {
          "$ref": "#/definitions/ExtensionType"
        }
      },
      "additionalProperties": false
    },
    "ThreatActor": {
      "properties": {
        "restriction": {
          "$ref": "#/definitions/restriction"
        },
        "ext-restriction": {
          "type": "string"
        },
        "ThreatActorID": {
          "type": "string"
        },
        "Description": {
          "type": "string"
        },
        "URL": {
          "$ref": "#/definitions/URLtype"
        },
        "AdditionalData": {
          "type": "array",
          "items": {
            "$ref": "#/definitions/ExtensionType"
          }
        }
      },
      "additionalProperties": false
    },
    "Campaign": {
      "properties": {
        "restriction": {
          "$ref": "#/definitions/restriction"
        },
        "ext-restriction": {
          "type": "string"
        },
        "CampaignID": {},
        "URL": {
          "$ref": "#/definitions/URLtype"
        },
        "Description": {
          "type": "string"
        }
      }
    }
  }
}
```



```
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "Contact": {
    "type": "object",
    "properties": {
      "role": {},
      "ext-role": {},
      "type": {},
      "ext-type": {},
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "ContactName": {},
      "ContactTitle": {},
      "Description": {
        "type": "string"
      },
      "RegistryHandle": {},
      "PostalAddress": {},
      "Email": {},
      "Telephone": {
        "$ref": "#/definitions/Telephone"
      },
      "Timezone": {},
      "Contact": {
        "$ref": "#/definitions/Contact"
      },
      "AdditionalData": {
        "type": "array",
        "items": {
          "$ref": "#/definitions/ExtensionType"
        }
      }
    }
  },
  "required": [
    "role",
    "type"
  ],
```



```
    "additionalProperties": false
  },
  "RegistryHandle": {
    "type": "object",
    "properties": {
      "RegistryHandleName": {},
      "registry": {},
      "ext-registry": {}
    },
    "required": [
      "registry"
    ],
    "additionalProperties": false
  },
  "PostalAddress": {
    "type": "object",
    "properties": {
      "type": {
        "type": "string"
      },
      "ext-type": {
        "type": "string"
      },
      "PAddress": {
        "type": "string"
      },
      "Description": {
        "type": "string"
      }
    },
    "required": [
      "PAddress"
    ],
    "additionalProperties": false
  },
  "Email": {
    "type": "object",
    "properties": {
      "type": {},
      "ext-type": {},
      "EmailTo": {},
      "Description": {
        "type": "string"
      }
    },
    "required": [
      "EmailTo"
    ],
    "additionalProperties": false
  },
  "required": [
    "EmailTo"
  ],
  "additionalProperties": false
}
```



```
    "additionalProperties": false
  },
  "Telephone": {
    "type": "object",
    "properties": {
      "type": {},
      "ext-type": {},
      "TelephoneNumber": {},
      "Description": {
        "type": "string"
      }
    }
  },
  "required": [
    "TelephoneNumber"
  ],
  "additionalProperties": false
},
"Discovery": {
  "type": "object",
  "properties": {
    "source": {},
    "ext-source": {},
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "Description": {
      "type": "string"
    },
    "Contact": {
      "$ref": "#/definitions/Contact"
    },
    "DetectionPattern": {
      "$ref": "#/definitions/DetectionPattern"
    }
  },
  "required": [],
  "additionalProperties": false
},
"DetectionPattern": {
  "type": "object",
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
```



```
        "type": "string"
      },
      "observable-id": {
        "$ref": "#/definitions/IDtype"
      },
      "Application": {
        "$ref": "#/definitions/SoftwareType"
      },
      "Description": {
        "type": "string"
      },
      "DetectionConfiguration": {}
    },
    "required": [
      "Application"
    ],
    "additionalProperties": false
  },
  "Method": {
    "type": "object",
    "properties": {
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      }
    },
    "References": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/Reference"
      }
    },
    "Description": {
      "type": "string"
    },
    "AttackPattern": {},
    "Vulnerability": {},
    "Weakness": {},
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [],
  "additionalProperties": false
```



```
,
"Reference": {
  "type": "object",
  "properties": {
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
    "ReferenceName": {},
    "URL": {
      "$ref": "#/definitions/URLtype"
    },
    "Description": {
      "type": "string"
    }
  },
  "required": [],
  "additionalProperties": false
},
"Assessment": {
  "type": "object",
  "properties": {
    "occurrence": {},
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
    "IncidentCategory": {},
    "SystemImpact": {
      "$ref": "#/definitions/SystemImpact"
    },
    "BusinessImpact": {},
    "TimeImpact": {
      "$ref": "#/definitions/TimeImpact"
    },
    "MonetaryImpact": {
      "$ref": "#/definitions/MonetaryImpact"
    },
    "IntendedImpact": {},
    "Counter": {
      "$ref": "#/definitions/Counter"
    },
    "MitigatingFactor": {},
    "Cause": {},
```



```
    "Confidence": {
      "$ref": "#/definitions/Confidence"
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [],
  "additionalProperties": false
},
"SystemImpact": {
  "type": "object",
  "properties": {
    "severity": {},
    "completion": {},
    "type": {},
    "ext-type": {},
    "Description": {
      "type": "string"
    }
  }
},
"required": [
  "type"
],
"additionalProperties": false
},
"BusinessImpact": {
  "type": "object",
  "properties": {
    "severity": {},
    "ext-severity": {},
    "type": {},
    "ext-type": {},
    "Description": {
      "type": "string"
    }
  }
},
"required": [
  "type"
],
"additionalProperties": false
},
"TimeImpact": {
  "type": "object",
  "properties": {
```



```
    "value": {},
    "severity": {},
    "metric": {},
    "ext-metric": {},
    "duration": {},
    "ext-duration": {}
  },
  "required": [
    "metric"
  ],
  "additionalProperties": false
},
"MonetaryImpact": {
  "type": "object",
  "properties": {
    "MonetaryImpactValue": {},
    "severity": {},
    "currency": {}
  },
  "required": [],
  "additionalProperties": false
},
"Confidence": {
  "type": "object",
  "properties": {
    "ConfidenceValue": {},
    "rating": {},
    "ext-rating": {}
  },
  "required": [
    "rating"
  ],
  "additionalProperties": false
},
"History": {
  "type": "object",
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    }
  },
  "HistoryItem": {}
},
"required": [
  "HistoryItem"
],
```



```
    "additionalProperties": false
  },
  "HistoryItem": {
    "type": "object",
    "properties": {
      "action": {},
      "ext-action": {},
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "observable-id": {
        "$ref": "#/definitions/IDtype"
      },
      "DateTime": {},
      "IncidentID": {},
      "Contact": {
        "$ref": "#/definitions/Contact"
      },
      "Description": {
        "type": "string"
      },
      "DefinedCOA": {},
      "AdditionalData": {
        "type": "array",
        "items": {
          "$ref": "#/definitions/ExtensionType"
        }
      }
    }
  },
  "required": [
    "DateTime",
    "action"
  ],
  "additionalProperties": false
},
"EventData": {
  "type": "object",
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "observable-id": {
```



```
    "$ref": "#/definitions/IDtype"
  },
  "Description": {
    "type": "string"
  },
  "DetectTime": {},
  "StartTime": {},
  "EndTime": {},
  "RecoveryTime": {},
  "ReportTime": {
    "type": "string"
  },
  "Contact": {
    "$ref": "#/definitions/Contact"
  },
  "Discovery": {
    "$ref": "#/definitions/Discovery"
  },
  "Assessment": {},
  "Method": {
    "$ref": "#/definitions/Method"
  },
  "System": {
    "$ref": "#/definitions/System"
  },
  "Expectation": {
    "$ref": "#/definitions/Expectation"
  },
  "Record": {
    "$ref": "#/definitions/Record"
  },
  "EventData": {
    "$ref": "#/definitions/EventData"
  },
  "AdditionalData": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/ExtensionType"
    }
  }
},
"required": [
  "ReportTime"
],
"additionalProperties": false
},
"Expectation": {
  "type": "object",
```



```
"properties": {
  "action": {},
  "ext-action": {},
  "severity": {},
  "restriction": {
    "$ref": "#/definitions/restriction"
  },
  "ext-restriction": {
    "type": "string"
  },
  "observable-id": {
    "$ref": "#/definitions/IDtype"
  },
  "Description": {
    "type": "string"
  },
  "DefinedCOA": {},
  "StartTime": {},
  "EndTime": {},
  "Contact": {
    "$ref": "#/definitions/Contact"
  }
},
"required": [],
"additionalProperties": false
},
"System": {
  "type": "object",
  "properties": {
    "category": {
      "enum": [
        "source",
        "target",
        "intermediate",
        "sensor",
        "infrastructure",
        "ext-value"
      ]
    },
    "ext-category": {},
    "interface": {},
    "spoofed": {},
    "virtual": {},
    "ownership": {},
    "ext-ownership": {},
    "restriction": {
      "$ref": "#/definitions/restriction"
    }
  },
```



```
    "ext-restriction": {
      "type": "string"
    },
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
    "Node": {
      "$ref": "#/definitions/Node"
    },
    "NodeRole": {
      "$ref": "#/definitions/NodeRole"
    },
    "Service": {
      "$ref": "#/definitions/Service"
    },
    "OperatingSystem": {},
    "Counter": {
      "$ref": "#/definitions/Counter"
    },
    "AssetID": {},
    "Description": {
      "type": "string"
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [
    "Node"
  ],
  "additionalProperties": false
},
"Node": {
  "type": "object",
  "properties": {
    "DomainData": {
      "$ref": "#/definitions/DomainData"
    },
    "Address": {
      "$ref": "#/definitions/Address"
    },
    "PostalAddress": {},
    "Location": {
      "type": "string"
    }
  },
}
```



```
    "Counter": {
      "$ref": "#/definitions/Counter"
    }
  },
  "required": [],
  "additionalProperties": false
},
"Address": {
  "type": "object",
  "properties": {
    "AddressValue": {},
    "category": {},
    "ext-category": {},
    "vlan-name": {},
    "vlan-num": {
      "type": "integer"
    }
  },
  "observable-id": {
    "$ref": "#/definitions/IDtype"
  }
},
"required": [
  "category"
],
"additionalProperties": false
},
"NodeRole": {
  "type": "object",
  "properties": {
    "category": {},
    "ext-category": {},
    "Description": {
      "type": "string"
    }
  }
},
"required": [
  "category"
],
"additionalProperties": false
},
"Counter": {
  "type": "object",
  "properties": {
    "value": {
      "type": "string"
    }
  },
  "type": {},
  "ext-type": {},
```



```
    "unit": {},
    "ext-unit": {},
    "meaning": {},
    "duration": {},
    "ext-duration": {}
  },
  "required": [
    "type",
    "unit"
  ],
  "additionalProperties": false
},
"DomainData": {
  "type": "object",
  "properties": {
    "system-status": {},
    "ext-system-status": {},
    "domain-status": {},
    "ext-domain-status": {},
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
  },
  "Name": {},
  "DateDomainWasChecked": {},
  "RegistrationDate": {},
  "ExpirationDate": {},
  "RelatedDNS": {},
  "NameServers": {
    "$ref": "#/definitions/NameServers"
  },
  "DomainContacts": {
    "$ref": "#/definitions/DomainContacts"
  }
},
"required": [
  "Name",
  "system-status",
  "domain-status"
],
"additionalProperties": false
},
"NameServers": {
  "type": "object",
  "properties": {
    "Server": {},
    "Address": {
      "$ref": "#/definitions/Address"
    }
  }
}
```



```
    },
    "required": [
      "Server",
      "Address"
    ],
    "additionalProperties": false
  },
  "DomainContacts": {
    "type": "object",
    "properties": {
      "SameDomainContact": {},
      "Contact": {
        "$ref": "#/definitions/Contact"
      }
    }
  },
  "required": [
    "Contact"
  ],
  "additionalProperties": false
},
"Service": {
  "type": "object",
  "properties": {
    "ip-protocol": {},
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
    "ServiceName": {},
    "Port": {},
    "Portlist": {},
    "ProtoCode": {},
    "ProtoType": {},
    "ProtoField": {},
    "ApplicationHeader": {},
    "EmailData": {},
    "Application": {}
  },
  "required": [],
  "additionalProperties": false
},
"ServiceName": {
  "type": "object",
  "properties": {
    "IANAService": {},
    "URL": {
      "$ref": "#/definitions/URLtype"
    },
    "Description": {
```



```
        "type": "string"
      }
    },
    "required": [],
    "additionalProperties": false
  },
  "ApplicationHeader": {
    "type": "object",
    "properties": {
      "ApplicationHeaderField": {}
    },
    "required": [
      "ApplictionHeaderField"
    ],
    "additionalProperties": false
  },
  "EmailData": {
    "type": "object",
    "properties": {
      "EmailTo": {},
      "EmailFrom": {},
      "EmailSubject": {},
      "EmailX-Mailer": {},
      "EmailHeaderField": {},
      "EmailHeaders": {},
      "EmailBody": {},
      "EmailMessage": {},
      "HashData": {
        "$ref": "#/definitions/HashData"
      },
      "SignatureData": {
        "$ref": "#/definitions/SignatureData"
      }
    },
    "required": [],
    "additionalProperties": false
  },
  "Record": {
    "type": "object",
    "properties": {
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "observable-id": {
        "$ref": "#/definitions/IDtype"
      }
    }
  }
}
```



```
    },
    "DateTime": {},
    "Description": {
      "type": "string"
    },
    },
    "Applicadtion": {},
    "RecordPattern": {},
    "RecordItem": {},
    "URL": {
      "$ref": "#/definitions/URLtype"
    },
    },
    "FileData": {
      "$ref": "#/definitions/FileData"
    },
    },
    "WindowsRegistryKeysModified": {},
    "CertificateData": {
      "$ref": "#/definitions/CertificateData"
    },
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [],
  "additionalProperties": false
},
"RecordPattern": {
  "type": "object",
  "properties": {
    "RecordPatternValue": {},
    "type": {},
    "ext-type": {},
    "offset": {},
    "offsetunit": {},
    "ext-offsetunit": {},
    "instance": {
      "type": "integer"
    }
  }
},
"required": [
  "type"
],
"additionalProperties": false
},
"WindowsRegistryKeysModified": {
  "type": "object",
```



```
    "properties": {
      "observable-id": {},
      "Key": {}
    },
    "required": [
      "Key"
    ],
    "additionalProperties": false
  },
  "Key": {
    "type": "object",
    "properties": {
      "registryaction": {},
      "ext-registryaction": {},
      "observable-id": {
        "$ref": "#/definitions/IDtype"
      },
      "KeyName": {},
      "KeyValue": {}
    },
    "required": [
      "KeyName"
    ],
    "additionalProperties": false
  },
  "CertificateData": {
    "type": "object",
    "properties": {
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "observable-id": {
        "$ref": "#/definitions/IDtype"
      },
      "Certificate": {
        "$ref": "#/definitions/Certificate"
      }
    },
    "required": [
      "Certificate"
    ],
    "additionalProperties": false
  },
  "Certificate": {
    "type": "object",
```



```
"properties": {
  "observable-id": {
    "$ref": "#/definitions/IDtype"
  },
  "X509Data": {},
  "Description": {
    "type": "string"
  }
},
"required": [
  "X509Data"
],
"additionalProperties": false
},
"FileData": {
  "type": "object",
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "observable-id": {
      "$ref": "#/definitions/IDtype"
    },
    "File": {
      "$ref": "#/definitions/File"
    }
  },
  "required": [
    "File"
  ],
  "additionalProperties": false
},
"File": {
  "type": "object",
  "properties": {
    "FileName": {
      "type": "string"
    },
    "FileSize": {},
    "FileType": {},
    "URL": {
      "$ref": "#/definitions/URLtype"
    },
    "HashData": {
      "$ref": "#/definitions/HashData"
```



```
    },
    "SignatureData": {
      "$ref": "#/definitions/SignatureData"
    },
    "AssociatedSoftware": {},
    "FileProperties": {}
  },
  "required": [],
  "additionalProperties": false
},
"HashData": {
  "type": "object",
  "properties": {
    "scope": {},
    "HashTargetID": {},
    "Hash": {
      "$ref": "#/definitions/Hash"
    },
    "FuzzyHash": {
      "$ref": "#/definitions/FuzzyHash"
    }
  },
  "required": [
    "scope"
  ],
  "additionalProperties": false
},
"Hash": {
  "type": "object",
  "properties": {
    "DigestMethod": {
      "type": "string"
    },
    "DigestValue": {
      "type": "string"
    },
    "CanonicalizationMethod": {},
    "Application": {}
  },
  "required": [
    "DigestMethod",
    "DigestValue"
  ],
  "additionalProperties": false
},
"FuzzyHash": {
  "type": "object",
  "properties": {
```



```
    "FuzzyHashValue": {
      "$ref": "#/definitions/ExtensionType"
    },
    "Application": {},
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [
    "FuzzyHashValue"
  ],
  "additionalProperties": false
},
"SignatureData": {
  "type": "object",
  "properties": {
    "Signature": {
      "SignatureValue": "xxxxxxxx",
      "id": "xxxxxxxx"
    }
  },
  "required": [
    "Signature"
  ],
  "additionalProperties": false
},
"Indicator": {
  "type": "object",
  "properties": {
    "restriction": {
      "$ref": "#/definitions/restriction"
    },
    "ext-restriction": {
      "type": "string"
    },
    "IndicatorID": {
      "$ref": "#/definitions/IndicatorID"
    },
    "AlternativeIndicatorID": {
      "$ref": "#/definitions/AlternativeIndicatorID"
    },
    "Description": {
      "type": "string"
    },
    "StartTime": {},
```



```
    "EndTime": {},
    "Confidence": {
      "$ref": "#/definitions/Confidence"
    },
    "Contact": {
      "$ref": "#/definitions/Contact"
    },
    "Observable": {},
    "ObservableReference": {
      "$ref": "#/definitions/ObservableReference"
    },
    "IndicatorExpression": {
      "$ref": "#/definitions/IndicatorExpression"
    },
    "IndicatorReference": {
      "$ref": "#/definitions/IndicatorReference"
    },
    "NodeRole": {
      "$ref": "#/definitions/NodeRole"
    },
    "AttackPhase": {
      "$ref": "#/definitions/AttackPhase"
    },
    "Reference": {
      "$ref": "#/definitions/Reference"
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [
    "IndicatorID"
  ],
  "additionalProperties": false
},
"IndicatorID": {
  "type": "object",
  "properties": {
    "id": {},
    "name": {
      "type": "string"
    }
  },
  "version": {
    "type": "string"
  }
}
```



```
    },
    "required": [
      "name",
      "version"
    ],
    "additionalProperties": false
  },
  "AlternativeIndicatorID": {
    "type": "object",
    "properties": {
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "IndicatorReference": {
        "$ref": "#/definitions/IndicatorReference"
      }
    },
    "required": [
      "IndicatorReference"
    ],
    "additionalProperties": false
  },
  "Observable": {
    "type": "object",
    "properties": {
      "restriction": {
        "$ref": "#/definitions/restriction"
      },
      "ext-restriction": {
        "type": "string"
      },
      "System": {},
      "Address": {},
      "DomainData": {
        "$ref": "#/definitions/DomainData"
      },
      "EmailData": {},
      "Service": {
        "$ref": "#/definitions/Service"
      },
      "WindowsRegistryKeysModified": {},
      "FileData": {
        "$ref": "#/definitions/FileData"
      },
      "CertificateData": {
```



```
    "$ref": "#/definitions/CertificateData"
  },
  "RegistryHandle": {},
  "Record": {
    "$ref": "#/definitions/Record"
  },
  "EventData": {},
  "Incident": {},
  "Expectation": {
    "$ref": "#/definitions/Expectation"
  },
  "Reference": {
    "$ref": "#/definitions/Reference"
  },
  "Assessment": {},
  "DetectionPattern": {},
  "HistoryItem": {},
  "BulkObservable": {
    "type": "string"
  },
  "AdditionalData": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/ExtensionType"
    }
  }
},
"required": [],
"additionalProperties": false
},
"BulkObservable": {
  "type": "object",
  "properties": {
    "type": {},
    "ext-type": {},
    "BulkObservableFormant": {},
    "BulkObservableList": {
      "type": "string"
    }
  },
  "AdditionalData": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/ExtensionType"
    }
  }
},
"required": [],
"additionalProperties": false
```



```
    },
    "BulkObservableFormat": {
      "type": "object",
      "properties": {
        "Hash": {
          "$ref": "#/definitions/Hash"
        },
        "AdditionalData": {
          "type": "array",
          "items": {
            "$ref": "#/definitions/ExtensionType"
          }
        }
      }
    },
    "required": [],
    "additionalProperties": false
  },
  "IndicatorExpression": {
    "type": "object",
    "properties": {
      "operator": {},
      "ext-operator": {
        "type": "string"
      }
    },
    "IndicatorExpression": {
      "$ref": "#/definitions/IndicatorExpression"
    },
    "Observable": {},
    "ObservableReference": {
      "$ref": "#/definitions/ObservableReference"
    },
    "IndicatorReference": {
      "$ref": "#/definitions/IndicatorReference"
    },
    "AdditionalData": {
      "type": "array",
      "items": {
        "$ref": "#/definitions/ExtensionType"
      }
    }
  },
  "required": [],
  "additionalProperties": false
},
"ObservableReference": {
  "type": "object",
  "properties": {
    "uid-ref": {}
  }
}
```



```
    },
    "required": [
      "uid-ref"
    ],
    "additionalProperties": false
  },
  "IndicatorReference": {
    "type": "object",
    "properties": {
      "uid-ref": {},
      "euid-ref": {
        "type": "string"
      },
      "version": {
        "type": "string"
      }
    },
    "required": [],
    "additionalProperties": false
  },
  "AttackPhase": {
    "type": "object",
    "properties": {
      "AttackPhaseID": {
        "type": "string"
      },
      "URL": {
        "$ref": "#/definitions/URLtype"
      },
      "Description": {
        "type": "string"
      },
      "AdditionalData": {
        "type": "array",
        "items": {
          "$ref": "#/definitions/ExtensionType"
        }
      }
    },
    "required": [],
    "additionalProperties": false
  },
  "title": "IODEF-Document",
  "description": "JSON schema for IODEF-Document class",
  "type": "object",
  "properties": {
    "version": {
```



```
    "type": "string"
  },
  "lang": {
    "$ref": "#/definitions/lang"
  },
  "format-id": {
    "type": "string"
  },
  "private-enum-name": {
    "type": "string"
  },
  "private-enum-id": {
    "type": "string"
  },
  "Incidents": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/Incident"
    }
  },
  "AdditionalData": {
    "type": "array",
    "items": {
      "$ref": "#/definitions/ExtensionType"
    }
  },
  "required": [
    "version",
    "Incidents"
  ],
  "additionalProperties": false
}
```

Figure 62: JSON schema

[6.](#) Acknowledgements

TBD.

[7.](#) IANA Considerations

This memo includes no request to IANA.

8. Security Considerations

This memo does not provide any further security considerations than the one described in [RFC 5070](#)-bis.

9. References

9.1. Normative References

[min_ref] authSurName, authInitials., "Minimal Reference", 2006.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

9.2. Informative References

[DOMINATION] Mad Dominators, Inc., "Ultimate Plan for Taking Over the World", 1984, <<http://www.example.com/dominator.html>>.

[RFC2629] Rose, M., "Writing I-Ds and RFCs using XML", [RFC 2629](#), DOI 10.17487/RFC2629, June 1999, <<http://www.rfc-editor.org/info/rfc2629>>.

[RFC3552] Rescorla, E. and B. Korver, "Guidelines for Writing RFC Text on Security Considerations", [BCP 72](#), [RFC 3552](#), DOI 10.17487/RFC3552, July 2003, <<http://www.rfc-editor.org/info/rfc3552>>.

[RFC5226] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 5226](#), DOI 10.17487/RFC5226, May 2008, <<http://www.rfc-editor.org/info/rfc5226>>.

Author's Address

Takeshi Takahashi
NICT
4-2-1 Nukui-Kitamachi
Koganei, Tokyo 184-8795
Japan

Phone: +81 42 327 5862
Email: takeshi_takahashi@nict.go.jp

