Network Working Group

Internet-Draft
Intended status: Standards Track

Expires: August 22, 2021

Swisscom February 18, 2021

T. Graf

Export of MPLS Segment Routing Label Type Information in IP Flow Information Export (IPFIX) draft-tgraf-ipfix-mpls-sr-label-type-06

#### Abstract

This document introduces additional code points in the mplsTopLabelType Information Element for IS-IS, OSPFv2, OSPFv3 and BGP MPLS Segment Routing (SR) extensions to enable Segment Routing label protocol type information in IP Flow Information Export (IPFIX).

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of  $\underline{\mathsf{BCP}}$  78 and  $\underline{\mathsf{BCP}}$  79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at https://datatracker.ietf.org/drafts/current/.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on August 22, 2021.

### Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to <a href="BCP-78">BCP-78</a> and the IETF Trust's Legal Provisions Relating to IETF Documents (<a href="https://trustee.ietf.org/license-info">https://trustee.ietf.org/license-info</a>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must

include Simplified BSD License text as described in Section 4.e of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

### Table of Contents

<u>1</u> .	Introduction	2
<u>2</u> .	MPLS Segment Routing Top Label Type	2
<u>3</u> .	IANA Considerations	3
<u>4</u> .	Security Considerations	3
<u>5</u> .	Acknowledgements	4
<u>6</u> .	References	4
Auth	hor's Address	5

#### 1. Introduction

Besides BGP-4 [RFC8277], LDP [RFC5036] and BGP VPN [RFC4364], four new routing-protocols, OSPFv2 Extensions [RFC8665], OSPFv3 Extensions [RFC8666], IS-IS Extensions [RFC8667] and BGP Prefix-SID [RFC8669] have been added to the list of routing-protocols able to propagate Segment Routing labels for the MPLS data plane [RFC8660].

Traffic Accounting in Segment Routing Networks
[I-D.ali-spring-sr-traffic-accounting] describes how IPFIX can be leveraged to account traffic to MPLS Segment Routing label dimensions within a Segment Routing domain.

In the Information Model for IP Flow Information Export IPFIX [RFC7012], the information element mplsTopLabelType(46) describes which MPLS control plane protocol allocated the top-of-stack label in the MPLS label stack. RFC 7012 section 7.2 [RFC7012] describes the "IPFIX MPLS label type (Value 46)" sub-registry [IANA-IPFIX-IE46] where new code points should be added.

## 2. MPLS Segment Routing Top Label Type

By introducing four new code points to information element mplsTopLabelType(46) for IS-IS, OSPFv2, OSPFv3 and BGP Prefix-SID, when Segment Routing with one of these four routing protocols is deployed, we get insight into which traffic is being forwarded based on which MPLS control plane protocol.

A typical use case scenario is to monitor MPLS control plane migrations from LDP to IS-IS or OSPF Segment Routing. Such a migration can be done node by node as described in <a href="https://recent/r

Another use case is the monitoring of a migration to a Seamless MPLS SR  $[\underline{\text{I-D.hegde-spring-mpls-seamless-sr}}]$  architecture. Where prefixes are propagated with dynamic BGP labels according to  $\underline{\text{RFC8277}}$ 

[RFC8277], BGP Prefix-SID according to RFC8669 [RFC8669] and used for the forwarding between IGP domains. Adding an additional layer into the MPLS data plane to above discribed use case.

Both use cases can be verified by looking at mplsTopLabelType(46), mplsTopLabelIPv4Address(47), mplsTopLabelStackSection(70) and forwardingStatus(89) dimensions. Giving insights into the MPLS data plane for which MPLS provider edge loopback address, which label protocol has been used and how many packets are forwarded or dropped and when dropped why they have been dropped.

By looking at the MPLS label value itself, it is not always clear as to which label protocol it belongs, since they could potentially share the same label allocation range. This is the case for IGP-Adjacency SID's, LDP and dynamic BGP labels as an example.

### 3. IANA Considerations

This document specifies four additional code points for IS-IS, OSPFv2, OSPFv3 and BGP Prefix-SID Segment Routing extension in the existing sub-registry "IPFIX MPLS label type (Value 46)" of the "IPFIX Information Elements" and one new "IPFIX Information Element" with a new sub-registry in the "IP Flow Information Export (IPFIX) Entities" name space.

Value	Description	•		Requester	•
TBD2	OSPFv2 Segment Routing		RFC8665	TBD1	
TBD3	OSPFv3 Segment Routing	1	RFC8666	TBD1	
TBD4	IS-IS Segment Routing		RFC8667	   TBD1 	
ı	BGP Segment Routing Prefix-SID		RFC8669	   TBD1	

Figure 1: Updates to "IPFIX MPLS label type (Value 46)" SubRegistry

# 4. Security Considerations

The same security considerations apply as for the IPFIX Protocol RFC7012 [RFC7012].

### 5. Acknowledgements

I would like to thank Paul Aitken, Loa Andersson, Tianran Zhou, Pierre Francois, Bruno Decreane, Paolo Lucente, Hannes Gredler, Ketan Talaulikar, Sabrina Tanamal, Erik Auerswald and Sergey Fomin for their review and valuable comments.

#### 6. References

#### 6.1. Normative References

[RFC7012] Claise, B., Ed. and B. Trammell, Ed., "Information Model
 for IP Flow Information Export (IPFIX)", RFC 7012,
 DOI 10.17487/RFC7012, September 2013,
 <a href="https://www.rfc-editor.org/info/rfc7012">https://www.rfc-editor.org/info/rfc7012</a>>.

#### 6.2. Informative References

[I-D.ali-spring-sr-traffic-accounting]
 Filsfils, C., Talaulikar, K., Sivabalan, S., Horneffer,
 M., Raszuk, R., Litkowski, S., Voyer, D., and R. Morton,
 "Traffic Accounting in Segment Routing Networks", draft ali-spring-sr-traffic-accounting-04 (work in progress),
 February 2020.

[I-D.hegde-spring-mpls-seamless-sr]
 Hegde, S., Bowers, C., Xu, X., Gulko, A., Bogdanov, A.,
 Uttaro, J., Jalil, L., Khaddam, M., and A. Alston,
 "Seamless Segment Routing", draft-hegde-spring-mpls seamless-sr-04 (work in progress), January 2021.

# [IANA-IPFIX-IE46]

"IANA IP Flow Information Export (IPFIX) Information Element #46 SubRegistry", <a href="https://www.iana.org/assignments/ipfix/ipfix.xhtml#ipfix-mpls-label-type">https://www.iana.org/assignments/ipfix/ipfix.xhtml#ipfix-mpls-label-type</a>>.

- [RFC4364] Rosen, E. and Y. Rekhter, "BGP/MPLS IP Virtual Private
  Networks (VPNs)", RFC 4364, DOI 10.17487/RFC4364, February
  2006, <a href="https://www.rfc-editor.org/info/rfc4364">https://www.rfc-editor.org/info/rfc4364</a>>.
- [RFC5036] Andersson, L., Ed., Minei, I., Ed., and B. Thomas, Ed.,
   "LDP Specification", RFC 5036, DOI 10.17487/RFC5036,
   October 2007, <a href="https://www.rfc-editor.org/info/rfc5036">https://www.rfc-editor.org/info/rfc5036</a>>.
- [RFC8277] Rosen, E., "Using BGP to Bind MPLS Labels to Address Prefixes", <u>RFC 8277</u>, DOI 10.17487/RFC8277, October 2017, <a href="https://www.rfc-editor.org/info/rfc8277">https://www.rfc-editor.org/info/rfc8277</a>.

- [RFC8660] Bashandy, A., Ed., Filsfils, C., Ed., Previdi, S.,
   Decraene, B., Litkowski, S., and R. Shakir, "Segment
   Routing with the MPLS Data Plane", RFC 8660,
   DOI 10.17487/RFC8660, December 2019,
   <a href="https://www.rfc-editor.org/info/rfc8660">https://www.rfc-editor.org/info/rfc8660</a>.
- [RFC8661] Bashandy, A., Ed., Filsfils, C., Ed., Previdi, S.,
  Decraene, B., and S. Litkowski, "Segment Routing MPLS
  Interworking with LDP", RFC 8661, DOI 10.17487/RFC8661,
  December 2019, <a href="https://www.rfc-editor.org/info/rfc8661">https://www.rfc-editor.org/info/rfc8661</a>>.
- [RFC8665] Psenak, P., Ed., Previdi, S., Ed., Filsfils, C., Gredler,
  H., Shakir, R., Henderickx, W., and J. Tantsura, "OSPF
  Extensions for Segment Routing", RFC 8665,
  DOI 10.17487/RFC8665, December 2019,
  <https://www.rfc-editor.org/info/rfc8665>.
- [RFC8666] Psenak, P., Ed. and S. Previdi, Ed., "OSPFv3 Extensions for Segment Routing", RFC 8666, DOI 10.17487/RFC8666, December 2019, <a href="https://www.rfc-editor.org/info/rfc8666">https://www.rfc-editor.org/info/rfc8666</a>>.
- [RFC8669] Previdi, S., Filsfils, C., Lindem, A., Ed., Sreekantiah,
   A., and H. Gredler, "Segment Routing Prefix Segment
   Identifier Extensions for BGP", RFC 8669,
   DOI 10.17487/RFC8669, December 2019,
   <a href="https://www.rfc-editor.org/info/rfc8669">https://www.rfc-editor.org/info/rfc8669</a>>.

### Author's Address

Thomas Graf Swisscom Binzring 17 Zurich 8045 Switzerland

Email: thomas.graf@swisscom.com