

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: March 23, 2017

P. Thatcher
H. Zhang
T. Brandstetter
Google
September 19, 2016

**ICE Renomination: Dynamically selecting ICE candidate pairs
draft-thatcher-ice-renomination-01**

Abstract

This document describes an extension to the Interactive Connectivity Establishment (ICE) that enables ICE agents to dynamically change the selected candidate pair of the controlled side by allowing the controlling side to nominate different candidate pairs over time as network conditions change.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on March 23, 2017.

Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4](#).e of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	2
2.	Terminology	2
3.	Renomination	2
4.	"Nomination" attribute	3
5.	IANA Considerations	3
6.	Security Considerations	3
7.	Acknowledgements	3
8.	Normative References	3
	Authors' Addresses	3

[1.](#) Introduction

ICE agents are either controlling or controlled. The controlling ICE agent can unilaterally select a given candidate pair at any time. But it cannot control what candidate pair the controlled ICE agent selects once the controlling ICE agent has nominated a candidate pair (with passive nomination) or nominated many candidate pairs (with aggressive nomination), with the exception that it may nominate a higher priority candidate pair with aggressive nomination. This greatly limits the controlling side's options.

For example, if an ICE agent selects and nominates a candidate pair over a cellular network, and then later connects to a Wi-Fi network and trickles ICE candidates for the Wi-Fi network, it may wish to select and nominate a candidate pair using Wi-Fi. If soon thereafter the Wi-Fi network disconnects and the ICE agent wishes to select and nominate the cellular candidate pair again, it would be unable to do with either passive or aggressive nomination.

[2.](#) Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

[3.](#) Renomination

We define a new ICE option called "renomination". When renomination is signaled, aggressive nomination is disabled, and the controlled side follows a rule of "last nomination wins". This allows the controlling side to send nominations for new candidate pairs at any time. The controlling side SHOULD send the new nomination until the STUN packet is acked to ensure that the renomination was received.

If one side signals "renomination" and the other does not understand it, then according to the rules of ICE, aggressive nomination is disabled and passive nomination is used, and the controlling side MUST NOT send more than one nomination.

4. "Nomination" attribute

To deal with out-of-order delivery of nominations, we define a new STUN attribute: "nomination" which includes a 24-bit integer in the 3 least significant bytes of the attribute.

The controlling side MAY include such an attribute when renominating. The controlled side MUST select the nomination with the largest value contained in the "nomination" attribute. Any value included takes precedence over the lack of a value.

5. IANA Considerations

This specification requests no actions from IANA.

6. Security Considerations

TODO

7. Acknowledgements

TODO

8. Normative References

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [BCP 14](#), [RFC 2119](#), DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

[RFC5245] Rosenberg, J., "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols", [RFC 5245](#), DOI 10.17487/RFC5245, April 2010, <<http://www.rfc-editor.org/info/rfc5245>>.

Authors' Addresses

Peter Thatcher
Google
747 6th St S
Kirkland, WA 98033
USA

Email: pthatcher@google.com

Honghai Zhang
Google
747 6th St S
Kirkland, WA 98033
USA

Email: honghaiz@google.com

Taylor Brandstetter
Google
747 6th St S
Kirkland, WA 98033
USA

Email: deadbeef@google.com

