

Network Working Group  
Internet-Draft  
Intended status: Informational  
Expires: April 20, 2013

E. Wilde  
EMC Corporation  
October 17, 2012

The 'describes' Link Relation Type  
draft-wilde-describes-link-02

Abstract

This specification defines the 'describes' link relation type that allows resource representations to indicate that they are describing another resource. In contexts where applications want to associate described resources and description resources, and want to build services based on these associations, the 'describes' link relation type provides the opposite direction of the 'describedby' link relation type, which already is a registered link relation type.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on April 20, 2013.

Copyright Notice

Copyright (c) 2012 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in [Section 4.e](#) of

the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

- [1.](#) Introduction . . . . . [3](#)
- [2.](#) Terminology . . . . . [3](#)
- [3.](#) Resource Descriptions . . . . . [3](#)
- [4.](#) Use Case . . . . . [4](#)
- [5.](#) IANA Considerations . . . . . [5](#)
- [6.](#) Security Considerations . . . . . [5](#)
- [7.](#) Change Log . . . . . [5](#)
  - [7.1.](#) From -01 to -02 . . . . . [5](#)
  - [7.2.](#) From -00 to -01 . . . . . [6](#)
- [8.](#) References . . . . . [6](#)
  - [8.1.](#) Normative References . . . . . [6](#)
  - [8.2.](#) Informative References . . . . . [6](#)
- [Appendix A.](#) Acknowledgements . . . . . [6](#)
- Author's Address . . . . . [6](#)

## 1. Introduction

Resources on the Web can be identified by any (registered) URI scheme and can be represented by any (registered) media type. In many cases, applications establish specific (i.e., typed) relations between the resources they are concerned with, which can either be under their control, or controlled by another authority. A common usage pattern for associating resources is to have resources which are descriptions of other resources. This specification registers the 'describes' link relation, which allows applications to represent the fact that one resource is a description of another resource.

[RFC 5988](#) [1] "defines a framework for typed links that isn't specific to a particular serialisation or application. It does so by redefining the link relation registry established by Atom to have a broader domain, and adding to it the relations that are defined by HTML." This registration request intends to augment the link relation registry with a link relation that is the inverse of the already registered 'describedby' relation, so that links between described resources and describing resources can be represented in both directions.

## 2. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [2].

## 3. Resource Descriptions

Associating resources with descriptions of these resources is a recurring pattern on the Web. The IANA link relation registry established by [RFC 5988](#) [1] currently contains a 'describedby' link relation type, which has been registered by POWDER [3]. The definition given in that registration is as follows: "The relationship A 'describedby' B asserts that resource B provides a description of resource A. There are no constraints on the format or representation of either A or B, neither are there any further constraints on either resource."

Since many scenarios using resource descriptions need to represent the fact that some resource describes a resource (the opposite of the 'describedby' relation), this document registers a 'describes' link relation type. Establishing a link A 'describes' B asserts that the resource identified by A is a description of the resource identified by B, without constraining in any way the identifiers being used for

A and B, and the media types for the representations being provided, when those identifiers are dereferenced. Specifically, it is possible that identifiers A and/or B have no associated interaction method (they could be URNs, for example), but it still is valid to establish the A 'describes' B link.

Another design freedom is to use "chains" of 'describes' (or 'describedby') links, so that one resource is a description of another resource, which in turn is a description of yet another resource. The "levels" of descriptions can go as deep as required by an application, and are not constrained by this specification.

#### 4. Use Case

Starting from the POWDER document specifying the 'describedby' link relation [3], the use case for the 'describedby' link relation is that a described resource, such as a HTML Web page, can specify a link where clients can find a description of this resource. While the 'describedby' link relation is defined to be independent of specific formats and representations, within the context of POWDER, the assumption is that the linked resources most often will provide an RDF-based description, for example providing metadata about a document's author and other provenance information.

The 'describes' link relation allows servers hosting description resources to associate those description resources with the resources that they are describing. In the RDF-oriented scenario of POWDER, this means that a service managing description resources would use 'describes' links to represent the fact that the description resources it exposes provide some description of the described resource, very likely in some RDF representation. However, since link relations are independent of resource formats or representations, such an association could also be made in other formats such as XML or JSON, allowing servers to use a single and consistent link relation to associate description resources with described resources.

Generally speaking, the idea of the 'describes' relation is the same as the idea of the 'describedby' relation: to be independent of specific formats and representations of both described resources and description resources. The 'describes' link relation (together with the already registered 'describedby' link relation) thus serves as a general foundation of how described resources and description resources can be associated.

## 5. IANA Considerations

The link relation type below has been registered by IANA per [Section 6.2.1 of RFC 5988](#) [1]:

Relation Name: describes

Description: The relationship A 'describes' B asserts that resource A provides a description of resource B. There are no constraints on the format or representation of either A or B, neither are there any further constraints on either resource.

Reference: [[ This document ]]

Notes: This link relation type is intended to be the inverse of the already existing 'describedby' relation type, thus allowing links to be established from the describing resource to the described resource.

## 6. Security Considerations

Resource descriptions SHOULD never be treated as authoritative or exclusive without relying on additional mechanisms for trust and security. Resources can have many (possible conflicting) descriptions, and the 'describes' link relation type makes no claim whatsoever about the authority of the party providing the association between the two resources, or about the authority of the party providing the description resource. Before making any assumptions about the authority of the description resource (both the accuracy of the description contained in the description resource, and the authority to provide a description of the described resource), clients need a context that allows them to understand both the authority of the description itself, and the authority to establish the 'describes' relation. Nobody can stop clients from providing misleading unauthorized and/or descriptions, and clients need to have both a security and trust framework to allow them to choose between trusted and untrusted descriptions.

## 7. Change Log

Note to RFC Editor: Please remove this section before publication.

### 7.1. From -01 to -02

- o Changed category from "Standard" to "Informational".
- o Minor textual changes.

#### [7.2.](#) From -00 to -01

- o Added "Use Case" section ([Section 4](#)).
- o Improved Security Considerations.
- o Minor textual improvements.

## [8.](#) References

### [8.1.](#) Normative References

- [1] Nottingham, M., "Web Linking", [RFC 5988](#), October 2010.
- [2] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", [RFC 2119](#), March 1997.

### [8.2.](#) Informative References

- [3] Archer, P., Smith, K., and A. Perego, "Protocol for Web Description Resources (POWDER): Description Resources", World Wide Web Consortium Recommendation REC-powder-dr-20090901, September 2009, <http://www.w3.org/TR/2009/REC-powder-dr-20090901/>.

## [Appendix A.](#) Acknowledgements

Thanks for comments and suggestions provided by Mark Nottingham.

## Author's Address

Erik Wilde  
EMC Corporation  
6801 Koll Center Parkway  
Pleasanton, CA 94566  
U.S.A.

Phone: +1-925-6006244  
Email: [erik.wilde@emc.com](mailto:erik.wilde@emc.com)  
URI: <http://dret.net/netdret/>