

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: June 13, 2016

L. Xia
Q. Wu
Huawei
D. Kumar
Cisco
M. Boucadair
France Telecom
Z. Wang
Huawei
December 11, 2015

**YANG Data Model for SFC Operations, Administration, and Maintenance
(OAM)**
draft-xia-sfc-yang-oam-05

Abstract

This document defines YANG data model for Service Function Chaining (SFC Operations, Administration, and Maintenance (OAM)). It extends from the basic YANG data model for Layer independent OAM Management defined in [[I-D.ietf-lime-yang-oam-model](#)] with SFC technology specifics. It includes SFC OAM related configuration, state, and RPC information data.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on June 13, 2016.

Copyright Notice

Copyright (c) 2015 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Introduction	2
2. Conventions and Terminology	3
2.1. Terminologies	4
3. Architecture of OAM YANG Model and Relationship to SFC OAM	5
4. SFC Extensions to LIME YANG Model	6
4.1. MEP Address	7
4.2. Connectivity-Context	8
4.3. SFC Layer For RPC - Path Discovery	9
5. SFC OAM YANG Data Hierarchy	10
6. SFC OAM YANG Module	12
7. Security Considerations	24
8. IANA Considerations	24
9. References	24
9.1. Normative References	24
9.2. Informative References	24
Authors' Addresses	25

[1. Introduction](#)

YANG [[RFC6020](#)] is a data modeling language used to model configuration and state data manipulated by the Network Configuration Protocol (NETCONF) [[RFC6241](#)], NETCONF remote procedure calls (RPC), and NETCONF notifications. This document defines the YANG data model for Service Function Chaining (SFC) OAM [[I-D.ietf-sfc-oam-framework](#)]. The SFC OAM YANG module involves the OAM configuration, RPCs and notifications, etc.

Currently, [[I-D.ietf-lime-yang-oam-model](#)] proposes a basic YANG data model for Layer independent OAM Management that can be applied to various OAM technologies. SFC OAM YANG data model can be defined by directly extending the basic model with SFC technology specifics. It can bring some obvious benefits such as unified format, reusable parts, and correlation of defects, faults, network failure at the specific layer.

Xia, et al.

Expires June 13, 2016

[Page 2]

In addition, various components in the SFC technology specific YANG data model defined in [[I-D.penno-sfc-yang](#)] can be directly reused in this draft to define the SFC OAM YANG data model.

Note that SFC OAM mechanisms are not yet defined or standardized although some of the basic concepts and functions (e.g., fault detection, fault localization, performance measurement, etc) may be similar to traditional OAM mechanisms. This draft should get alignment with the latest development SFC OAM mechanisms.

[2. Conventions and Terminology](#)

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [[RFC2119](#)].

The following terms are defined in [[RFC6241](#)] and are not redefined here:

- o client
- o configuration data
- o server
- o state data

The following terms are defined in [[RFC6020](#)] and are not redefined here:

- o augment
- o data model
- o data node

The terminology for describing YANG data models is found in [[RFC6020](#)].

The following notations are used within the data tree and carry the meaning as noted below.

Each node is printed as:

<status> <flags> <name> <opts> <type>

<status> is one of:
+ for current
x for deprecated
o for obsolete

<flags> is one of:

rw for configuration data
ro for non-configuration data
-x for rpcs
-n for notifications

<name> is the name of the node

If the node is augmented into the tree from another module, its name is printed as <prefix>:<name>.

<opts> is one of:

? for an optional leaf or choice
! for a presence container
* for a leaf-list or list
[<keys>] for a list's keys

<type> is the name of the type for leafs and leaf-lists

In this document, these words will appear with that interpretation only when in ALL CAPS. Lower case uses of these words are not to be interpreted as carrying [RFC-2119](#) significance.

[2.1. Terminologies](#)

MP Maintenance Point [8021Q]

MEP Maintenance End Point [8021Q] [[RFC6371](#)]

MIP Maintenance Intermediate Point [8021Q] [[RFC6371](#)]

MEG Maintenance Entity Group [Y1731] [[RFC6371](#)]

ME Maintenance Entity [[Y.1731](#)] [[RFC6371](#)]

MD Maintenance Domain [8021Q]

OAM Operations, Administration, and Maintenance [[RFC6291](#)]

LIME Layer Independent OAM Management [[I-D.ietf-lime-yang-oam-model](#)]

SF Service Function [[I-D.penno-sfc-yang](#)]

SFC Service Function Chaining [[I-D.penno-sfc-yang](#)]


SFF Service Function Forwarder [[I-D.penno-sfc-yang](#)]

TRILL Transparent Interconnection of Lots of Links [[RFC6325](#)]

RPC Remote Process Call

3. Architecture of OAM YANG Model and Relationship to SFC OAM

Layer independent OAM YANG model [[I-D.ietf-lime-yang-oam-model](#)] is used as the basis for all the other OAM YANG models. This allows users to span across OAM tools of different technologies through a uniform API. The following Figure depicts the relationship of SFC OAM YANG model to the Layer Independent OAM Model.



Relationship of SFC OAM YANG model to Layer independent OAM YANG model

4. SFC Extensions to LIME YANG Model

A new Technology parameter of SFC is defined here for the purpose of identifying the SFC specific YANG model extension:

```

identity SFC {

    base goam:technology-types;

    description
        "SFC type";

}

```

SFC identity type

Only when the Technology parameter is set to the "SFC" value, the SFC specific extensions are applied.

4.1. MEP Address

In SFC, either the SF on service function layer or SF/SFF on SFC forwarding layer can be MEP/MIP. A MEP/MIP cannot be identified without specifying service function path. Therefore the MEP/MIP address can only be identified by SF/SFF address plus service function path id. In [[I-D.ietf-lime-yang-oam-model](#)], MEP/MIP address is defined using a combination of choice and case statement. We augment this to include SFC specific SF/SFF address plus service function path id.

```
augment
"/goam:domains/goam:domain/goam:MAss/goam:MA/goam:MEP/goam:mp-
address" {

    case sf-mep-address {

        description
            "Service function (or service function forwarder) address plus
            service function path id to identify one SFC MEP. A SFC MP can
            be a service function or service function forwarder!"

        leaf sf-mep-ref {
            when "/goam:domains/goam:domain/goam:technology='sfc'";
            type sfc-sf:service-function-ref;
        }

        leaf sfp-mep-ref {
            when "/goam:domains/goam:domain/goam:technology='sfc'";
            type sfc-sfp:service-function-path-ref;
        }

    }

    case sff-mep-address {

        description
            "Service function forwarder address plus service function path
            id identify one SFC MEP. A SFC MP can be a service function or
            service function forwarder!"

        leaf sff-mep-ref {
            type sfc-sff:service-function-forwarder-ref;
        }

        leaf sfp-mep-ref {
            type sfc-sfp:service-function-path-ref;
        }

    }

}
```

Augment SFC MEP address

[4.2. Connectivity-Context](#)

In SFC, connectivity-context is the service function path id. [I-D.ietf-lime-yang-oam-model] defines a placeholder for connectivity-context. This allows other technologies to easily augment that to

include technology specific extensions. The snippet below depicts an example of augmenting connectivity-context to include the SFC connectivity- context.

```
augment "/goam:domains/goam:domain/goam:MAS/goam:MA/goam:MEP/goam:  
connectivity-context" {  
  
    case connectivity-context-sfc {  
        leaf connectivity-context-sfp {  
            type sfc-sfp:service-function-path-ref;  
        }  
    }  
}  
}
```

Augment SFC Connectivity-Context

4.3. SFC Layer For RPC - Path Discovery

Path Discovery is used to discover the path that specific service traverses in the network. For SFC, it can be used on both service function layer and SFC forwarding layer depending on what is the desired degree of path information.


```

typedef SFC-layer {

    type enumeration {
        enum "Service function layer" {
            value 0;
        }

        enum "SFC forwarding layer" {
            value 1;
        }
    }
}

augment "/goam-rpc:path-discovery/goam-rpc:input" {

    description

    "Adding SFC specific items on the input";
    leaf path-discovery-layer {
        type SFC-layer;
        description
            "Identifying which SFC layer to run path discovery";
    }
}

```

Augment SFC SFC-layer for Path Discovery

5. SFC OAM YANG Data Hierarchy

The complete data hierarchy related to the SFC OAM YANG model is presented below.

```

module: ietf-sfc-oam
augment /goam:domains/goam:domain/goam:MAS/goam:MA/goam:connectivity-context:
  +--:(connectivity-context-sfc)
    +--rw connectivity-context-sfp?    sfc-sfp:service-function-path-ref
augment /goam:domains/goam:domain/goam:MAS/goam:MA/goam:MEP/goam:mp-address:
  +--:(sf-mep-address)
    |  +--rw sf-mep-ref?      sfc-sf:service-function-ref
    |  +--rw sfp-mep-ref?    sfc-sfp:service-function-path-ref
  +--:(sff-mep-address)
    +--rw sff-mep-ref?      sfc-sff:service-function-forwarder-ref
    +--rw sfp-mep-ref?      sfc-sfp:service-function-path-ref
augment /goam:domains/goam:domain/goam:MAS/goam:MA/goam:MEP/goam:session/
  goam:de
  stination-mep-address/goam:mp-address:
    +--:(sf-mep-address)

```



```

|  +-+rw sf-mep-ref?    sfc-sf:service-function-ref
|  +-+rw sfp-mep-ref?   sfc-sfp:service-function-path-ref
++:(sff-mep-address)
  +-+rw sff-mep-ref?   sfc-sff:service-function-forwarder-ref
  +-+rw sfp-mep-ref?   sfc-sfp:service-function-path-ref
augment /goam:domains/goam:domain/goam:MAS/goam:MA/goam:MEP/goam:session/
goam:co
nnectivity-context:
  +-:(connectivity-context-sfc)
    +-+rw connectivity-context-sfp?   sfc-sfp:service-function-path-ref
augment /goam:continuity-check/goam:input/goam:destination-mp/goam:mp-address:
  +-:(sf-mep-address)
  |  +-+ro sf-mep-ref?    sfc-sf:service-function-ref
  |  +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
  +-:(sff-mep-address)
    +-+ro sff-mep-ref?   sfc-sff:service-function-forwarder-ref
    +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
augment /goam:continuity-verification/goam:input/goam:destination-mp/goam:mp-
add
ress:
  +-:(sf-mep-address)
  |  +-+ro sf-mep-ref?    sfc-sf:service-function-ref
  |  +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
  +-:(sff-mep-address)
    +-+ro sff-mep-ref?   sfc-sff:service-function-forwarder-ref
    +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
augment /goam:path-discovery/goam:input:
  +-+ro path-discovery-layer?  SFC-layer
augment /goam:path-discovery/goam:input/goam:destination-mp/goam:mp-address:
  +-:(sf-mep-address)
  |  +-+ro sf-mep-ref?    sfc-sf:service-function-ref
  |  +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
  +-:(sff-mep-address)
    +-+ro sff-mep-ref?   sfc-sff:service-function-forwarder-ref
    +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
augment /goam:path-discovery/goam:output/goam:response/goam:destination-mp/
goam:
mp-address:
  +-:(sf-mep-address)
  |  +-+ro sf-mep-ref?    sfc-sf:service-function-ref
  |  +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref
  +-:(sff-mep-address)
    +-+ro sff-mep-ref?   sfc-sff:service-function-forwarder-ref
    +-+ro sfp-mep-ref?   sfc-sfp:service-function-path-ref

```

Xia, et al.

Expires June 13, 2016

[Page 11]

6. SFC OAM YANG Module

```
<CODE BEGINS> file "ietf-sfc-oam@2015-12-10.yang"
module ietf-sfc-oam {
    namespace "urn:ietf:params:xml:ns:yang:ietf-sfc-oam";
    prefix sfcoam;
    import ietf-gen-oam {
        prefix goam;
    }
    import service-function {
        prefix sfc-sf;
    }
    import service-function-path {
        prefix sfc-sfp;
    }
    import service-function-forwarder {
        prefix sfc-sff;
    }
    organization

        "IETF SFC Working Group";

    contact
        "TBD";
    description
        "The YANG module defines a SFC OAM configuration
        model.';

    revision "2015-12-10" {
        description
            "Initial revision";
        reference
            "foo";
    }

    identity sfc {
        base goam:technology-types;
        description
            "sfc type";
    }

    typedef SFC-layer {
        type enumeration {
            enum "Service function layer" {
                value 0;
                description
                    "service function layer.";
            }
        }
    }
```

Xia, et al.

Expires June 13, 2016

[Page 12]

```
enum "SFC forwarding layer" {
    value 1;
        description
        "SFC forwarding layer";
}
}

description
"SFC layer";
}

augment
"/goam:domains/goam:domain/goam:MAS/goam:MA"
+ "/goam:connectivity-context" {
    description
        "augment the generic oam yang";
    case connectivity-context-sfc {
        description
        "connectivity context sfc.";
        leaf connectivity-context-sfp {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
                "connectivity context sfcp.";
        }
    }
}

}

augment
"/goam:domains/goam:domain/goam:MAS"
+ "/goam:MA/goam:MEP/goam:mp-address" {
    description
        "augment the generic oam yang";
    case sf-mep-address {
        description
            "Service function (or service function forwarder) address plus
            service function path id to identify one SFC MEP. A SFC MP can be a
            service function or service function forwarder!";
        container sf-mep-addr{
            description
            "container of sf-mep-addr";
        leaf sf-mep-ref {
            when "/goam:domains/goam:domain/goam:technology='sfc'"{
                description
                "when technology = sfc.";
            }
        }
    type leafref {
```

Xia, et al.

Expires June 13, 2016

[Page 13]

```
path "/sfc-sf:service-functions/sfc-sf:service-function/"
    + "sfc-sf:name";
}
    description
    "sf mep reference.";
}

leaf sfp-mep-ref {
    when "/goam:domains/goam:domain/goam:technology='sfc'"{  

        description
        "when technology = sfc.";  

    }
type leafref {
    path "/sfc-sfp:service-function-paths/" +
        "sfc-sfp:service-function-path/sfc-sfp:name";
}
    description
    "sfp mep reference.";
}
}
}

case sff-mep-address {
description

"Service function address plus service function path id to
identify one SFC MEP. A SFC MP can be a service function or service
function forwarder!";

leaf sff-mep-ref {
type leafref {
    path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
        + "sfc-sff:name";
}
    description
    "sff mep reference";
}

leaf sfp-mep-ref {
type leafref {
    path "/sfc-sfp:service-function-paths/" +
        "sfc-sfp:service-function-path/sfc-sfp:name";
}
    description
    "sfp mep reference.";
}
}
```

}

Xia, et al.

Expires June 13, 2016

[Page 14]

```
augment
"/goam:domains/goam:domain/goam:MAss/goam:MA/goam:MEP/goam:session"
+ "/goam:destination-mep-address/goam:mp-address" {
    description
        "augment the generic oam yang";
    case sf-mep-address {
        leaf sf-mep-ref {
            type leafref {
                path "/sfc-sf:service-functions/sfc-sf:service-function/"
                    + "sfc-sf:name";
            }
            description
                "sf mep reference";
        }
        leaf sfp-mep-ref {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
                "sfp mep reference";
        }
    }
    case sff-mep-address {
        leaf sff-mep-ref {
            type leafref {
                path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
                    + "sfc-sff:name";
            }
            description
                "sff mep reference";
        }
        leaf sfp-mep-ref {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
                "sfp mep reference";
        }
        description
            "sff mep address";
    }
}
```

}

Xia, et al.

Expires June 13, 2016

[Page 15]

```
augment
"/goam:domains/goam:domain/goam:MAss/goam:MA/goam:MEP"
+ "/goam:session/goam:connectivity-context" {
    description
        "augment the generic oam yang";
    case connectivity-context-sfc {
        leaf connectivity-context-sfp {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
                "connectivity context sfc.";
        }
        description
            "connectivity context sfc.";
    }
}

//SFC extension of continuity-check part

/*
augment "/goam:continuity-check/goam:input"
+ "/goam:source-mep/goam:mp-address" {
    description
        "augment the generic oam yang";
    case sf-mep-address {
        leaf sf-mep-ref {
            type leafref {
                path "/sfc-sf:service-functions/sfc-sf:service-function/"
                    + "sfc-sf:name";
            }
        }
        leaf sfp-mep-ref {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
        }
    }
    case sff-mep-address {
        leaf sff-mep-ref {
            type leafref {
                path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
                    + "sfc-sff:name";
            }
        }
    }
}
```

}

Xia, et al.

Expires June 13, 2016

[Page 16]

```
}

leaf sfp-mep-ref {
type leafref {
  path "/sfc-sfp:service-function-paths/" +
    "sfc-sfp:service-function-path/sfc-sfp:name";
}
}
}
}*/
```

```
augment "/goam:continuity-check/goam:input"
+ "/goam:destination-mp/goam:mp-address" {
  description
    "augment the generic oam yang";
  case sf-mep-address {
    leaf sf-mep-ref {
type leafref {
  path "/sfc-sf:service-functions/sfc-sf:service-function/"
    + "sfc-sf:name";
}
  description
    "sf mep reference";
}

leaf sfp-mep-ref {
type leafref {
  path "/sfc-sfp:service-function-paths/" +
    "sfc-sfp:service-function-path/sfc-sfp:name";
}
  description
    "sfp mep reference";
}
  description
    "sf mep address";
}
case sff-mep-address {

  leaf sff-mep-ref {
type leafref {
  path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
    + "sfc-sff:name";
}
  description
    "sff mep reference";
}
leaf sfp-mep-ref {
```

```
type leafref {
```

```
path "/sfc-sfp:service-function-paths/" +
  "sfc-sfp:service-function-path/sfc-sfp:name";
}
      description
      "sfp mep reference";
}
      description
      "sff mep address";
}
}

//SFC extension of connectivity-verification part
/*
augment "/goam:connectivity-verification"
+ "/goam:input/goam:source-mep/goam:mp-address" {
  description
    "augment the generic oam yang";
  case sf-mep-address {
    leaf sf-mep-ref {
      type leafref {
        path "/sfc-sf:service-functions/sfc-sf:service-function/"
          + "sfc-sf:name";
    }
    }

    leaf sfp-mep-ref {
      type leafref {
        path "/sfc-sfp:service-function-paths/" +
          "sfc-sfp:service-function-path/sfc-sfp:name";
    }
    }

    case sff-mep-address {
      leaf sff-mep-ref {
        type leafref {
          path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
            + "sfc-sff:name";
        }
      }

      leaf sfp-mep-ref {
        type leafref {
          path "/sfc-sfp:service-function-paths/" +
            "sfc-sfp:service-function-path/sfc-sfp:name";
        }
      }
    }
  }
}
```

}

Xia, et al.

Expires June 13, 2016

[Page 18]

```
 }*/  
  
augment "/goam:continuity-verification"  
+"/goam:input/goam:destination-mp/goam:mp-address" {  
    description  
        "augment the generic oam yang";  
    case sf-mep-address {  
        leaf sf-mep-ref {  
            type leafref {  
                path "/sfc-sf:service-functions/sfc-sf:service-function/"  
                    + "sfc-sf:name";  
            }  
                description  
                    "sf mep reference";  
            }  
  
        leaf sfp-mep-ref {  
            type leafref {  
                path "/sfc-sfp:service-function-paths/" +  
                    "sfc-sfp:service-function-path/sfc-sfp:name";  
            }  
                description  
                    "sfp mep reference";  
            }  
  
        description  
            "sf mep address";  
    }  
  
    case sff-mep-address {  
        leaf sff-mep-ref {  
            type leafref {  
                path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-  
forwarder/"  
                    + "sfc-sff:name";  
            }  
                description  
                    "sff mep reference";  
            }  
  
        leaf sfp-mep-ref {  
            type leafref {  
                path "/sfc-sfp:service-function-paths/" +  
                    "sfc-sfp:service-function-path/sfc-sfp:name";  
            }  
                description  
                    "sfp mep reference";  
            }  
        description
```

"sff mep address";

```
        }

    }

//SFC extension of path-discovery part

augment "/goam:path-discovery/goam:input" {
    description
        "adds SFC specific items on the input";
    leaf path-discovery-layer {
        type SFC-layer;

        description
            "Identifying which SFC layer to run path discovery";
    }
}

/*augment "/goam:path-discovery/goam:input"
+"/goam:source-mep/goam:mp-address" {
description
    "augment the generic oam yang";
case sf-mep-address {
    leaf sf-mep-ref {
type leafref {
    path "/sfc-sf:service-functions/sfc-sf:service-function/"
        + "sfc-sf:name";
}
}

leaf sfp-mep-ref {
type leafref {
    path "/sfc-sfp:service-function-paths/" +
        "sfc-sfp:service-function-path/sfc-sfp:name";
}
}

case sff-mep-address {
    leaf sff-mep-ref {
type leafref {
    path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
        + "sfc-sff:name";
}
}

leaf sfp-mep-ref {
type leafref {
    path "/sfc-sfp:service-function-paths/" +
```



```
"sfc-sfp:service-function-path/sfc-sfp:name";
}

}

}

}*/



augment "/goam:path-discovery/goam:input"
+"/goam:destination-mp/goam:mp-address" {
    description
        "augment the generic oam yang";
    case sf-mep-address {
        leaf sf-mep-ref {
            type leafref {
                path "/sfc-sf:service-functions/sfc-sf:service-function/"
                    + "sfc-sf:name";
            }
            description
                "sf mep reference";
        }

        leaf sfp-mep-ref {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
                "sfp mep reference";
        }

        description
            "sf mep address";
    }
    case sff-mep-address {
        leaf sff-mep-ref {
            type leafref {
                path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
                    + "sfc-sff:name";
            }
            description
                "sff mep reference";
        }

        leaf sfp-mep-ref {
            type leafref {
                path "/sfc-sfp:service-function-paths/" +
                    "sfc-sfp:service-function-path/sfc-sfp:name";
            }
            description
```

"sfp mep reference";

```
        }
        description
          "sff mep address";
    }
}

augment "/goam:path-discovery/goam:output"
+"/goam:response/goam:destination-mp/goam:mp-address" {
  description
    "augment the generic oam yang";
  case sf-mep-address {
    leaf sf-mep-ref {
      type leafref {
        path "/sfc-sf:service-functions/sfc-sf:service-function/"
          + "sfc-sf:name";
      }
      description
        "sf mep reference";
    }

    leaf sfp-mep-ref {
      type leafref {
        path "/sfc-sfp:service-function-paths/" +
          "sfc-sfp:service-function-path/sfc-sfp:name";
    }
    description
      "sfp mep reference";
    }
    description
      "sf mep address";
  }
  case sff-mep-address {
    leaf sff-mep-ref {
      type leafref {
        path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
          + "sfc-sff:name";
    }
    description
      "sff mep reference";
  }

  leaf sfp-mep-ref {
    type leafref {
      path "/sfc-sfp:service-function-paths/" +
        "sfc-sfp:service-function-path/sfc-sfp:name";
  }
  description
```

"sfp mep reference";

Xia, et al.

Expires June 13, 2016

[Page 22]

```
        }
      description
      "sff mep address";
    }
}

//SFC extension of performance-measurement part
/*
augment "/goam-rpc:initiated-performance-measurement/goam-
rpc:input/goam-rpc:source-mep/goam-rpc:mp-address" {
  description
    "augment the generic oam yang";
  case sf-mep-address {
    leaf sf-mep-ref {
      type leafref {
        path "/sfc-sf:service-functions/sfc-sf:service-function/"
          + "sfc-sf:name";
      }
    }

    leaf sfp-mep-ref {
      type leafref {
        path "/sfc-sfp:service-function-paths/" +
          "sfc-sfp:service-function-path/sfc-sfp:name";
      }
    }
  }
}

case sff-mep-address {
  leaf sff-mep-ref {
    type leafref {
      path "/sfc-sff:service-function-forwarders/sfc-sff:service-function-
forwarder/"
        + "sfc-sff:name";
    }
  }
  leaf sfp-mep-ref {
    type leafref {
      path "/sfc-sfp:service-function-paths/" +
        "sfc-sfp:service-function-path/sfc-sfp:name";
    }
  }
}
}*/
}
```

<CODE ENDS>

Xia, et al.

Expires June 13, 2016

[Page 23]

7. Security Considerations

TBD.

8. IANA Considerations

TBD.

9. References

9.1. Normative References

[IEEE.802.1Q-2011]

Institute of Electrical and Electronics Engineers, "Media Access Control (MAC) Bridges and Virtual Bridged Local Area Networks", IEEE Standard 802.1Q, August 2011.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", March 1997.

[RFC2234] Crocker, D., Ed. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", [RFC 2234](#), DOI 10.17487/RFC2234, November 1997, <<http://www.rfc-editor.org/info/rfc2234>>.

9.2. Informative References

[I-D.ietf-lime-yang-oam-model]

Senevirathne, T., Finn, N., Kumar, D., Salam, S., Wu, Q., and Z. Wang, "Generic YANG Data Model for Operations, Administration, and Maintenance (OAM)", [draft-ietf-lime-yang-oam-model-01](#) (work in progress), November 2015.

[I-D.ietf-sfc-oam-framework]

Aldrin, S., Krishnan, R., Akiya, N., Pignataro, C., and A. Ghanwani, "Service Function Chaining Operation, Administration and Maintenance Framework", [draft-ietf-sfc-oam-framework-00](#) (work in progress), August 2015.

[I-D.penno-sfc-yang]

Penno, R., Quinn, P., Zhou, D., and J. Li, "Yang Data Model for Service Function Chaining", [draft-pенно-sfc-yang-13](#) (work in progress), March 2015.

[RFC6291] Andersson, L., van Helvoort, H., Bonica, R., Romascanu, D., and S. Mansfield, "Guidelines for the Use of the "OAM" Acronym in the IETF", [BCP 161](#), [RFC 6291](#), DOI 10.17487/RFC6291, June 2011, <<http://www.rfc-editor.org/info/rfc6291>>.

[Y.1731] "OAM functions and mechanisms for Ethernet based networks", ITU G.8013/Y.1731, July 2011.

Authors' Addresses

Liang Xia
Huawei Technologies, Co., Ltd
101 Software Avenue, Yuhua District
Nanjing 210012
China

Email: frank.xialiang@huawei.com

Qin Wu
Huawei
101 Software Avenue, Yuhua District
Nanjing, Jiangsu 210012
China

Email: bill.wu@huawei.com

Deepak Kumar
Cisco Systems
510 McCarthy Blvd Milpitas,
CA 95035
USA

Email: dekumar@cisco.com

Mohamed Boucadair
France Telecom
Rennes 35000
France

Email: mohamed.boucadair@orange.com

Zitao Wang
Huawei Technologies, Co., Ltd
101 Software Avenue, Yuhua District
Nanjing 210012
China

Email: wangzitao@huawei.com

