

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: July 11, 2012

R. Bush
Internet Initiative Japan
R. Austein
Dragon Research Labs
K. Patel
Cisco Systems
H. Gredler
Juniper Networks, Inc.
M. Waehlich
FU Berlin
January 8, 2012

RPKI Router Implementation Report
draft-ymbk-rpki-rtr-impl-01

Abstract

This document provides an implementation report for RPKI Router protocol as defined in [[I-D.ietf-sidr-rpki-rtr](#)]. The editor did not verify the accuracy of the information provided by respondents or by any alternative means. The respondents are experts with the implementations they reported on, and their responses are considered authoritative for the implementations for which their responses represent. Respondents were asked to only use the YES answer if the feature had at least been tested in the lab.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#) [[RFC2119](#)].

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on July 11, 2012.

Copyright Notice

Copyright (c) 2012 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1.	Introduction	4
2.	Implementation Forms	4
3.	Protocol Data Units	5
4.	Protocol Sequence	6
5.	Protocol Transport	7
6.	Error Codes	7
7.	Incremental Updates Support	8
8.	Session ID Support	8
9.	Incremental Session Startup Support	9
10.	Interoperable Implementations	9
10.1.	Cisco Implementation	9
10.2.	Juniper Implementation	9
10.3.	rpki.net Implementation	9
10.4.	RIPE NCC Implementation	10
10.5.	RTRlib Implementation	10
10.6.	BBN RPSTIR Implementation	10
11.	IANA Considerations	10
12.	Security considerations	10
13.	Acknowledgements	10
14.	Normative References	10
	Authors' Addresses	11

1. Introduction

In order to formally validate the origin ASs of BGP announcements, routers need a simple but reliable mechanism to receive RPKI [[I-D.ietf-sidr-rpki-rtr](#)] prefix origin data from a trusted cache. The RPKI Router protocol defined in [[I-D.ietf-sidr-rpki-rtr](#)] provides a mechanism to deliver validated prefix origin data to routers.

This document provides an implementation report for the RPKI Router protocol as defined in [[I-D.ietf-sidr-rpki-rtr](#)].

The editor did not verify the accuracy of the information provided by respondents or by any alternative means. The respondents are experts with the implementations they reported on, and their responses are considered authoritative for the implementations for which their responses represent. Respondents were asked to only use the YES answer if the feature had at least been tested in the lab.

2. Implementation Forms

Contact and implementation information for person filling out this form:

IOS Name: Keyur Patel, Email: keyupate@cisco.com, Vendor: Cisco Systems, Inc. Release: IOS

XR Name: Forhad Ahmed, Email: foahmed@cisco.com, Vendor: Cisco Systems, Inc. Release: IOS-XR

JUNOS Name: Hannes Gredler, Email: hannes@juniper.net, Vendor: Juniper Networks, Inc., Release: JUNOS

rpki.net Name: Rob Austein, Email: sra@hactrn.net, Vendor: rpki.net project, Release: <http://subvert-rpki.hactrn.net/trunk/>

NCC Name: Tim Bruijnzeels, Email: tim@ripe.net, Vendor: RIPE NCC Release: RIPE NCC validator-app 2.0.0 <https://certification.ripe.net/content/public-repo/releases/net/ripe/rpki-validator/rpki-validator-app/2.0.0/rpki-validator-app-2.0.0-bin.zip>

RTRlib Name: Fabian Holler, Matthias Waehlich, Email: waehlich@ieee.org, Vendor: HAW Hamburg, FU Berlin, RTRlib project, Release: RTRlib 0.2 <http://rpki.realmv6.org/>

BBN Name: David Mandelberg, Email: dmandelb@bbn.com, Vendor:
 Raytheon/BBN Technologies, Release: RPSTIR 0.2
<http://sourceforge.net/projects/rpstir/>

3. Protocol Data Units

Does the implementation support Protocol Data Units (PDUs) as described in Section 5 of [I-D.ietf-sidr-rpki-rtr]?

	IOS	XR	JUNOS	rpki .net	NCC	RTR- lib	BBN
Rcv.	YES	YES	YES	YES	UNIT	YES	SYS
Serial					TEST		TEST
Notify							
Snd.	NO	NO	NO	YES	YES	NO	YES
Serial							
Notify							
Rcv.	NO	NO	NO	YES	YES	NO	YES
Serial							
Query							
Snd.	YES	YES	YES	YES	UNIT	YES	SYS
Serial					TEST		TEST
Query							
Rcv.	NO	NO	NO	YES	YES	NO	YES
Reset							
Query							
Snd.	YES	YES	YES	YES	UNIT	YES	SYS
Reset					TEST		TEST
Query							
Rcv.	YES	YES	YES	YES	UNIT	YES	SYS
Cache					TEST		TEST
Resp.							
Snd.	NO	NO	NO	YES	YES	NO	YES
Cache							
Resp.							
Rcv. IPv4	YES	YES	YES	YES	UNIT	YES	SYS
Prefix					TEST		TEST
Snd. IPv4	NO	NO	NO	YES	YES	NO	YES
Prefix							
Rcv. IPv6	YES	YES	YES	YES	UNIT	YES	SYS
Prefix					TEST		TEST
Snd. IPv6	NO	NO	NO	YES	YES	NO	YES
Prefix							
Rcv. End	YES	YES	YES	YES	UNIT	YES	SYS
of Data					TEST		TEST

Snd. End	NO	NO	NO	YES	YES	NO	YES	
of Data								
Rcv.	YES	YES	YES	YES	UNIT	YES	SYS	
Cache					TEST		TEST	
Reset								
Snd.	NO	NO	NO	YES	YES	NO	YES	
Cache								
Reset								
Rcv.	YES	YES	NO~1	YES	YES	YES	YES	
Error								
Report								
Snd.	YES	NO	NO	YES	YES	YES	YES	
Error								
Report								
+-----+-----+-----+-----+-----+-----+-----+-----+								

1) No, Error PDU gets silently ignored

4. Protocol Sequence

Does RPKI Router protocol implementation follow the four protocol sequences as outlined in Section 6 of [[I-D.ietf-sidr-rpki-rtr](#)]?

S1: Start or Restart

S2: Typical Exchange

S3: Generation of Incremental Updates Sequence

S4: Receipt of Incremental Updates Sequence

S5: Generation of Cache has No data Sequence

	IOS	XR	JUNOS	rpki.net	NCC	RTRlib	BBN	
S1	YES	YES	YES	YES	YES	YES	YES	
S2	YES	YES	YES	YES	NO~1	YES	YES	
S3	NO	NO	NO	YES	NO	YES	YES	
S4	YES	YES	YES	YES	NO	YES	NO	
S5	NO	NO	NO	YES	YES	YES	YES	
+-----+-----+-----+-----+-----+-----+-----+-----+								

1) NO, we always respond as described in 6.3 of [[I-D.ietf-sidr-rpki-rtr](#)]

5. Protocol Transport

Does RPKI Router protocol implementation support different protocol transport mechanism outlined in Section 7 of [\[I-D.ietf-sidr-rpki-rtr\]](#)?

	IOS	XR	JUNOS	rpki.net	NCC	RTRlib	BBN
SSH	NO	YES	NO	YES	NO	YES	YES~1
TLS	NO	NO	NO	YES	NO	NO	YES~2
TCP	YES	YES	YES	YES	YES	YES	YES
TCP-MD5	NO	NO	NO	NO	NO	NO	NO
TCP-AO	NO	NO	NO	NO	NO	NO	NO

1) Yes, using netcat as the ssh subsystem to connect to the RTR server on localhost via TCP. This is currently untested.

2) Yes, using stunnel to verify client certificates and forward traffic to the server on localhost via TCP. This is currently untested.

6. Error Codes

Does RPKI Router protocol implementation support different protocol error codes outlined in Section 10 of [\[I-D.ietf-sidr-rpki-rtr\]](#)?

	IOS	XR	JUNOS	rpki.net	NCC	RTRlib	BBN
Rcv.0	YES	YES	NO	YES	YES	YES	YES
Snd.0	YES	YES	NO	YES	YES	YES	YES
Rcv.1	YES	YES	NO	YES	YES	YES	YES
Snd.1	YES	YES	NO	YES	YES	YES	YES
Rcv.2	YES	YES	NO	YES	N/A	YES	YES
Snd.2	YES	YES	NO	YES	YES	N/A	YES
Rcv.3	YES	YES	NO	YES	N/A	YES	YES
Snd.3	NO	NO	NO	YES	YES	NO	YES
Rcv.4	YES	YES	NO	YES	YES	YES	YES
Snd.4	YES	YES	NO	YES	YES	YES	YES
Rcv.5	YES	YES	NO	YES	YES	YES	YES
Snd.5	YES	YES	NO	YES	YES	YES	YES
Rcv.6	NO	NO	NO	YES	YES~1	N/A	YES
Snd.6	YES	YES	NO	NO	N/A	YES	SYS TEST
Rcv.7	NO	NO	NO	YES	YES~1	N/A	YES
Snd.7	YES	YES	NO	NO	N/A	YES	SYS TEST

1) YES, but... fatal, so connection is dropped, but cache does not conclude it's inconsistent

7. Incremental Updates Support

RPKI Router protocol does support Incremental Updates defined in Section 4 of [[I-D.ietf-sidr-rpki-rtr](#)].

IOS	XR	JUNOS	rpki.net	NCC	RTRlib	BBN
NO	NO	YES~1	YES	NO	YES	YES

1) YES, receive side support

8. Session ID Support

Session ID is used to indicate that the cache server may have restarted and that the incremental restart may not be possible.

Does RPKI Router protocol implementation support Session ID procedures outlined in Section 5.10 of [[I-D.ietf-sidr-rpki-rtr](#)]?


```

+-----+-----+-----+-----+-----+-----+-----+
| IOS | XR | JUNOS | rpki.net | NCC | RTRlib | BBN |
+-----+-----+-----+-----+-----+-----+-----+
| YES | YES | YES | YES | NO~1 | YES | YES |
+-----+-----+-----+-----+-----+-----+-----+

```

1) NO, using random, but will FIX

9. Incremental Session Startup Support

RPKI Router protocol does support Incremental session startups with Serial Number and Session ID defined in the protocol. Does RPKI Router protocol implementation support Incremental Session Startup Support as defined in section 5.4 of [[I-D.ietf-sidr-rpki-rtr](#)].

```

+-----+-----+-----+-----+-----+-----+-----+
| IOS | XR | JUNOS | rpki.net | NCC | RTRlib | BBN |
+-----+-----+-----+-----+-----+-----+-----+
| YES | YES | YES | YES | NO | YES | YES |
+-----+-----+-----+-----+-----+-----+-----+

```

10. Interoperable Implementations

List other implementations that you have tested interoperability of RPKI Router Implementation.

10.1. Cisco Implementation

Cisco: The Cisco IOS and IOS-XR implementation should be interoperable with other vendor RPKI Router Protocol implementations. In particular we have tested our interoperability with rpki.net's RPKI Router implementation.

10.2. Juniper Implementation

Juniper: The Juniper Networks, Inc. JUNOS implementation should be interoperable with other vendor RPKI Router Protocol implementations. In particular we have tested our interoperability with rpki.net's and NCCs RPKI Router Cache implementation.

10.3. rpki.net Implementation

rpki.net: The rpki.net implementation should operate with other rpki-rtr implementations. In particular, we have tested our interoperability with Cisco IOS, Cisco IOS-XR, and Juniper.

10.4. RIPE NCC Implementation

RIPE NCC: The RIPE NCC validator has been tested by us with other rpki-rtr implementations. In particular we have tested with RTRlib and CISCO IOS. We received positive feedback from close contacts testing our validator with JUNOS and Quagga.

10.5. RTRlib Implementation

RTRlib: The RTRlib has been tested by us with other rpki-rtr implementations. In particular, we have tested with rtr-origin from rpki.net and RIPE NCC Validator.

10.6. BBN RPSTIR Implementation

BBN RPSTIR: We have not yet tested with any other implementations.

11. IANA Considerations

This document makes no request of IANA.

Note to RFC Editor: this section may be removed on publication as an RFC.

12. Security considerations

No new security issues are introduced to the RPKI Router protocol defined in [[I-D.ietf-sidr-rpki-rtr](#)].

13. Acknowledgements

TBD....

14. Normative References

- [I-D.ietf-sidr-rpki-rtr]
Bush, R. and R. Austein, "The RPKI/Router Protocol",
[draft-ietf-sidr-rpki-rtr-22](#) (work in progress),
December 2011.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate
Requirement Levels", [BCP 14](#), [RFC 2119](#), March 1997.

Authors' Addresses

Randy Bush
Internet Initiative Japan
5147 Crystal Springs
Bainbridge Island, Washington 98110
US

Email: randy@psg.com

Rob Austein
Dragon Research Labs

Email: sra@hactrn.net

Keyur Patel
Cisco Systems
170 West Tasman Drive
San Jose, CA 95134
US

Email: keyupate@cisco.com

Hannes Gredler
Juniper Networks, Inc.
1194 N. Mathilda Ave.
Sunnyvale, CA 94089
US

Email: hannes@juniper.net

Matthias Waehlich
FU Berlin
Takustr. 9
Berlin 14195
Germany

Email: waehlich@ieee.org

URI: <http://www.inf.fu-berlin.de/~waehl>

