

Gateways
and
MIME Security Multiparts

September 1998

Status of this Memo

This document is an Internet-Draft. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months. Internet-Drafts may be updated, replaced, or obsoleted by other documents at any time. It is not appropriate to use Internet-Drafts as reference material or to cite them other than as a "working draft" or "work in progress".

To view the entire list of current Internet-Drafts, please check the "l1d-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ftp.is.co.za (Africa), ftp.nordu.net (Northern Europe), ftp.nis.garr.it (Southern Europe), munnari.oz.au (Pacific Rim), ftp.ietf.org (US East Coast), or ftp.isi.edu (US West Coast).

Copyright (C) The Internet Society (1998). All Rights Reserved.

1. Abstract

This document examines the problems associated with use of MIME security multiparts and gateways to non-MIME environments. A set of requirements for gateway behavior are defined which provide facilities necessary to properly accomodate the transfer of security multiparts through gateways.

[2.](#) Requirements Notation

This document occasionally uses terms that appear in capital letters. When the terms "MUST", "MUST NOT", "SHOULD", "SHOULD NOT", and "MAY" appear capitalized, they are being used to indicate particular requirements of this specification. A discussion of the meanings of the terms "MUST", "SHOULD", and "MAY" appears in [RFC 1123](#) [2]; the terms "MUST NOT" and "SHOULD NOT" are logical extensions of this usage.

[3.](#) The Problem

Security multiparts [[RFC-1847](#)] provide an effective way to add integrity and confidentiality services to protocols that employ MIME objects [[RFC-2045](#), [RFC-2046](#)]. Difficulties arise, however, in heterogeneous environments involving gateways to environments that don't support MIME. Specifically:

- (1) Security services have to be applied to MIME objects in their entirety. Failure to do so can lead to security exposures.

For example, a signature that covers only object data and not the object's MIME labels would allow someone to tamper with the labels in an undetectable fashion. Similarly, failure to encrypt MIME label information exposes information about the content that could facilitate traffic analysis.

Composite MIME objects (e.g., multipart/mixed, message/rfc822) also have to be secured as a unit. Again, failure to do so may facilitate tampering, reveal important information unnecessarily, or both.

- (2) Gateways that deal with MIME objects have to be able to convert them to non-MIME formats.

For example, gateways often have to transform MIME labelling information into other forms. MIME type information may end up being expressed as a file extension or as an OID.

Gateways also have to take apart composite MIME objects into their component parts, converting the resulting

Expires March 1999

[Page 2]

Internet Draft Gateways and Security Multiparts September 1998

set of parts into whatever form the non-MIME environments uses for composite objects. Failure to do so makes the objects unusable in any environment that doesn't support MIME. In many cases this also means that multi-level MIME structures have to be converted into a sequential list of parts.

- (3) Security services have to be deployed in an end-to-end fashion. Failure to do so again can lead to security exposures.

An integrity service deployed at something other than a connection end point means a region exists between the point where the integrity service is applied and the actual end point where object tampering is possible. A confidentiality service deployed at something other than a connection end point means a region exists where the object is transferred in the clear. And worse, distributed private keys are usually necessary whenever someone other than the originator applies an integrity service or someone other than the recipient removes a confidentiality service, which in turn may make theft of private key information a possibility.

All of these issues can be addressed, of course. For example, it may be possible to use multiple overlapping security services to assure that no exposure exists even though there is no end-to-end security per se. And keys can be distributed in a secure fashion. However, such designs tend to be quite complex, and complexity in a security system is highly undesirable.

The preceding three requirements are fundamentally in conflict: It is possible to satisfy two of them at once, but not all three at once.

In fact the conflict is even worse than it first appears. In most situations of this sort some sort of compromise is possible which, while not satisfying any of the requirements completely, does optimize some sort of average of all the requirements. Such a solution does not exist in this case, however, because many real world situations exist where any one of these requirements absolutely must be satisfied.

Expires March 1999

[Page 3]

Internet Draft Gateways and Security Multiparts September 1998

4. Solving the Problem

Since the previously described problem doesn't allow for a single solution the only viable approach is to require that gateways provide multiple solutions. In particular, gateways

- (1) MUST provide the ability to tunnel multipart/signed and multipart/encrypted objects as monolithic entities if there is any chance whatsoever that MIME capabilities exist on the non-MIME side of the gateway. No changes to content of the multipart are permitted, even when the content is itself a composite MIME object.

This option must be provided so that entities behind the gateway that are capable of processing security multiparts and their MIME content will work properly. As mentioned previously, situations exist where application security requirements are absolute and must be accommodated, even when meeting them causes problems for other agents.

Exceptions are allowed only when there is no possibility of MIME support on one side of the gateway. For example, a gateway to a voice messaging system may have no useful way to represent a signed MIME object.

- (2) MUST provide the ability to take apart multipart/signed objects, exposing the content (and in the process ruining the signature). When this approach is selected, gateways SHOULD NOT remove the signature. Instead,

gateways SHOULD keep the signature intact and add to it a note that it will probably be invalid for checking the message contents, but may still be contain valuable information about the sender.

This option must be provided so that entities behind the gateway which are incapable of processing MIME will work properly.

- (3) SHOULD provide the ability to select between the previous two options on per-user basis.
- (4) MAY provide facilities to check signatures and decrypt encrypted content. Such facilities MUST NOT be enabled by default; the potential security exposure involved

Expires March 1999

[Page 4]

Internet Draft Gateways and Security Multiparts September 1998

has to be assessed before such capabilities can be used.

- (5) MAY provide facilities to sign and/or encrypt material passing from the non-MIME side to the MIME side of the gateway. Again, such facilities MUST NOT be enabled by default; the potential security exposure involved in the transfer of unsecured content within the application domain behind the gateway has to be assessed before such capabilities can be used.

A gateway which complies with the above requirements is considered to be security multiparts compliant.

[5.](#) Security Considerations

This entire document is about security.

[6.](#) References

[RFC-822]

Crocker, D., "Standard for the Format of ARPA Internet

Text Messages", [RFC 822](#), August, 1982.

[RFC-1847]

Galvin, J., Murphy, S., Crocker, S., Freed, N., "Security Multiparts for MIME: Multipart/Signed and Multipart/Encrypted", [RFC 1847](#), October 1995.

[RFC-1123]

Braden, R., Editor, "Requirements for Internet Hosts -- Application and Support", [RFC 1123](#), October 1989.

[RFC-2045]

Freed, N. and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies", [RFC 2045](#), Innosoft, First Virtual Holdings, December 1996.

Expires March 1999

[Page 5]

Internet Draft Gateways and Security Multiparts September 1998

[RFC-2046]

Freed, N. and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types", [RFC 2046](#), Innosoft, First Virtual Holdings, December 1996.

[RFC-2049]

Freed, N. and Borenstein, N., "Multipurpose Internet Mail Extensions (MIME) Part Five: Conformance Criteria and Examples", [RFC 2049](#), Innosoft, First Virtual Holdings, December 1996.

[7.](#) Author's Address

Ned Freed
Innosoft International, Inc.
[1050](#) Lakes Drive
West Covina, CA 91790

USA

tel: +1 626 919 3600

fax: +1 626 919 3614

email: ned.freed@innosoft.com

8. Full Copyright Statement

Copyright (C) The Internet Society (1998). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or

Expires March 1999

[Page 6]

Internet Draft Gateways and Security Multiparts September 1998

assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Expires March 1999

[Page 7]