

Internet Draft
[draft-ietf-smime-examples-15.txt](#)
August 23, 2004
Expires in six months

Editor: Paul Hoffman
Internet Mail Consortium

Examples of S/MIME Messages

Status of this Memo

By submitting this Internet-Draft, I certify that any applicable patent or other IPR claims of which I am aware have been disclosed, or will be disclosed, and any of which I become aware will be disclosed, in accordance with [RFC 3668](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than a "work in progress."

The list of current Internet-Drafts can be accessed at
<http://www.ietf.org/lid-abstracts.html>

The list of Internet-Draft Shadow Directories can be accessed at
<http://www.ietf.org/shadow.html>

IPR Statement

By submitting this Internet-Draft, I certify that any applicable patent or other IPR claims of which I am aware have been disclosed, or will be disclosed, and any of which I become aware will be disclosed, in accordance with [RFC 3668](#).

Abstract

This document gives examples of message bodies formatted using S/MIME. Specifically, it has examples of Cryptographic Message Syntax (CMS) objects and S/MIME messages (including the MIME formatting). It includes examples of many common CMS formats. The purpose of this document is to help increase interoperability for S/MIME and other protocols that rely on CMS.

Table of Contents

1. Introduction

- [2. Constants Used in the Examples](#)
 - 2.1 Content of documents
 - 2.2 Private Keys
 - 2.3 Certificates
 - 2.4 CRLs
- [3. Trivial Examples](#)
 - 3.1 ContentInfo with Data type, BER
 - 3.2 ContentInfo with Data type, DER
- [4. Signed-data](#)
 - 4.1 Basic signed content, DSS
 - 4.2 Basic signed content, RSA
 - 4.3 Basic signed content, detached content
 - 4.4 Fancier signed content
 - 4.5 All RSA signed message
 - 4.6 Multiple signers
 - 4.7 Signing using SKI
 - 4.8 S/MIME multipart/signed message
 - 4.9 S/MIME application/pkcs7-mime signed message
 - 4.10 SignedData With Attributes
 - 4.11 SignedData with Certificates Only
- [5. Enveloped-data](#)
 - 5.1 Basic encrypted content, TripleDES and RSA
 - 5.2 Basic encrypted content, RC2/128 and RSA
 - 5.3 S/MIME application/pkcs7-mime encrypted message
- [6. Digested-data](#)
- [7. Encrypted-data](#)
 - 7.1 Simple EncryptedData
 - 7.2 EncryptedData with unprotected attributes
- [8. Security Considerations](#)
- [A. References](#)
 - A.1 Normative References
 - A.2 Informative References
- [B. Binaries of the Examples](#)
 - B.1 How the binaries and extractor works
 - B.2 Example extraction program
- [C. Examples in order of appearance](#)
- [D. Acknowledgments](#)
- [E. Differences between -10 and -11](#)
- [F. Editor's Address](#)

[1. Introduction](#)

The examples in this document show the structure and format of CMS message bodies, as described in [[CMS](#)]. They are useful to implementors who use protocols that rely on CMS, such as the S/MIME message format protocol. There are also examples of simple S/MIME messages [[SMIME-MSG](#)] (including the MIME headers).

Every example in this document has been checked by two different implementors. This strongly indicates (but does not assure) that the

examples are correct. All CMS implementors must read the CMS document carefully before implementing from it. No one should use the examples in this document as stand-alone explanations of how to create CMS message bodies.

This document explicitly does not attempt to cover many PKIX [[PKIX](#)] examples. Documents with examples of that format may be forthcoming. Also, note that [[DVCS](#)], which covers PKIX Data Validation and Certification Server Protocols, has examples of formats for its protocol.

The examples shown here were created and validated by many different people over a long period of time. Because of this, some of the dates used in the examples are many years in the past. This, plus the fact that some of the certificates in the examples have very long lifespans, may cause problems in some test situations.

[2. Constants Used in the Examples](#)

This section defines the data used in the rest of the document. The names of the constants indicate their use. For example, AlicePrivDSSSign is the private part of Alice's DSS signing key.

- Alice is the creator of the message bodies in this document.
- Bob is the recipient of the messages.
- Carl is a CA.
- Diane sometimes gets involved with these folks.
- Erica also sometimes gets involved.

[2.1 Content of documents](#)

ExContent is the following sentence:

This is some sample content.

That is, it is the string of characters starting with "T" up to and including the ".".

The hex for ExContent is

[5468](#) 6973 2069 7320 736f 6d65 2073 616d 706c 6520 636f 6e74 656e 742e

The MD5 hash of ExContent is

[9898](#) cac8 fab7 691f f89d c207 24e7 4a04

The SHA-1 hash of ExContent is

406a ec08 5279 ba6e 1602 2d9e 0629 c022 9687 dd48

[2.2 Private Keys](#)

The following private keys are needed to create the samples.
To find the public keys, see the certificates in the next section.

AlicePrivDSSSign =

```

0 30 331: SEQUENCE {
4 02 1: INTEGER 0
7 30 299: SEQUENCE {
11 06 7: OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
20 30 286: SEQUENCE {
24 02 129: INTEGER
: 00 81 8D CD ED 83 EA 0A 9E 39 3E C2
: 48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
: 53 C5 AB 84 08 4F FF 94 E1 73 48 7E
: 0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
: 2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
: DC 5F 69 8A E4 75 D0 37 0C 91 08 95
: 9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
: 8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
: C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
: 78 BD FF 9D B0 84 97 37 F2 E4 51 1B
: B5 E4 09 96 5C F3 7E 5B DB
156 02 21: INTEGER
: 00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
: B8 37 21 2B 62 8B F7 93 CD
179 02 128: INTEGER
: 26 38 D0 14 89 32 AA 39 FB 3E 6D D9
: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2
: D1 81 4A 60 39 BA 36 39
: }
: }
310 04 23: OCTET STRING, encapsulates {
312 02 21: INTEGER
: 00 BB 44 46 D1 A5 C9 46 07 2E D0 FE
: 7A D6 92 07 F0 9A 85 89 3F
: }
: }

```

AlicePrivRSASign =

```

0 30 630: SEQUENCE {
4 02 1: INTEGER 0
7 30 13: SEQUENCE {
9 06 9: OBJECT IDENTIFIER

```

```

:      rsaEncryption (1 2 840 113549 1 1 1)
:      (PKCS #1)
20 05    0:      NULL
:      }
22 04  608:      OCTET STRING, encapsulates {
26 30  604:      SEQUENCE {
30 02    1:      INTEGER 0
33 02  129:      INTEGER
:      00 E0 89 73 39 8D D8 F5 F5 E8 87 76
:      39 7F 4E B0 05 BB 53 83 DE 0F B7 AB
:      DC 7D C7 75 29 0D 05 2E 6D 12 DF A6
:      86 26 D4 D2 6F AA 58 29 FC 97 EC FA
:      82 51 0F 30 80 BE B1 50 9E 46 44 F1
:      2C BB D8 32 CF C6 68 6F 07 D9 B0 60
:      AC BE EE 34 09 6A 13 F5 F7 05 05 93
:      DF 5E BA 35 56 D9 61 FF 19 7F C9 81
:      E6 F8 6C EA 87 40 70 EF AC 6D 2C 74
:      9F 2D FA 55 3A B9 99 77 02 A6 48 52
:      8C 4E F3 57 38 57 74 57 5F
165 02    3:      INTEGER 65537
170 02  128:      INTEGER
:      00 A4 03 C3 27 47 76 34 34 6C A6 86
:      B5 79 49 01 4B 2E 8A D2 C8 62 B2 C7
:      D7 48 09 6A 8B 91 F7 36 F2 75 D6 E8
:      CD 15 90 60 27 31 47 35 64 4D 95 CD
:      67 63 CE B4 9F 56 AC 2F 37 6E 1C EE
:      0E BF 28 2D F4 39 90 6F 34 D8 6E 08
:      5B D5 65 6A D8 41 F3 13 D7 2D 39 5E
:      FE 33 CB FF 29 E4 03 0B 3D 05 A2 8F
:      B7 F1 8E A2 76 37 B0 79 57 D3 2F 2B
:      DE 87 06 22 7D 04 66 5E C9 1B AF 8B
:      1A C3 EC 91 44 AB 7F 21
301 02    65:      INTEGER
:      00 F6 D6 E0 22 21 4C 5F 0A 70 FF 27
:      FC E5 B3 50 6A 9D E5 0F B5 85 96 C6
:      40 FA A8 0A B4 9B 9B 0C 55 C2 01 1D
:      F9 37 82 8A 14 C8 F2 93 0E 92 CD A5
:      66 21 B9 3C D2 06 BF B4 55 31 C9 DC
:      AD CA 98 2D D1
368 02    65:      INTEGER
:      00 E8 DE B0 11 25 09 D2 02 51 01 DE
:      8A E8 98 50 F5 77 77 61 A4 45 93 6B
:      08 55 96 73 5D F4 C8 5B 12 93 22 73
:      8B 7F D3 70 7F F5 A4 AA BB 74 FD 3C
:      22 6A DA 38 91 2A 86 5B 6C 14 E8 AE
:      4C 9E FA 8E 2F
435 02    65:      INTEGER
:      00 97 4C F0 87 9B 17 7F EE 1B 83 1B
:      14 B6 0B 6A 90 5F 86 27 51 E1 B7 A0
:      7F F5 E4 88 E3 59 B9 F9 1E 9B D3 29
:      77 38 22 48 D7 22 B1 25 98 BA 3D 59

```

```

:          53 B7 FA 1E 20 B2 C8 51 16 23 75 93
:          51 E7 AB CD F1
502 02    64:    INTEGER
:          2C F0 24 5B FA A0 CD 85 22 EA D0 6E
:          4F FA 6C CD 21 D3 C8 E4 F1 84 44 48
:          64 73 D7 29 8F 7E 46 8C EC 15 DE E4
:          51 B3 94 E7 2C 99 2D 55 65 7B 24 EA
:          A3 62 1F 3E 6C 4D 67 41 11 3B E1 BE
:          E9 83 02 83
568 02    64:    INTEGER
:          58 88 D9 A1 50 38 84 6A AB 03 BC BB
:          DF 4B F4 9C 6F B8 B4 2A 25 FB F6 E4
:          05 2F 6E E2 88 89 21 6F 4B 25 9E D0
:          AB 50 93 CA BF 40 71 EC 21 25 C5 7F
:          FB 02 E9 21 96 B8 33 CD E2 C6 95 EE
:          6F 8D 5F 28
:          }
:      }
:  }

```

BobPrivRSAEncrypt =

```

0 30    645: SEQUENCE {
4 02     1:    INTEGER 0
7 30    13:    SEQUENCE {
9 06     9:      OBJECT IDENTIFIER
:          rsaEncryption (1 2 840 113549 1 1 1)
:          (PKCS #1)
20 05    0:      NULL
:      }
22 04   608:    OCTET STRING, encapsulates {
26 30   604:      SEQUENCE {
30 02     1:      INTEGER 0
33 02   129:      INTEGER
:          00 A9 E1 67 98 3F 39 D5 5F F2 A0 93
:          41 5E A6 79 89 85 C8 35 5D 9A 91 5B
:          FB 1D 01 DA 19 70 26 17 0F BD A5 22
:          D0 35 85 6D 7A 98 66 14 41 5C CF B7
:          B7 08 3B 09 C9 91 B8 19 69 37 6D F9
:          65 1E 7B D9 A9 33 24 A3 7F 3B BB AF
:          46 01 86 36 34 32 CB 07 03 59 52 FC
:          85 8B 31 04 B8 CC 18 08 14 48 E6 4F
:          1C FB 5D 60 C4 E0 5C 1F 53 D3 7F 53
:          D8 69 01 F1 05 F8 7A 70 D1 BE 83 C6
:          5F 38 CF 1C 2C AA 6A A7 EB
165 02    3:      INTEGER 65537
170 02   128:      INTEGER
:          67 CD 48 4C 9A 0D 8F 98 C2 1B 65 FF
:          22 83 9C 6D F0 A6 06 1D BC ED A7 03
:          88 94 F2 1C 6B 0F 8B 35 DE 0E 82 78
:          30 CB E7 BA 6A 56 AD 77 C6 EB 51 79
:          70 79 0A A0 F4 FE 45 E0 A9 B2 F4 19

```

```

:      DA 87 98 D6 30 84 74 E4 FC 59 6C C1
:      C6 77 DC A9 91 D0 7C 30 A0 A2 C5 08
:      5E 21 71 43 FC 0D 07 3D F0 FA 6D 14
:      9E 4E 63 F0 17 58 79 1C 4B 98 1C 3D
:      3D B0 1B DF FA 25 3B A3 C0 2C 98 05
:      F6 10 09 D8 87 DB 03 19
301 02 65:      INTEGER
:      00 D0 C3 22 C6 DE A2 99 18 76 8F 8D
:      BC A6 75 D6 66 3F D4 8D 45 52 8C 76
:      F5 72 C4 EB F0 46 9A F1 3E 5C AA 55
:      0B 9B DA DD 6B 6D F8 FC 3B 3C 08 43
:      93 B5 5B FE CE EA FD 68 84 23 62 AF
:      F3 31 C2 B9 E5
368 02 65:      INTEGER
:      00 D0 51 FC 1E 22 B7 5B ED B5 8E 01
:      C8 D7 AB F2 58 D4 F7 82 94 F3 53 A8
:      19 45 CB 66 CA 28 19 5F E2 10 2B F3
:      8F EC 6A 30 74 F8 4D 11 F4 A7 C4 20
:      B5 47 21 DC 49 01 F9 0A 20 29 F0 24
:      08 84 60 7D 8F
435 02 64:      INTEGER
:      34 BA 64 C9 48 28 57 74 D7 55 50 DE
:      6A 48 EF 1B 2A 5A 1C 48 7B 1E 21 59
:      C3 60 3B 9B 97 A9 C0 EF 18 66 A9 4E
:      62 52 38 84 CE E5 09 88 48 94 69 C5
:      20 14 99 5A 57 FE 23 6C E4 A7 23 7B
:      D0 80 B7 85
501 02 65:      INTEGER
:      00 9E 2F B3 37 9A FB 0B 06 5D 57 E1
:      09 06 A4 5D D9 90 96 06 05 5F 24 06
:      40 72 9C 3A 88 85 9C 87 0F 9D 62 12
:      88 16 68 A8 35 1A 1B 43 E8 38 C0 98
:      69 AF 03 0A 48 32 04 4E E9 0F 8F 77
:      7D 34 30 25 07
568 02 64:      INTEGER
:      57 18 67 D6 0A D2 B5 AB C2 BA 7A E7
:      54 DA 9C 05 4F 81 D4 EF 01 89 1E 32
:      3D 69 CB 31 C4 52 C8 54 55 25 00 3B
:      1C 2A 7C 26 50 D5 E9 A6 D7 77 CB CF
:      15 F5 EE 0B D5 8D EE B3 AF 4C A1 7C
:      63 46 41 F6
:      }
:      }
634 A0 13:      [0] {
636 30 11:      SEQUENCE {
638 06 3:      OBJECT IDENTIFIER keyUsage (2 5 29 15)
:      (X.509 id-ce (2 5 29))
643 31 4:      SET {
645 03 2:      BIT STRING 0 unused bits
:      '00001000'B (bit 3)
:      Error: Spurious zero bits in bitstring.

```

```

:      }
:    }
:  }
: }

```

CarlPrivDSSSign =

```

 0 30 330: SEQUENCE {
 4 02 1: INTEGER 0
 7 30 299: SEQUENCE {
11 06 7: OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
20 30 286: SEQUENCE {
24 02 129: INTEGER
: 00 B6 49 18 3E 8A 44 C1 29 71 94 4C
: 01 C4 12 C1 7A 79 CB 54 4D AB 1E 81
: FB C6 4C B3 0E 94 09 06 EB 01 D4 B1
: C8 71 4B C7 45 C0 50 25 5D 9C FC DA
: E4 6D D3 E2 86 48 84 82 7D BA 15 95
: 4A 16 F6 46 ED DD F6 98 D2 BB 7E 8A
: 0A 8A BA 16 7B B9 50 01 48 93 8B EB
: 25 15 51 97 55 DC 8F 53 0E 10 A9 50
: FC 70 B7 CD 30 54 FD DA DE A8 AA 22
: B5 A1 AF 8B CC 02 88 E7 8B 70 5F B9
: AD E1 08 D4 6D 29 2D D6 E9
156 02 21: INTEGER
: 00 DD C1 2F DF 53 CE 0B 34 60 77 3E
: 02 A4 BF 8A 5D 98 B9 10 D5
179 02 128: INTEGER
: 0C EE 57 9B 4B BD DA B6 07 6A 74 37
: 4F 55 7F 9D ED BC 61 0D EB 46 59 3C
: 56 0B 2B 5B 0C 91 CE A5 62 52 69 CA
: E1 6D 3E BD BF FE E1 B7 B9 2B 61 3C
: AD CB AE 45 E3 06 AC 8C 22 9D 9C 44
: 87 0B C7 CD F0 1C D9 B5 4E 5D 73 DE
: AF 0E C9 1D 5A 51 F5 4F 44 79 35 5A
: 73 AA 7F 46 51 1F A9 42 16 9C 48 EB
: 8A 79 61 B4 D5 2F 53 22 44 63 1F 86
: B8 A3 58 06 25 F8 29 C0 EF BA E0 75
: F0 42 C4 63 65 52 9B 0A
: }
: }
310 04 22: OCTET STRING, encapsulates {
312 02 20: INTEGER
: 19 B3 38 A5 21 62 31 50 E5 7F B9 3E
: 08 46 78 D1 3E B5 E5 72
: }
: }

```

CarlPrivRSASign =

```

 0 30 630: SEQUENCE {
 4 02 1: INTEGER 0

```



```

7 30 13: SEQUENCE {
9 06 9:   OBJECT IDENTIFIER
      :   rsaEncryption (1 2 840 113549 1 1 1)
      :   (PKCS #1)
20 05 0:   NULL
      :   }
22 04 608: OCTET STRING, encapsulates {
26 30 604:   SEQUENCE {
30 02 1:     INTEGER 0
33 02 129:    INTEGER
      :      00 E4 4B FF 18 B8 24 57 F4 77 FF 6E
      :      73 7B 93 71 5C BC 33 1A 92 92 72 23
      :      D8 41 46 D0 CD 11 3A 04 B3 8E AF 82
      :      9D BD 51 1E 17 7A F2 76 2C 2B 86 39
      :      A7 BD D7 8D 1A 53 EC E4 00 D5 E8 EC
      :      A2 36 B1 ED E2 50 E2 32 09 8A 3F 9F
      :      99 25 8F B8 4E AB B9 7D D5 96 65 DA
      :      16 A0 C5 BE 0E AE 44 5B EF 5E F4 A7
      :      29 CB 82 DD AC 44 E9 AA 93 94 29 0E
      :      F8 18 D6 C8 57 5E F2 76 C4 F2 11 60
      :      38 B9 1B 3C 1D 97 C9 6A F1
165 02 3:   INTEGER 65537
170 02 129:  INTEGER
      :      00 AE 73 E4 5B 5F 5B 66 5A C9 D7 C6
      :      EF 38 5F 53 21 2A 2F 62 FE DE 29 9A
      :      7A 86 67 36 E7 7D 62 78 75 3D 73 A0
      :      BC 29 0E F3 8F BD C3 C9 C9 B6 F8 BA
      :      D6 13 9B C3 97 7A CA 6A F0 B8 85 65
      :      4E 0F BD A7 A8 F7 54 06 41 BD EB DC
      :      20 77 90 DF 61 9B 9A 6F 74 DE EA 3B
      :      D4 9C 87 60 ED 76 84 F1 6A 30 37 D5
      :      E0 90 16 F8 80 47 C3 19 6B ED 75 77
      :      BA 4A ED 39 B6 5D 02 47 3B 5F 1B C8
      :      1C AB CB E8 F5 26 3F A4 81
302 02 65:  INTEGER
      :      00 FF DF 09 A0 56 0B 42 52 9E C4 4D
      :      93 B3 B0 49 BB DE E7 81 7D 28 99 D0
      :      B1 48 BA 0B 39 E1 1C 7B 22 18 33 B6
      :      40 F6 BF DC AE 1D D0 A1 AD 04 71 5A
      :      61 0A 6E 3B CE 30 DA 36 9F 65 25 29
      :      BB A7 0E 7F 0B
369 02 65:  INTEGER
      :      00 E4 69 68 18 5F F9 57 D0 7C 66 89
      :      0F BA 63 1D 72 CB 20 A4 81 76 64 89
      :      CD 7D D1 C2 27 A9 2E AC 7A 56 9A 85
      :      07 D9 30 03 A3 03 AB 7F 88 92 50 24
      :      01 AA 1B 07 1F 20 4C B7 C9 7B 56 F7
      :      B6 C2 7E AB 73
436 02 64:  INTEGER
      :      57 36 6C 8F 8C 04 76 6C B6 D4 EE 24
      :      44 00 F8 80 E2 AF 42 01 A9 0F 14 84

```

```

:      F8 E7 00 E0 8F 8C 27 A4 2D 5F A2 E5
:      6D B5 63 C0 AD 44 E9 76 91 A7 19 49
:      2E 46 F8 77 85 4B 3B 87 04 F0 AF D2
:      D8 54 26 95
502 02 64:      INTEGER
:      64 A1 0F AC 55 74 1B BD 0D 61 7B 17
:      03 CD B0 E6 A7 19 1D 80 AF F1 41 48
:      D8 1A B6 88 14 A0 2C 7A C5 76 D4 0F
:      0E 1F 7A 2A B2 6E 37 04 AB 39 45 73
:      BA 46 A8 0F 8D 82 5F 22 14 05 CF A2
:      A3 F3 7C 83
568 02 64:      INTEGER
:      26 1E 1D 1C A1 98 2B E4 DB 38 E8 57
:      6E 6B 73 19 88 61 3A FA 74 4A 36 8B
:      47 68 5D 50 EB 26 E3 EA 7D 9B 4E 65
:      A9 AF 7B AB 4B 2E 76 51 3D A8 D0 11
:      AB A3 D6 A8 C0 27 36 1D 54 0B AA A7
:      D1 6D 8D FA
:      }
:      }
:      }

```

DianePrivDSSSign =

```

0 30 331: SEQUENCE {
4 02 1: INTEGER 0
7 30 299: SEQUENCE {
11 06 7: OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
20 30 286: SEQUENCE {
24 02 129: INTEGER
: 00 B6 49 18 3E 8A 44 C1 29 71 94 4C
: 01 C4 12 C1 7A 79 CB 54 4D AB 1E 81
: FB C6 4C B3 0E 94 09 06 EB 01 D4 B1
: C8 71 4B C7 45 C0 50 25 5D 9C FC DA
: E4 6D D3 E2 86 48 84 82 7D BA 15 95
: 4A 16 F6 46 ED DD F6 98 D2 BB 7E 8A
: 0A 8A BA 16 7B B9 50 01 48 93 8B EB
: 25 15 51 97 55 DC 8F 53 0E 10 A9 50
: FC 70 B7 CD 30 54 FD DA DE A8 AA 22
: B5 A1 AF 8B CC 02 88 E7 8B 70 5F B9
: AD E1 08 D4 6D 29 2D D6 E9
156 02 21: INTEGER
: 00 DD C1 2F DF 53 CE 0B 34 60 77 3E
: 02 A4 BF 8A 5D 98 B9 10 D5
179 02 128: INTEGER
: 0C EE 57 9B 4B BD DA B6 07 6A 74 37
: 4F 55 7F 9D ED BC 61 0D EB 46 59 3C
: 56 0B 2B 5B 0C 91 CE A5 62 52 69 CA
: E1 6D 3E BD BF FE E1 B7 B9 2B 61 3C
: AD CB AE 45 E3 06 AC 8C 22 9D 9C 44
: 87 0B C7 CD F0 1C D9 B5 4E 5D 73 DE

```

```

:      AF 0E C9 1D 5A 51 F5 4F 44 79 35 5A
:      73 AA 7F 46 51 1F A9 42 16 9C 48 EB
:      8A 79 61 B4 D5 2F 53 22 44 63 1F 86
:      B8 A3 58 06 25 F8 29 C0 EF BA E0 75
:      F0 42 C4 63 65 52 9B 0A
:      }
:      }
310 04 23: OCTET STRING, encapsulates {
312 02 21:     INTEGER
:           00 96 95 F9 E0 C1 E0 41 2D 32 0F 8B
:           42 52 93 2A E6 1E 0E 21 29
:           }
:      }

```

DianePrivRSASignEncrypt =

```

0 30 631: SEQUENCE {
4 02 1:   INTEGER 0
7 30 13:  SEQUENCE {
9 06 9:   OBJECT IDENTIFIER
:         rsaEncryption (1 2 840 113549 1 1 1)
:         (PKCS #1)
20 05 0:   NULL
:       }
22 04 609: OCTET STRING, encapsulates {
26 30 605:   SEQUENCE {
30 02 1:     INTEGER 0
33 02 129:   INTEGER
:           00 D6 FD B8 C0 70 C6 4C 25 EC EA CF
:           EA 7C BB A2 62 FA F0 E6 32 3A 53 FF
:           B1 92 5A 17 F4 20 E1 99 24 82 0A D0
:           F6 7C FB 44 CA 8B 27 06 F1 7E 26 03
:           A9 76 9D CF EC A0 2C 70 96 F2 83 42
:           F6 D4 B7 28 0A BB F8 BF 4A 4C 19 3F
:           07 DB A0 C1 60 1E B7 7E 67 F7 DE B1
:           C3 60 49 AC 45 D7 F8 C6 EF 08 37 21
:           93 47 EE F0 73 35 72 B0 02 C4 F3 11
:           C3 5E 47 E5 0A B7 83 F1 DB 74 69 64
:           8B 44 1D 95 5D CD 28 C0 85
165 02 3:   INTEGER 65537
170 02 128:  INTEGER
:           3D BD CD C2 0E 61 14 5B 4B E7 BF 60
:           23 04 2B C5 6B 35 A5 96 45 23 FC 69
:           7D 93 3C 0F D3 25 96 BA 62 52 42 E2
:           96 CF FE 58 80 8F EB B1 8C BD D4 0D
:           65 D0 3A 77 45 24 9E 0C EB 86 80 C3
:           AC 21 11 71 44 E3 B2 A8 A9 2E AC 17
:           D2 A3 84 25 63 B5 BC 2F 1E DD F6 21
:           FF 15 20 24 5B F1 80 2F D5 41 0E 32
:           24 F7 D4 4A 32 9E B9 49 D8 19 8E 3F
:           39 8D 62 BD 80 FC 0C 24 92 93 E4 C3
:           D7 05 91 53 BB 96 B6 41

```

```

301 02 65:      INTEGER
      :      00 F3 B8 3F 4A D1 94 B0 91 60 13 41
      :      92 0D 8D 44 3F 77 1D FF 96 23 44 08
      :      D4 0B 70 C9 1A AF E9 90 94 F2 B0 D5
      :      5F 4F 19 85 50 A1 90 91 AE BD 05 76
      :      52 B3 22 D8 A8 7C 8E 54 7F 00 72 4F
      :      36 75 68 73 B5
368 02 65:      INTEGER
      :      00 E1 D2 E7 11 57 06 AE 72 95 22 16
      :      AA 02 B4 5A ED 4E 9D 82 11 4F 96 3C
      :      86 C9 10 8D 56 7B 31 75 79 69 E7 75
      :      68 38 00 4B 2E D2 26 32 DD B1 E2 E0
      :      2C 54 80 0A 75 BA D1 66 96 1B B0 0E
      :      A0 7E D2 BB 91
435 02 65:      INTEGER
      :      00 AF B6 BC DB 22 73 43 41 EC B4 B5
      :      67 A9 A1 99 FC EF D2 8E FD 1D FB E5
      :      29 8B FE 0A DF D4 C8 5E 57 25 0A 5D
      :      2B D4 09 A0 56 5B C5 B1 62 FC 20 BE
      :      08 2D E3 07 B5 A1 E7 B3 FF C4 C0 A5
      :      5F AC 12 5C A9
502 02 65:      INTEGER
      :      00 B9 98 41 FC 08 50 1F 73 60 8A 01
      :      A2 7C 52 8A 20 5A EA 2C 89 D9 A5 19
      :      DD 94 C6 1B C3 25 C0 82 51 E4 EE 2B
      :      9A 19 DC 73 ED E9 1D 27 D4 F8 6C 03
      :      DD AB 1D 08 7B B5 AC 7F E9 82 9B F1
      :      89 8A 71 DB 61
569 02 64:      INTEGER
      :      01 07 21 97 5F 7A 60 A8 FD 5A 5C 07
      :      DF A8 DE F7 E2 B1 34 7D FC EB 91 BD
      :      B0 73 74 C8 C4 BE 3F 58 45 30 06 90
      :      B3 AC 69 CC B3 F7 3F 7C AC C7 B8 1B
      :      65 A1 16 39 39 B0 E3 74 7D CF CD C5
      :      AC 6C BF E5
      :      }
      :      }
      :      }

```

[2.3](#) Certificates

```

AliceDSSSignByCarlNoInherit =
  0 30 732: SEQUENCE {
    4 30 667: SEQUENCE {
      8 A0 3: [0] {
        10 02 1: INTEGER 2
        :      }
        13 02 2: INTEGER 200
        17 30 9: SEQUENCE {
          19 06 7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)

```

```

:      (ANSI X9.57 algorithm)
:    }
28 30 18: SEQUENCE {
30 31 16:   SET {
32 30 14:     SEQUENCE {
34 06  3:       OBJECT IDENTIFIER commonName (2 5 4 3)
:         (X.520 id-at (2 5 4))
39 13  7:       PrintableString 'CarlDSS'
:     }
:   }
: }
48 30 30: SEQUENCE {
50 17 13:   UTCTime '990817011049Z'
65 17 13:   UTCTime '391231235959Z'
: }
80 30 19: SEQUENCE {
82 31 17:   SET {
84 30 15:     SEQUENCE {
86 06  3:       OBJECT IDENTIFIER commonName (2 5 4 3)
:         (X.520 id-at (2 5 4))
91 13  8:       PrintableString 'AliceDSS'
:     }
:   }
: }
101 30 438: SEQUENCE {
105 30 299:   SEQUENCE {
109 06  7:     OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
:       (ANSI X9.57 algorithm)
118 30 286:     SEQUENCE {
122 02 129:       INTEGER
:         00 81 8D CD ED 83 EA 0A 9E 39 3E C2
:         48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
:         53 C5 AB 84 08 4F FF 94 E1 73 48 7E
:         0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
:         2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
:         DC 5F 69 8A E4 75 D0 37 0C 91 08 95
:         9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
:         8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
:         C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
:         78 BD FF 9D B0 84 97 37 F2 E4 51 1B
:         B5 E4 09 96 5C F3 7E 5B DB
254 02 21:       INTEGER
:         00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
:         B8 37 21 2B 62 8B F7 93 CD
277 02 128:     INTEGER
:       26 38 D0 14 89 32 AA 39 FB 3E 6D D9
:       4B 59 6A 4C 76 23 39 04 02 35 5C F2
:       CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
:       AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
:       7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
:       3E 90 F8 6D EA 9C C9 21 8A 3B 76 14

```

```

:          E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
:          01 7C 6D 49 89 11 89 36 44 BD F8 C8
:          95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
:          1F 11 7F C2 BD ED D1 50 FF 98 74 C2
:          D1 81 4A 60 39 BA 36 39
:      }
:  }
408 03 132:  BIT STRING 0 unused bits, encapsulates {
412 02 128:  INTEGER
:          5C E3 B9 5A 75 14 96 0B A9 7A DD E3
:          3F A9 EC AC 5E DC BD B7 13 11 34 A6
:          16 89 28 11 23 D9 34 86 67 75 75 13
:          12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
:          1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
:          A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
:          7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
:          08 BF 66 14 80 5C 62 AC 65 FA 15 8B
:          F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
:          32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:          F2 A5 E2 F4 F2 83 E5 B8
:      }
:  }
543 A3 129:  [3] {
546 30 127:  SEQUENCE {
548 30 12:  SEQUENCE {
550 06 3:  OBJECT IDENTIFIER
:          basicConstraints (2 5 29 19)
:          (X.509 id-ce (2 5 29))
555 01 1:  BOOLEAN TRUE
558 04 2:  OCTET STRING, encapsulates {
560 30 0:  SEQUENCE {}
:          }
:      }
562 30 14:  SEQUENCE {
564 06 3:  OBJECT IDENTIFIER keyUsage (2 5 29 15)
:          (X.509 id-ce (2 5 29))
569 01 1:  BOOLEAN TRUE
572 04 4:  OCTET STRING, encapsulates {
574 03 2:  BIT STRING 6 unused bits
:          '11'B
:          }
:      }
578 30 31:  SEQUENCE {
580 06 3:  OBJECT IDENTIFIER
:          authorityKeyIdentifier (2 5 29 35)
:          (X.509 id-ce (2 5 29))
585 04 24:  OCTET STRING, encapsulates {
587 30 22:  SEQUENCE {
589 80 20:  [0]
:          70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:          3D 20 BC 43 2B 93 F1 1F

```

```

:           }
:           }
:       }
611 30 29:   SEQUENCE {
613 06 3:   OBJECT IDENTIFIER
:           subjectKeyIdentifier (2 5 29 14)
:           (X.509 id-ce (2 5 29))
618 04 22:   OCTET STRING, encapsulates {
620 04 20:   OCTET STRING
:           BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
:           13 01 E2 FD E3 97 FE CD
:       }
:   }
642 30 31:   SEQUENCE {
644 06 3:   OBJECT IDENTIFIER subjectAltName (2 5 29 17)
:           (X.509 id-ce (2 5 29))
649 04 24:   OCTET STRING, encapsulates {
651 30 22:   SEQUENCE {
653 81 20:   [1] 'AliceDSS@example.com'
:       }
:   }
:   }
:   }
:   }
675 30 9:   SEQUENCE {
677 06 7:   OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
:           (ANSI X9.57 algorithm)
:       }
686 03 48:   BIT STRING 0 unused bits, encapsulates {
689 30 45:   SEQUENCE {
691 02 20:   INTEGER
:           55 0C A4 19 1F 42 2B 89 71 22 33 8D
:           83 6A B5 3D 67 6B BF 45
713 02 21:   INTEGER
:           00 9F 61 53 52 54 0B 5C B2 DD DA E7
:           76 1D E2 10 52 5B 43 5E BD
:       }
:   }
: }

```

AliceRSASignByCarl =

```

0 30 556: SEQUENCE {
4 30 405:   SEQUENCE {
8 A0 3:   [0] {
10 02 1:   INTEGER 2
:       }
13 02 16:   INTEGER
:           46 34 6B C7 80 00 56 BC 11 D3 6E 2E
:           C4 10 B3 B0
31 30 13:   SEQUENCE {

```

```

33 06    9:    OBJECT IDENTIFIER
           :    sha1withRSAEncryption (1 2 840 113549 1 1 5)
           :    (PKCS #1)
44 05    0:    NULL
           :    }
46 30   18:    SEQUENCE {
48 31   16:    SET {
50 30   14:    SEQUENCE {
52 06    3:    OBJECT IDENTIFIER commonName (2 5 4 3)
           :    (X.520 id-at (2 5 4))
57 13    7:    PrintableString 'CarlRSA'
           :    }
           :    }
           :    }
66 30   30:    SEQUENCE {
68 17   13:    UTCTime '990919010847Z'
83 17   13:    UTCTime '391231235959Z'
           :    }
98 30   19:    SEQUENCE {
100 31  17:    SET {
102 30   15:    SEQUENCE {
104 06    3:    OBJECT IDENTIFIER commonName (2 5 4 3)
           :    (X.520 id-at (2 5 4))
109 13    8:    PrintableString 'AliceRSA'
           :    }
           :    }
           :    }
119 30  159:    SEQUENCE {
122 30   13:    SEQUENCE {
124 06    9:    OBJECT IDENTIFIER
           :    rsaEncryption (1 2 840 113549 1 1 1)
           :    (PKCS #1)
135 05    0:    NULL
           :    }
137 03  141:    BIT STRING 0 unused bits, encapsulates {
141 30  137:    SEQUENCE {
144 02  129:    INTEGER
           :    00 E0 89 73 39 8D D8 F5 F5 E8 87 76
           :    39 7F 4E B0 05 BB 53 83 DE 0F B7 AB
           :    DC 7D C7 75 29 0D 05 2E 6D 12 DF A6
           :    86 26 D4 D2 6F AA 58 29 FC 97 EC FA
           :    82 51 0F 30 80 BE B1 50 9E 46 44 F1
           :    2C BB D8 32 CF C6 68 6F 07 D9 B0 60
           :    AC BE EE 34 09 6A 13 F5 F7 05 05 93
           :    DF 5E BA 35 56 D9 61 FF 19 7F C9 81
           :    E6 F8 6C EA 87 40 70 EF AC 6D 2C 74
           :    9F 2D FA 55 3A B9 99 77 02 A6 48 52
           :    8C 4E F3 57 38 57 74 57 5F
276 02    3:    INTEGER 65537
           :    }
           :    }

```



```

      :
      : }
281 A3 129: [3] {
284 30 127:   SEQUENCE {
286 30 12:     SEQUENCE {
288 06 3:       OBJECT IDENTIFIER
      :         basicConstraints (2 5 29 19)
      :         (X.509 id-ce (2 5 29))
293 01 1:       BOOLEAN TRUE
296 04 2:       OCTET STRING, encapsulates {
298 30 0:         SEQUENCE {}
      :       }
      :     }
300 30 14:   SEQUENCE {
302 06 3:     OBJECT IDENTIFIER keyUsage (2 5 29 15)
      :       (X.509 id-ce (2 5 29))
307 01 1:     BOOLEAN TRUE
310 04 4:     OCTET STRING, encapsulates {
312 03 2:       BIT STRING 6 unused bits
      :         '11'B
      :       }
      :     }
316 30 31:   SEQUENCE {
318 06 3:     OBJECT IDENTIFIER
      :       authorityKeyIdentifier (2 5 29 35)
      :       (X.509 id-ce (2 5 29))
323 04 24:     OCTET STRING, encapsulates {
325 30 22:       SEQUENCE {
327 80 20:         [0]
      :           E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
      :           42 37 4E 22 AE 9E 38 BB
      :         }
      :       }
      :     }
349 30 29:   SEQUENCE {
351 06 3:     OBJECT IDENTIFIER
      :       subjectKeyIdentifier (2 5 29 14)
      :       (X.509 id-ce (2 5 29))
356 04 22:     OCTET STRING, encapsulates {
358 04 20:       OCTET STRING
      :         77 D2 B4 D1 B7 4C 8A 8A A3 CE 45 9D
      :         CE EC 3C A0 3A E3 FF 50
      :       }
      :     }
380 30 31:   SEQUENCE {
382 06 3:     OBJECT IDENTIFIER subjectAltName (2 5 29 17)
      :       (X.509 id-ce (2 5 29))
387 04 24:     OCTET STRING, encapsulates {
389 30 22:       SEQUENCE {
391 81 20:         [1] 'AliceRSA@example.com'
      :       }
      :     }

```

```

:      }
:      }
:      }
:      }
413 30 13: SEQUENCE {
415 06 9:   OBJECT IDENTIFIER
:         sha1withRSAEncryption (1 2 840 113549 1 1 5)
:         (PKCS #1)
426 05 0:   NULL
:         }
428 03 129: BIT STRING 0 unused bits
:          3E 70 47 A8 48 CC 13 58 8F CA 51 71
:          6B 4E 36 18 5D 04 7E 80 B1 8D 4D CC
:          CA A3 8F CC 7D 56 C8 BC CF 6E B3 1C
:          59 A9 20 AA 05 81 A8 4E 25 AD A7 70
:          14 75 2F F5 C7 9B D1 0E E9 63 D2 64
:          B7 C6 66 6E 73 21 54 DF F4 BA 25 5D
:          7D 49 D3 94 6B 22 36 74 73 B8 4A EC
:          2F 64 ED D3 3D D2 A7 42 C5 E8 37 8A
:          B4 DB 9F 67 E4 BD 9F F9 FE 74 EF EA
:          F9 EE 63 6A D8 3F 4B 25 09 B5 D8 1A
:          76 AE EB 9B DB 49 B0 22
:      }

```

BobRSASignByCarl =

```

0 30 551: SEQUENCE {
4 30 400:   SEQUENCE {
8 A0 3:     [0] {
10 02 1:      INTEGER 2
:           }
13 02 16:    INTEGER
:           46 34 6B C7 80 00 56 BC 11 D3 6E 2E
:           CD 5D 71 D0
31 30 13:    SEQUENCE {
33 06 9:      OBJECT IDENTIFIER
:             sha1withRSAEncryption (1 2 840 113549 1 1 5)
:             (PKCS #1)
44 05 0:      NULL
:           }
46 30 18:    SEQUENCE {
48 31 16:      SET {
50 30 14:        SEQUENCE {
52 06 3:          OBJECT IDENTIFIER commonName (2 5 4 3)
:              (X.520 id-at (2 5 4))
57 13 7:          PrintableString 'CarlRSA'
:              }
:          }
:      }
66 30 30:    SEQUENCE {
68 17 13:      UTCTime '990919010902Z'

```

```

83 17 13:      UTCTime '391231235959Z'
      :      }
98 30 17:      SEQUENCE {
100 31 15:      SET {
102 30 13:      SEQUENCE {
104 06 3:      OBJECT IDENTIFIER commonName (2 5 4 3)
      :      (X.520 id-at (2 5 4))
109 13 6:      PrintableString 'BobRSA'
      :      }
      :      }
      :      }
117 30 159:     SEQUENCE {
120 30 13:     SEQUENCE {
122 06 9:     OBJECT IDENTIFIER
      :     rsaEncryption (1 2 840 113549 1 1 1)
      :     (PKCS #1)
133 05 0:     NULL
      :     }
135 03 141:     BIT STRING 0 unused bits, encapsulates {
139 30 137:     SEQUENCE {
142 02 129:     INTEGER
      :     00 A9 E1 67 98 3F 39 D5 5F F2 A0 93
      :     41 5E A6 79 89 85 C8 35 5D 9A 91 5B
      :     FB 1D 01 DA 19 70 26 17 0F BD A5 22
      :     D0 35 85 6D 7A 98 66 14 41 5C CF B7
      :     B7 08 3B 09 C9 91 B8 19 69 37 6D F9
      :     65 1E 7B D9 A9 33 24 A3 7F 3B BB AF
      :     46 01 86 36 34 32 CB 07 03 59 52 FC
      :     85 8B 31 04 B8 CC 18 08 14 48 E6 4F
      :     1C FB 5D 60 C4 E0 5C 1F 53 D3 7F 53
      :     D8 69 01 F1 05 F8 7A 70 D1 BE 83 C6
      :     5F 38 CF 1C 2C AA 6A A7 EB
274 02 3:     INTEGER 65537
      :     }
      :     }
      :     }
279 A3 127:     [3] {
281 30 125:     SEQUENCE {
283 30 12:     SEQUENCE {
285 06 3:     OBJECT IDENTIFIER
      :     basicConstraints (2 5 29 19)
      :     (X.509 id-ce (2 5 29))
290 01 1:     BOOLEAN TRUE
293 04 2:     OCTET STRING, encapsulates {
295 30 0:     SEQUENCE {}
      :     }
      :     }
297 30 14:     SEQUENCE {
299 06 3:     OBJECT IDENTIFIER keyUsage (2 5 29 15)
      :     (X.509 id-ce (2 5 29))
304 01 1:     BOOLEAN TRUE

```

```

307 04    4:      OCTET STRING, encapsulates {
309 03    2:      BIT STRING 5 unused bits
              :      '100'B (bit 2)
              :      }
              :    }
313 30   31:    SEQUENCE {
315 06    3:      OBJECT IDENTIFIER
              :      authorityKeyIdentifier (2 5 29 35)
              :      (X.509 id-ce (2 5 29))
320 04   24:      OCTET STRING, encapsulates {
322 30   22:          SEQUENCE {
324 80   20:              [0]
              :              E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
              :              42 37 4E 22 AE 9E 38 BB
              :              }
              :          }
              :      }
346 30   29:    SEQUENCE {
348 06    3:      OBJECT IDENTIFIER
              :      subjectKeyIdentifier (2 5 29 14)
              :      (X.509 id-ce (2 5 29))
353 04   22:      OCTET STRING, encapsulates {
355 04   20:          OCTET STRING
              :          E8 F4 B8 67 D8 B3 96 A4 2A F3 11 AA
              :          29 D3 95 5A 86 16 B4 24
              :          }
              :      }
377 30   29:    SEQUENCE {
379 06    3:      OBJECT IDENTIFIER subjectAltName (2 5 29 17)
              :      (X.509 id-ce (2 5 29))
384 04   22:      OCTET STRING, encapsulates {
386 30   20:          SEQUENCE {
388 81   18:              [1] 'BobRSA@example.com'
              :              }
              :          }
              :      }
              :  }
              :  }
408 30   13:    SEQUENCE {
410 06    9:      OBJECT IDENTIFIER
              :      sha1withRSAEncryption (1 2 840 113549 1 1 5)
              :      (PKCS #1)
421 05    0:      NULL
              :      }
423 03  129:    BIT STRING 0 unused bits
              :      7B 8E 66 C5 F1 10 3F 10 20 4C 88 71
              :      AB 7B 40 6B 21 33 FA 4A 95 DE 9D 0E
              :      5B 6B 94 21 05 C0 F2 E1 7E 2A CD 9C
              :      93 88 87 FB 8B B7 7E 7D 41 61 E1 E4
              :      D6 6D F9 E2 04 55 61 45 BC 64 27 44

```

```

:      C0 A1 BD 59 79 D9 1D 64 3C 21 D6 45
:      B0 5D 68 33 92 EA AC F1 57 E5 81 7D
:      98 E6 35 91 A3 39 DE 77 F4 E8 1C 3B
:      29 DC 7F 51 07 97 F3 36 F0 50 0A DD
:      9B DE B6 5E 38 11 2B FB 57 EA 89 6D
:      AD C9 88 D8 8F CF 2B D3
:      }

```

CarlDSSSelf =

```

 0 30 667: SEQUENCE {
 4 30 602:   SEQUENCE {
 8 A0 3:     [0] {
10 02 1:     INTEGER 2
:           }
13 02 1:     INTEGER 1
16 30 9:     SEQUENCE {
18 06 7:     OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
:           (ANSI X9.57 algorithm)
:           }
27 30 18:    SEQUENCE {
29 31 16:    SET {
31 30 14:    SEQUENCE {
33 06 3:     OBJECT IDENTIFIER commonName (2 5 4 3)
:           (X.520 id-at (2 5 4))
38 13 7:     PrintableString 'CarlDSS'
:           }
:         }
:       }
47 30 30:    SEQUENCE {
49 17 13:    UTCTime '990816225050Z'
64 17 13:    UTCTime '391231235959Z'
:         }
79 30 18:    SEQUENCE {
81 31 16:    SET {
83 30 14:    SEQUENCE {
85 06 3:     OBJECT IDENTIFIER commonName (2 5 4 3)
:           (X.520 id-at (2 5 4))
90 13 7:     PrintableString 'CarlDSS'
:           }
:         }
:       }
99 30 439:   SEQUENCE {
103 30 299:   SEQUENCE {
107 06 7:     OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
:           (ANSI X9.57 algorithm)
116 30 286:   SEQUENCE {
120 02 129:   INTEGER
:           00 B6 49 18 3E 8A 44 C1 29 71 94 4C
:           01 C4 12 C1 7A 79 CB 54 4D AB 1E 81
:           FB C6 4C B3 0E 94 09 06 EB 01 D4 B1
:           C8 71 4B C7 45 C0 50 25 5D 9C FC DA

```

```

:      E4 6D D3 E2 86 48 84 82 7D BA 15 95
:      4A 16 F6 46 ED DD F6 98 D2 BB 7E 8A
:      0A 8A BA 16 7B B9 50 01 48 93 8B EB
:      25 15 51 97 55 DC 8F 53 0E 10 A9 50
:      FC 70 B7 CD 30 54 FD DA DE A8 AA 22
:      B5 A1 AF 8B CC 02 88 E7 8B 70 5F B9
:      AD E1 08 D4 6D 29 2D D6 E9
252 02 21:      INTEGER
:      00 DD C1 2F DF 53 CE 0B 34 60 77 3E
:      02 A4 BF 8A 5D 98 B9 10 D5
275 02 128:     INTEGER
:      0C EE 57 9B 4B BD DA B6 07 6A 74 37
:      4F 55 7F 9D ED BC 61 0D EB 46 59 3C
:      56 0B 2B 5B 0C 91 CE A5 62 52 69 CA
:      E1 6D 3E BD BF FE E1 B7 B9 2B 61 3C
:      AD CB AE 45 E3 06 AC 8C 22 9D 9C 44
:      87 0B C7 CD F0 1C D9 B5 4E 5D 73 DE
:      AF 0E C9 1D 5A 51 F5 4F 44 79 35 5A
:      73 AA 7F 46 51 1F A9 42 16 9C 48 EB
:      8A 79 61 B4 D5 2F 53 22 44 63 1F 86
:      B8 A3 58 06 25 F8 29 C0 EF BA E0 75
:      F0 42 C4 63 65 52 9B 0A
:      }
:      }
406 03 133:     BIT STRING 0 unused bits, encapsulates {
410 02 129:     INTEGER
:      00 99 87 74 27 03 66 A0 B1 C0 AD DC
:      2C 75 BB E1 6C 44 9C DA 21 6D 4D 47
:      6D B1 62 09 E9 D8 AE 1E F2 3A B4 94
:      B1 A3 8E 7A 9B 71 4E 00 94 C9 B4 25
:      4E B9 60 96 19 24 01 F3 62 0C FE 75
:      C0 FB CE D8 68 00 E3 FD D5 70 4F DF
:      23 96 19 06 94 F4 B1 61 8F 3A 57 B1
:      08 11 A4 0B 26 25 F0 52 76 81 EA 0B
:      62 0D 95 2A E6 86 BA 72 B2 A7 50 83
:      0B AA 27 CD 1B A9 4D 89 9A D7 8D 18
:      39 84 3F 8B C5 56 4D 80 7A
:      }
:      }
542 A3 66:     [3] {
544 30 64:     SEQUENCE {
546 30 15:     SEQUENCE {
548 06 3:      OBJECT IDENTIFIER
:      basicConstraints (2 5 29 19)
:      (X.509 id-ce (2 5 29))
553 01 1:      BOOLEAN TRUE
556 04 5:      OCTET STRING, encapsulates {
558 30 3:      SEQUENCE {
560 01 1:      BOOLEAN TRUE
:      }
:      }

```

```

:      }
563 30 14: SEQUENCE {
565 06 3:   OBJECT IDENTIFIER keyUsage (2 5 29 15)
:         (X.509 id-ce (2 5 29))
570 01 1:   BOOLEAN TRUE
573 04 4:   OCTET STRING, encapsulates {
575 03 2:     BIT STRING 1 unused bits
:         '1100001'B
:         }
:       }
579 30 29: SEQUENCE {
581 06 3:   OBJECT IDENTIFIER
:         subjectKeyIdentifier (2 5 29 14)
:         (X.509 id-ce (2 5 29))
586 04 22:   OCTET STRING, encapsulates {
588 04 20:     OCTET STRING
:         70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:         3D 20 BC 43 2B 93 F1 1F
:         }
:       }
:     }
:   }
: }
610 30 9: SEQUENCE {
612 06 7:   OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
:         (ANSI X9.57 algorithm)
:       }
621 03 48: BIT STRING 0 unused bits, encapsulates {
624 30 45: SEQUENCE {
626 02 20:   INTEGER
:         6B A9 F0 4E 7A 5A 79 E3 F9 BE 3D 2B
:         C9 06 37 E9 11 17 A1 13
648 02 21:   INTEGER
:         00 8F 34 69 2A 8B B1 3C 03 79 94 32
:         4D 12 1F CE 89 FB 46 B2 3B
:       }
:     }
:   }
: }

```

CarlRSASelf =

```

0 30 491: SEQUENCE {
4 30 340: SEQUENCE {
8 A0 3:   [0] {
10 02 1:   INTEGER 2
:       }
13 02 16:   INTEGER
:         46 34 6B C7 80 00 56 BC 11 D3 6E 2E
:         9F F2 50 20
31 30 13: SEQUENCE {
33 06 9:   OBJECT IDENTIFIER
:         sha1withRSAEncryption (1 2 840 113549 1 1 5)

```

```

      :      (PKCS #1)
44 05    0:      NULL
      :      }
46 30    18:    SEQUENCE {
48 31    16:      SET {
50 30    14:        SEQUENCE {
52 06     3:          OBJECT IDENTIFIER commonName (2 5 4 3)
      :          (X.520 id-at (2 5 4))
57 13     7:          PrintableString 'CarlRSA'
      :          }
      :      }
      :      }
      :      }
66 30    30:    SEQUENCE {
68 17    13:      UTCTime '990818070000Z'
83 17    13:      UTCTime '391231235959Z'
      :      }
98 30    18:    SEQUENCE {
100 31   16:      SET {
102 30   14:        SEQUENCE {
104 06     3:          OBJECT IDENTIFIER commonName (2 5 4 3)
      :          (X.520 id-at (2 5 4))
109 13     7:          PrintableString 'CarlRSA'
      :          }
      :      }
      :      }
      :      }
118 30   159:   SEQUENCE {
121 30    13:     SEQUENCE {
123 06     9:       OBJECT IDENTIFIER
      :       rsaEncryption (1 2 840 113549 1 1 1)
      :       (PKCS #1)
134 05     0:       NULL
      :       }
136 03   141:     BIT STRING 0 unused bits, encapsulates {
140 30   137:       SEQUENCE {
143 02   129:         INTEGER
      :         00 E4 4B FF 18 B8 24 57 F4 77 FF 6E
      :         73 7B 93 71 5C BC 33 1A 92 92 72 23
      :         D8 41 46 D0 CD 11 3A 04 B3 8E AF 82
      :         9D BD 51 1E 17 7A F2 76 2C 2B 86 39
      :         A7 BD D7 8D 1A 53 EC E4 00 D5 E8 EC
      :         A2 36 B1 ED E2 50 E2 32 09 8A 3F 9F
      :         99 25 8F B8 4E AB B9 7D D5 96 65 DA
      :         16 A0 C5 BE 0E AE 44 5B EF 5E F4 A7
      :         29 CB 82 DD AC 44 E9 AA 93 94 29 0E
      :         F8 18 D6 C8 57 5E F2 76 C4 F2 11 60
      :         38 B9 1B 3C 1D 97 C9 6A F1
275 02     3:         INTEGER 65537
      :         }
      :       }
      :     }
      :   }
280 A3    66:   [3] {

```



```

282 30 64:      SEQUENCE {
284 30 15:      SEQUENCE {
286 06 3:      OBJECT IDENTIFIER
                :      basicConstraints (2 5 29 19)
                :      (X.509 id-ce (2 5 29))
291 01 1:      BOOLEAN TRUE
294 04 5:      OCTET STRING, encapsulates {
296 30 3:      SEQUENCE {
298 01 1:      BOOLEAN TRUE
                :      }
                :      }
                :      }
301 30 14:     SEQUENCE {
303 06 3:      OBJECT IDENTIFIER keyUsage (2 5 29 15)
                :      (X.509 id-ce (2 5 29))
308 01 1:      BOOLEAN TRUE
311 04 4:      OCTET STRING, encapsulates {
313 03 2:      BIT STRING 1 unused bits
                :      '1100001'B
                :      }
                :      }
317 30 29:     SEQUENCE {
319 06 3:      OBJECT IDENTIFIER
                :      subjectKeyIdentifier (2 5 29 14)
                :      (X.509 id-ce (2 5 29))
324 04 22:     OCTET STRING, encapsulates {
326 04 20:     OCTET STRING
                :      E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
                :      42 37 4E 22 AE 9E 38 BB
                :      }
                :      }
                :      }
                :      }
                :      }
348 30 13:     SEQUENCE {
350 06 9:      OBJECT IDENTIFIER
                :      sha1withRSAEncryption (1 2 840 113549 1 1 5)
                :      (PKCS #1)
361 05 0:      NULL
                :      }
363 03 129:    BIT STRING 0 unused bits
                :      B7 9E D4 04 D3 ED 29 E4 FF 89 89 15
                :      2E 4C DB 0C F0 48 0F 32 61 EE C4 04
                :      EC 12 5D 2D FF 0F 64 59 7E 0A C3 ED
                :      18 FD E3 56 40 37 A7 07 B5 F0 38 12
                :      61 50 ED EF DD 3F E3 0B B8 61 A5 A4
                :      9B 3C E6 9E 9C 54 9A B6 95 D6 DA 6C
                :      3B B5 2D 45 35 9D 49 01 76 FA B9 B9
                :      31 F9 F9 6B 12 53 A0 F5 14 60 9B 7D
                :      CA 3E F2 53 6B B0 37 6F AD E6 74 D7
                :      DB FA 5A EA 14 41 63 5D CD BE C8 0E

```

```
      :      C1 DA 6A 8D 53 34 18 02
      :      }
```

DianeDSSSignByCarlInherit =

```
  0 30  440: SEQUENCE {
    4 30  375:   SEQUENCE {
      8 A0    3:     [0] {
        10 02   1:       INTEGER 2
          :       }
        13 02   2:       INTEGER 210
        17 30   9:       SEQUENCE {
          19 06   7:         OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
            :         (ANSI X9.57 algorithm)
            :       }
        28 30  18:       SEQUENCE {
          30 31  16:         SET {
            32 30  14:           SEQUENCE {
              34 06   3:             OBJECT IDENTIFIER commonName (2 5 4 3)
                :             (X.520 id-at (2 5 4))
              39 13   7:             PrintableString 'CarlDSS'
                :           }
                :         }
                :       }
          48 30  30:       SEQUENCE {
            50 17  13:         UTCTime '990817020810Z'
            65 17  13:         UTCTime '391231235959Z'
              :       }
            80 30  19:       SEQUENCE {
              82 31  17:         SET {
                84 30  15:           SEQUENCE {
                  86 06   3:             OBJECT IDENTIFIER commonName (2 5 4 3)
                    :             (X.520 id-at (2 5 4))
                  91 13   8:             PrintableString 'DianeDSS'
                    :           }
                    :         }
                    :       }
            101 30 147:       SEQUENCE {
              104 30   9:         SEQUENCE {
                106 06   7:           OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
                  :           (ANSI X9.57 algorithm)
                  :         }
                115 03 133:         BIT STRING 0 unused bits, encapsulates {
                  119 02 129:           INTEGER
                    :           00 A0 00 17 78 2C EE 7E 81 53 2E 2E
                    :           61 08 0F A1 9B 51 52 1A DA 59 A8 73
                    :           2F 12 25 B6 08 CB CA EF 2A 44 76 8A
                    :           52 09 EA BD 05 22 D5 0F F6 FD 46 D7
                    :           AF 99 38 09 0E 13 CB 4F 2C DD 1C 34
                    :           F7 1C BF 25 FF 23 D3 3B 59 E7 82 97
                    :           37 BE 31 24 D8 18 C8 F3 49 39 5B B7
                    :           E2 E5 27 7E FC 8C 45 72 5B 7E 3E 8F
```

```

:          68 4D DD 46 7A 22 BE 8E FF CC DA 39
:          29 A3 39 E5 9F 43 E9 55 C9 D7 5B A6
:          81 67 CC C0 AA CD 2E C5 23
:      }
:  }
251 A3 129: [3] {
254 30 127:     SEQUENCE {
256 30 12:     SEQUENCE {
258 06 3:         OBJECT IDENTIFIER
:             basicConstraints (2 5 29 19)
:             (X.509 id-ce (2 5 29))
263 01 1:         BOOLEAN TRUE
266 04 2:         OCTET STRING, encapsulates {
268 30 0:             SEQUENCE {}
:             }
:         }
270 30 14:     SEQUENCE {
272 06 3:         OBJECT IDENTIFIER keyUsage (2 5 29 15)
:         (X.509 id-ce (2 5 29))
277 01 1:         BOOLEAN TRUE
280 04 4:         OCTET STRING, encapsulates {
282 03 2:             BIT STRING 6 unused bits
:             '11'B
:         }
:     }
286 30 31: SEQUENCE {
288 06 3:     OBJECT IDENTIFIER
:         authorityKeyIdentifier (2 5 29 35)
:         (X.509 id-ce (2 5 29))
293 04 24:     OCTET STRING, encapsulates {
295 30 22:         SEQUENCE {
297 80 20:             [0]
:             70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:             3D 20 BC 43 2B 93 F1 1F
:             }
:         }
:     }
319 30 29: SEQUENCE {
321 06 3:     OBJECT IDENTIFIER
:         subjectKeyIdentifier (2 5 29 14)
:         (X.509 id-ce (2 5 29))
326 04 22:     OCTET STRING, encapsulates {
328 04 20:         OCTET STRING
:         64 30 99 7D 5C DC 45 0B 99 3A 52 2F
:         16 BF 58 50 DD CE 2B 18
:         }
:     }
350 30 31: SEQUENCE {
352 06 3:     OBJECT IDENTIFIER subjectAltName (2 5 29 17)
:     (X.509 id-ce (2 5 29))
357 04 24:     OCTET STRING, encapsulates {

```

```

359 30 22: SEQUENCE {
361 81 20: [1] 'DianeDSS@example.com'
      : }
      : }
      : }
      : }
      : }
      : }
383 30 9: SEQUENCE {
385 06 7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
      : (ANSI X9.57 algorithm)
      : }
394 03 48: BIT STRING 0 unused bits, encapsulates {
397 30 45: SEQUENCE {
399 02 21: INTEGER
      : 00 A1 1A F8 17 0E 3E 5D A8 8C F4 B6
      : 55 33 1E 4B E3 2C AC B9 5F
422 02 20: INTEGER
      : 28 4B 10 45 58 D2 1C 9D 55 35 14 18
      : 91 B2 3F 39 DF B5 6E D3
      : }
      : }
      : }

```

DianeRSASignByCarl =

```

0 30 556: SEQUENCE {
4 30 405: SEQUENCE {
8 A0 3: [0] {
10 02 1: INTEGER 2
      : }
13 02 16: INTEGER
      : 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      : D5 9A 30 90
31 30 13: SEQUENCE {
33 06 9: OBJECT IDENTIFIER
      : sha1withRSAEncryption (1 2 840 113549 1 1 5)
      : (PKCS #1)
44 05 0: NULL
      : }
46 30 18: SEQUENCE {
48 31 16: SET {
50 30 14: SEQUENCE {
52 06 3: OBJECT IDENTIFIER commonName (2 5 4 3)
      : (X.520 id-at (2 5 4))
57 13 7: PrintableString 'CarlRSA'
      : }
      : }
      : }
66 30 30: SEQUENCE {
68 17 13: UTCTime '990819070000Z'
83 17 13: UTCTime '391231235959Z'

```

```

      :
      }
98 30 19: SEQUENCE {
100 31 17:   SET {
102 30 15:     SEQUENCE {
104 06 3:       OBJECT IDENTIFIER commonName (2 5 4 3)
      :       (X.520 id-at (2 5 4))
109 13 8:       PrintableString 'DianeRSA'
      :       }
      :     }
      :   }
119 30 159: SEQUENCE {
122 30 13:   SEQUENCE {
124 06 9:     OBJECT IDENTIFIER
      :     rsaEncryption (1 2 840 113549 1 1 1)
      :     (PKCS #1)
135 05 0:     NULL
      :   }
137 03 141:   BIT STRING 0 unused bits, encapsulates {
141 30 137:     SEQUENCE {
144 02 129:       INTEGER
      :       00 D6 FD B8 C0 70 C6 4C 25 EC EA CF
      :       EA 7C BB A2 62 FA F0 E6 32 3A 53 FF
      :       B1 92 5A 17 F4 20 E1 99 24 82 0A D0
      :       F6 7C FB 44 CA 8B 27 06 F1 7E 26 03
      :       A9 76 9D CF EC A0 2C 70 96 F2 83 42
      :       F6 D4 B7 28 0A BB F8 BF 4A 4C 19 3F
      :       07 DB A0 C1 60 1E B7 7E 67 F7 DE B1
      :       C3 60 49 AC 45 D7 F8 C6 EF 08 37 21
      :       93 47 EE F0 73 35 72 B0 02 C4 F3 11
      :       C3 5E 47 E5 0A B7 83 F1 DB 74 69 64
      :       8B 44 1D 95 5D CD 28 C0 85
276 02 3:       INTEGER 65537
      :     }
      :   }
      : }
281 A3 129: [3] {
284 30 127:   SEQUENCE {
286 30 12:     SEQUENCE {
288 06 3:       OBJECT IDENTIFIER
      :       basicConstraints (2 5 29 19)
      :       (X.509 id-ce (2 5 29))
293 01 1:       BOOLEAN TRUE
296 04 2:       OCTET STRING, encapsulates {
298 30 0:         SEQUENCE {}
      :         }
      :       }
300 30 14:   SEQUENCE {
302 06 3:     OBJECT IDENTIFIER keyUsage (2 5 29 15)
      :     (X.509 id-ce (2 5 29))
307 01 1:     BOOLEAN TRUE
310 04 4:     OCTET STRING, encapsulates {

```

```

312 03    2:          BIT STRING 5 unused bits
          :          '111'B
          :          }
          :        }
316 30    31:      SEQUENCE {
318 06     3:        OBJECT IDENTIFIER
          :          authorityKeyIdentifier (2 5 29 35)
          :          (X.509 id-ce (2 5 29))
323 04    24:        OCTET STRING, encapsulates {
325 30    22:          SEQUENCE {
327 80    20:            [0]
          :              E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
          :              42 37 4E 22 AE 9E 38 BB
          :            }
          :          }
          :        }
349 30    29:      SEQUENCE {
351 06     3:        OBJECT IDENTIFIER
          :          subjectKeyIdentifier (2 5 29 14)
          :          (X.509 id-ce (2 5 29))
356 04    22:        OCTET STRING, encapsulates {
358 04    20:          OCTET STRING
          :            8C F3 CB 75 0E 8D 31 F6 D4 29 DA 44
          :            92 75 B8 FE ED 4F 39 0C
          :          }
          :        }
380 30    31:      SEQUENCE {
382 06     3:        OBJECT IDENTIFIER subjectAltName (2 5 29 17)
          :          (X.509 id-ce (2 5 29))
387 04    24:        OCTET STRING, encapsulates {
389 30    22:          SEQUENCE {
391 81    20:            [1] 'DianeRSA@example.com'
          :          }
          :        }
          :      }
          :    }
          :  }
          :
413 30    13:  SEQUENCE {
415 06     9:    OBJECT IDENTIFIER
          :      sha1withRSAEncryption (1 2 840 113549 1 1 5)
          :      (PKCS #1)
426 05     0:    NULL
          :    }
428 03   129:  BIT STRING 0 unused bits
          :    7D A6 2C B5 78 42 D6 79 F3 31 FE F6
          :    42 CA 0F 13 07 92 09 1B E0 6F B0 91
          :    18 F6 BF 4A FB CC 63 79 FB 81 BF DD
          :    97 C7 90 6B CB 0A 37 2B 41 6A 03 98
          :    C5 1B 3E 32 C8 45 2B 86 01 9C 1C E2
          :    36 EF 16 C1 1A 92 B8 BE 62 FB 53 3E

```

```

:      49 47 0B C4 B9 E4 2B 58 A6 06 83 F0
:      B2 A7 BB 85 7E D5 C6 DA CE 9C 7B 31
:      72 D7 A2 EA 41 AB 6A C0 DD 1F B9 14
:      44 18 CF 84 57 66 E8 C5 E6 B8 DC 2D
:      B3 1F 1B 28 43 36 75 7A
:      }

```

2.4 CRLs

CarlDSSCRLForAll =

```

 0 30 216: SEQUENCE {
 3 30 153:   SEQUENCE {
 6 30   9:     SEQUENCE {
 8 06   7:       OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
:         (ANSI X9.57 algorithm)
:       }
17 30 18:   SEQUENCE {
19 31 16:     SET {
21 30 14:       SEQUENCE {
23 06   3:         OBJECT IDENTIFIER commonName (2 5 4 3)
:           (X.520 id-at (2 5 4))
28 13   7:           PrintableString 'CarlDSS'
:         }
:       }
:     }
37 17 13:   UTCTime '990827070000Z'
52 30 105:   SEQUENCE {
54 30 19:     SEQUENCE {
56 02   2:       INTEGER 200
60 17 13:       UTCTime '990822070000Z'
:     }
75 30 19:     SEQUENCE {
77 02   2:       INTEGER 201
81 17 13:       UTCTime '990822070000Z'
:     }
96 30 19:     SEQUENCE {
98 02   2:       INTEGER 211
102 17 13:      UTCTime '990822070000Z'
:     }
117 30 19:     SEQUENCE {
119 02   2:       INTEGER 210
123 17 13:      UTCTime '990822070000Z'
:     }
138 30 19:     SEQUENCE {
140 02   2:       INTEGER 212
144 17 13:      UTCTime '990824070000Z'
:     }
:   }
: }
159 30   9: SEQUENCE {

```

```

161 06    7:    OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
          :    (ANSI X9.57 algorithm)
          :    }
170 03    47:    BIT STRING 0 unused bits, encapsulates {
173 30    44:    SEQUENCE {
175 02    20:    INTEGER
          :    7E 65 52 76 33 FE 34 73 17 D1 F7 96
          :    F9 A0 D4 D8 6D 5C 7D 3D
197 02    20:    INTEGER
          :    02 7A 5B B7 D5 5B 18 C1 CF 87 EF 7E
          :    DA 24 F3 2A 83 9C 35 A1
          :    }
          :    }
          :    }

```

CarlDSSCRLForCarl =

```

 0 30   131: SEQUENCE {
 3 30    68: SEQUENCE {
 5 30    9: SEQUENCE {
 7 06    7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
          : (ANSI X9.57 algorithm)
          : }
16 30   18: SEQUENCE {
18 31   16: SET {
20 30   14: SEQUENCE {
22 06    3: OBJECT IDENTIFIER commonName (2 5 4 3)
          : (X.520 id-at (2 5 4))
27 13    7: PrintableString 'CarlDSS'
          : }
          : }
          : }
36 17   13: UTCTime '990825070000Z'
51 30   20: SEQUENCE {
53 30   18: SEQUENCE {
55 02    1: INTEGER 1
58 17   13: UTCTime '990822070000Z'
          : }
          : }
          : }
73 30    9: SEQUENCE {
75 06    7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
          : (ANSI X9.57 algorithm)
          : }
84 03   48: BIT STRING 0 unused bits, encapsulates {
87 30   45: SEQUENCE {
89 02   21: INTEGER
          : 00 B3 1F C5 4F 7A 3D EC 76 D5 60 F9
          : DE 79 22 EC 4F B0 90 FE 97
112 02   20: INTEGER
          : 5A 8B C3 84 BC 66 87 1B BF 79 82 5B
          : 0A 5D 07 F6 BA A9 05 29

```



```

:      }
:      }
:    }

```

CarlDSSCRLEmpty =

```

0 30 109: SEQUENCE {
2 30 46: SEQUENCE {
4 30 9: SEQUENCE {
6 06 7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
15 30 18: SEQUENCE {
17 31 16: SET {
19 30 14: SEQUENCE {
21 06 3: OBJECT IDENTIFIER commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
26 13 7: PrintableString 'CarlDSS'
: }
: }
: }
35 17 13: UTCTime '990820070000Z'
: }
50 30 9: SEQUENCE {
52 06 7: OBJECT IDENTIFIER dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
61 03 48: BIT STRING 0 unused bits, encapsulates {
64 30 45: SEQUENCE {
66 02 20: INTEGER
: 62 3F 36 17 31 58 2E 67 50 79 F5 09
: 4B 8C AD D4 6B F4 64 9F
88 02 21: INTEGER
: 00 B5 3B 4E A1 4C 7B FD 0F C3 8D 9B
: B6 FE C3 5D 6F DE 65 28 7D
: }
: }
: }

```

CarlRSACRLForAll =

```

0 30 307: SEQUENCE {
4 30 157: SEQUENCE {
7 30 13: SEQUENCE {
9 06 9: OBJECT IDENTIFIER
: md5withRSAEncryption (1 2 840 113549 1 1 4)
: (PKCS #1)
20 05 0: NULL
: }
22 30 18: SEQUENCE {
24 31 16: SET {
26 30 14: SEQUENCE {
28 06 3: OBJECT IDENTIFIER commonName (2 5 4 3)

```

```

      : (X.520 id-at (2 5 4))
33 13 7: PrintableString 'CarlRSA'
      : }
      : }
      : }
42 17 13: UTCTime '990827070000Z'
57 30 105: SEQUENCE {
59 30 33: SEQUENCE {
61 02 16: INTEGER
      : 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      : C4 10 B3 B0
79 17 13: UTCTime '990822070000Z'
      : }
94 30 33: SEQUENCE {
96 02 16: INTEGER
      : 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      : D5 9A 30 90
114 17 13: UTCTime '990822070000Z'
      : }
129 30 33: SEQUENCE {
131 02 16: INTEGER
      : 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      : CD 5D 71 D0
149 17 13: UTCTime '990824070000Z'
      : }
      : }
      : }
164 30 13: SEQUENCE {
166 06 9: OBJECT IDENTIFIER
      : md5withRSAEncryption (1 2 840 113549 1 1 4)
      : (PKCS #1)
177 05 0: NULL
      : }
179 03 129: BIT STRING 0 unused bits
      : BF B3 97 AA 53 F0 32 21 16 2B 77 92
      : 7A 6B BB 97 C8 DC EA F1 FA 66 16 30
      : 0E B5 9E 5C F0 81 D4 5E B3 6E C1 88
      : 6B 8C D4 5E C5 4D FB 47 5E 66 F3 5D
      : AB E5 B4 18 36 60 A8 4D 9C 3C 89 EC
      : 6F 27 BF 35 50 71 81 C2 B9 44 5B 62
      : 89 19 12 31 A9 7B 9A D3 CC 66 CB 11
      : D9 0B 10 47 77 AD 4F 22 D9 E5 7F 30
      : F2 5B FC 94 51 A5 58 76 3B 1F A8 46
      : A6 1F F6 A1 DE 55 A1 ED 31 88 69 97
      : 0F 08 D3 D4 0C 60 5B 1E
      : }

```

CarlRSACRLForCarl =

```

0 30 236: SEQUENCE {
3 30 87: SEQUENCE {
5 30 13: SEQUENCE {

```

```

7 06 9: OBJECT IDENTIFIER
: md5withRSAEncryption (1 2 840 113549 1 1 4)
: (PKCS #1)
18 05 0: NULL
: }
20 30 18: SEQUENCE {
22 31 16: SET {
24 30 14: SEQUENCE {
26 06 3: OBJECT IDENTIFIER commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
31 13 7: PrintableString 'CarlRSA'
: }
: }
: }
40 17 13: UTCTime '990825070000Z'
55 30 35: SEQUENCE {
57 30 33: SEQUENCE {
59 02 16: INTEGER
: 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
: 9F F2 50 20
77 17 13: UTCTime '990822070000Z'
: }
: }
: }
92 30 13: SEQUENCE {
94 06 9: OBJECT IDENTIFIER
: md5withRSAEncryption (1 2 840 113549 1 1 4)
: (PKCS #1)
105 05 0: NULL
: }
107 03 129: BIT STRING 0 unused bits
: 21 EF 21 D4 C1 1A 85 95 49 6B CA 45
: 62 DC D7 09 FF A9 51 2E 8E D9 47 18
: FA F8 E5 72 DD 4F ED 74 74 E3 F3 65
: 32 65 28 2C 9A 1D 57 E5 D5 26 06 EA
: D5 E6 23 95 84 8D 0E 89 9E EE 9B 0C
: 2F CE 07 F7 A3 D1 6B 85 4C 0F FF E6
: DD FC DC CD 73 2C 1E 7D DC B0 71 C5
: 4C FC 01 6E 52 57 69 1E 39 63 DF 12
: 22 30 C7 13 55 94 05 6E 2A 00 A9 5B
: C4 2A 66 94 62 CE 36 33 C2 2B 63 47
: 25 9D F3 DE 70 EE 00 56
: }

```

CarlRSACRLEmpty =

```

0 30 199: SEQUENCE {
3 30 50: SEQUENCE {
5 30 13: SEQUENCE {
7 06 9: OBJECT IDENTIFIER
: md5withRSAEncryption (1 2 840 113549 1 1 4)
: (PKCS #1)

```

```

18 05    0:      NULL
          :      }
20 30   18:      SEQUENCE {
22 31   16:          SET {
24 30   14:              SEQUENCE {
26 06    3:                  OBJECT IDENTIFIER commonName (2 5 4 3)
          :                      (X.520 id-at (2 5 4))
31 13    7:                  PrintableString 'CarlRSA'
          :                      }
          :              }
          :          }
40 17   13:      UTCTime '990820070000Z'
          :      }
55 30   13:      SEQUENCE {
57 06    9:          OBJECT IDENTIFIER
          :              md5withRSAEncryption (1 2 840 113549 1 1 4)
          :              (PKCS #1)
68 05    0:          NULL
          :          }
70 03  129:      BIT STRING 0 unused bits
          :          A9 C5 21 B8 13 7C 74 F3 B5 11 EC 04
          :          F3 20 45 86 1E 0B 6E 7F 83 6D 5F F4
          :          34 76 06 59 25 0E 04 3D 88 09 88 81
          :          37 C4 DC 20 98 FA 17 81 0B 37 94 AC
          :          B4 8F 7B 51 89 14 A4 CB 72 73 14 07
          :          BC 22 9C 40 A1 07 FC 44 7C 85 0F 0B
          :          88 D1 EE E1 0E AF F6 16 74 AD A1 AF
          :          C1 00 75 00 64 EA A5 9A F6 0B 08 A2
          :          DB 95 19 5F A6 A7 B9 39 45 25 0A 0E
          :          F6 5E 84 E7 F8 B9 5A C9 18 C2 0E B8
          :          A0 96 BE 81 3A 80 6D C9
          :      }

```

[3. Trivial Examples](#)

This section covers examples of small CMS types.

[3.1 ContentInfo with Data type, BER](#)

The object is a ContentInfo containing a Data object in BER format that is ExContent.

```

0 30 NDEF: SEQUENCE {
2 06    9:      OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
          :      (PKCS #7)
13 A0 NDEF:  [0] {
15 24 NDEF:      OCTET STRING {
17 04    4:          OCTET STRING 'This'
23 04   24:          OCTET STRING ' is some sample content.'
          :          }
          :      }

```

```
: }
```

[3.2](#) ContentInfo with Data type, DER

The object is a ContentInfo containing a Data object in DER format that is ExContent.

```
0 30 43: SEQUENCE {
2 06 9:  OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
:      (PKCS #7)
13 A0 30:  [0] {
15 04 28:  OCTET STRING 'This is some sample content.'
:      }
:  }
```

[4.](#) Signed-data

[4.1](#) Basic signed content, DSS

A SignedData with no attribute certificates, signed by Alice using DSS, just her certificate (not Carl's root cert), no CRL. The message is ExContent, and is included in the eContent. There are no signed or unsigned attributes.

```
0 30 919: SEQUENCE {
4 06 9:  OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
:      (PKCS #7)
15 A0 904:  [0] {
19 30 900:  SEQUENCE {
23 02 1:  INTEGER 1
26 31 9:  SET {
28 30 7:  SEQUENCE {
30 06 5:  OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
:      (OIW)
:      }
:  }
37 30 43:  SEQUENCE {
39 06 9:  OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
:      (PKCS #7)
50 A0 30:  [0] {
52 04 28:  OCTET STRING 'This is some sample content.'
:      }
:  }
82 A0 736:  [0] {
86 30 732:  SEQUENCE {
90 30 667:  SEQUENCE {
94 A0 3:  [0] {
96 02 1:  INTEGER 2
:      }
99 02 2:  INTEGER 200
103 30 9:  SEQUENCE {
```

```

105 06      7:      OBJECT IDENTIFIER
                  :      dsaWithSha1 (1 2 840 10040 4 3)
                  :      (ANSI X9.57 algorithm)
                  :      }
114 30     18:      SEQUENCE {
116 31     16:      SET {
118 30     14:      SEQUENCE {
120 06      3:      OBJECT IDENTIFIER
                  :      commonName (2 5 4 3)
                  :      (X.520 id-at (2 5 4))
125 13      7:      PrintableString 'CarlDSS'
                  :      }
                  :      }
                  :      }
134 30     30:      SEQUENCE {
136 17     13:      UTCTime '990817011049Z'
151 17     13:      UTCTime '391231235959Z'
                  :      }
166 30     19:      SEQUENCE {
168 31     17:      SET {
170 30     15:      SEQUENCE {
172 06      3:      OBJECT IDENTIFIER
                  :      commonName (2 5 4 3)
                  :      (X.520 id-at (2 5 4))
177 13      8:      PrintableString 'AliceDSS'
                  :      }
                  :      }
                  :      }
187 30     438:      SEQUENCE {
191 30     299:      SEQUENCE {
195 06      7:      OBJECT IDENTIFIER
                  :      dsa (1 2 840 10040 4 1)
                  :      (ANSI X9.57 algorithm)
204 30     286:      SEQUENCE {
208 02     129:      INTEGER
                  :      00 81 8D CD ED 83 EA 0A 9E 39 3E C2
                  :      48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
                  :      53 C5 AB 84 08 4F FF 94 E1 73 48 7E
                  :      0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
                  :      2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
                  :      DC 5F 69 8A E4 75 D0 37 0C 91 08 95
                  :      9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
                  :      8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
                  :      C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
                  :      78 BD FF 9D B0 84 97 37 F2 E4 51 1B
                  :      B5 E4 09 96 5C F3 7E 5B DB
340 02     21:      INTEGER
                  :      00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
                  :      B8 37 21 2B 62 8B F7 93 CD
363 02     128:      INTEGER
                  :      26 38 D0 14 89 32 AA 39 FB 3E 6D D9

```

```

: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2
: D1 81 4A 60 39 BA 36 39
: }
: }
494 03 132: BIT STRING 0 unused bits, encapsulates {
498 02 128: INTEGER
: 5C E3 B9 5A 75 14 96 0B A9 7A DD E3
: 3F A9 EC AC 5E DC BD B7 13 11 34 A6
: 16 89 28 11 23 D9 34 86 67 75 75 13
: 12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
: 1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
: A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
: 7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
: 08 BF 66 14 80 5C 62 AC 65 FA 15 8B
: F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
: 32 84 F0 7E 41 40 FD 46 A7 63 4E 33
: F2 A5 E2 F4 F2 83 E5 B8
: }
: }
629 A3 129: [3] {
632 30 127: SEQUENCE {
634 30 12: SEQUENCE {
636 06 3: OBJECT IDENTIFIER
: basicConstraints (2 5 29 19)
: (X.509 id-ce (2 5 29))
641 01 1: BOOLEAN TRUE
644 04 2: OCTET STRING, encapsulates {
646 30 0: SEQUENCE {}
: }
: }
648 30 14: SEQUENCE {
650 06 3: OBJECT IDENTIFIER
: keyUsage (2 5 29 15)
: (X.509 id-ce (2 5 29))
655 01 1: BOOLEAN TRUE
658 04 4: OCTET STRING, encapsulates {
660 03 2: BIT STRING 6 unused bits
: '11'B
: }
: }
664 30 31: SEQUENCE {
666 06 3: OBJECT IDENTIFIER
: authorityKeyIdentifier (2 5 29 35)

```

```

: (X.509 id-ce (2 5 29))
671 04 24: OCTET STRING, encapsulates {
673 30 22: SEQUENCE {
675 80 20: [0]
: 70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
: 3D 20 BC 43 2B 93 F1 1F
: }
: }
: }
697 30 29: SEQUENCE {
699 06 3: OBJECT IDENTIFIER
: subjectKeyIdentifier (2 5 29 14)
: (X.509 id-ce (2 5 29))
704 04 22: OCTET STRING, encapsulates {
706 04 20: OCTET STRING
: BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
: 13 01 E2 FD E3 97 FE CD
: }
: }
728 30 31: SEQUENCE {
730 06 3: OBJECT IDENTIFIER
: subjectAltName (2 5 29 17)
: (X.509 id-ce (2 5 29))
735 04 24: OCTET STRING, encapsulates {
737 30 22: SEQUENCE {
739 81 20: [1] 'AliceDSS@example.com'
: }
: }
: }
: }
761 30 9: SEQUENCE {
763 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
772 03 48: BIT STRING 0 unused bits, encapsulates {
775 30 45: SEQUENCE {
777 02 20: INTEGER
: 55 0C A4 19 1F 42 2B 89 71 22 33 8D
: 83 6A B5 3D 67 6B BF 45
799 02 21: INTEGER
: 00 9F 61 53 52 54 0B 5C B2 DD DA E7
: 76 1D E2 10 52 5B 43 5E BD
: }
: }
: }
: }
822 31 99: SET {
824 30 97: SEQUENCE {

```



```

826 02    1:          INTEGER 1
829 30    24:         SEQUENCE {
831 30    18:           SEQUENCE {
833 31    16:             SET {
835 30    14:               SEQUENCE {
837 06     3:                 OBJECT IDENTIFIER
                        :                 commonName (2 5 4 3)
                        :                 (X.520 id-at (2 5 4))
842 13     7:                 PrintableString 'CarlDSS'
                        :                 }
                        :             }
                        :         }
851 02     2:          INTEGER 200
                        :          }
855 30     7:          SEQUENCE {
857 06     5:            OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
                        :            (OIW)
                        :            }
864 30     9:          SEQUENCE {
866 06     7:            OBJECT IDENTIFIER
                        :            dsaWithSha1 (1 2 840 10040 4 3)
                        :            (ANSI X9.57 algorithm)
                        :            }
875 04    46:          OCTET STRING, encapsulates {
877 30    44:            SEQUENCE {
879 02    20:              INTEGER
                        :              09 91 FE EB D2 69 F5 18 B7 D7 CD 55
                        :              F4 81 EA 2A 42 6A AD 03
901 02    20:              INTEGER
                        :              3A 07 CC C3 21 BE E1 1A 4B 7F 3E B5
                        :              0D DB BA 1C EA BC CD 89
                        :              }
                        :          }
                        :      }
                        :  }
                        :  }
                        :  }

```

[4.2](#) Basic signed content, RSA

Same as 4.1, except using RSA signatures. A SignedData with no attribute certificates, signed by Alice using RSA, just her certificate (not Carl's root cert), no CRL. The message is ExContent, and is included in the eContent. There are no signed or unsigned attributes.

```

0 30 850: SEQUENCE {
4 06 9:  OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
      :  (PKCS #7)
15 A0 835:  [0] {
19 30 831:    SEQUENCE {

```

```

23 02    1:    INTEGER 1
26 31   11:    SET {
28 30    9:      SEQUENCE {
30 06    5:        OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      :          (OIW)
37 05    0:        NULL
      :      }
      :    }
39 30   43:    SEQUENCE {
41 06    9:      OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
      :        (PKCS #7)
52 A0   30:      [0] {
54 04   28:        OCTET STRING 'This is some sample content.'
      :      }
      :    }
84 A0  560:    [0] {
88 30  556:      SEQUENCE {
92 30  405:        SEQUENCE {
96 A0    3:          [0] {
98 02    1:            INTEGER 2
      :          }
101 02   16:        INTEGER
      :          46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      :          C4 10 B3 B0
119 30   13:      SEQUENCE {
121 06    9:        OBJECT IDENTIFIER
      :          sha1withRSAEncryption
      :          (1 2 840 113549 1 1 5)
      :          (PKCS #1)
132 05    0:        NULL
      :      }
134 30   18:      SEQUENCE {
136 31   16:        SET {
138 30   14:          SEQUENCE {
140 06    3:            OBJECT IDENTIFIER
      :              commonName (2 5 4 3)
      :              (X.520 id-at (2 5 4))
145 13    7:            PrintableString 'CarlRSA'
      :          }
      :        }
      :      }
154 30   30:      SEQUENCE {
156 17   13:        UTCTime '990919010847Z'
171 17   13:        UTCTime '391231235959Z'
      :      }
186 30   19:      SEQUENCE {
188 31   17:        SET {
190 30   15:          SEQUENCE {
192 06    3:            OBJECT IDENTIFIER
      :              commonName (2 5 4 3)
      :              (X.520 id-at (2 5 4))

```

```

197 13      8:      PrintableString 'AliceRSA'
      :
      :      }
      :
      :      }
207 30 159:      SEQUENCE {
210 30 13:      SEQUENCE {
212 06 9:      OBJECT IDENTIFIER
      :      rsaEncryption (1 2 840 113549 1 1 1)
      :      (PKCS #1)
223 05 0:      NULL
      :
      :      }
225 03 141:      BIT STRING 0 unused bits, encapsulates {
229 30 137:      SEQUENCE {
232 02 129:      INTEGER
      :      00 E0 89 73 39 8D D8 F5 F5 E8 87 76
      :      39 7F 4E B0 05 BB 53 83 DE 0F B7 AB
      :      DC 7D C7 75 29 0D 05 2E 6D 12 DF A6
      :      86 26 D4 D2 6F AA 58 29 FC 97 EC FA
      :      82 51 0F 30 80 BE B1 50 9E 46 44 F1
      :      2C BB D8 32 CF C6 68 6F 07 D9 B0 60
      :      AC BE EE 34 09 6A 13 F5 F7 05 05 93
      :      DF 5E BA 35 56 D9 61 FF 19 7F C9 81
      :      E6 F8 6C EA 87 40 70 EF AC 6D 2C 74
      :      9F 2D FA 55 3A B9 99 77 02 A6 48 52
      :      8C 4E F3 57 38 57 74 57 5F
364 02 3:      INTEGER 65537
      :
      :      }
      :
      :      }
369 A3 129:      [3] {
372 30 127:      SEQUENCE {
374 30 12:      SEQUENCE {
376 06 3:      OBJECT IDENTIFIER
      :      basicConstraints (2 5 29 19)
      :      (X.509 id-ce (2 5 29))
381 01 1:      BOOLEAN TRUE
384 04 2:      OCTET STRING, encapsulates {
386 30 0:      SEQUENCE {}
      :
      :      }
388 30 14:      SEQUENCE {
390 06 3:      OBJECT IDENTIFIER
      :      keyUsage (2 5 29 15)
      :      (X.509 id-ce (2 5 29))
395 01 1:      BOOLEAN TRUE
398 04 4:      OCTET STRING, encapsulates {
400 03 2:      BIT STRING 6 unused bits
      :      '11'B
      :
      :      }
404 30 31:      SEQUENCE {

```

```

406 06      3:      OBJECT IDENTIFIER
                  :      authorityKeyIdentifier (2 5 29 35)
                  :      (X.509 id-ce (2 5 29))
411 04     24:      OCTET STRING, encapsulates {
413 30     22:      SEQUENCE {
415 80     20:      [0]
                  :      E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
                  :      42 37 4E 22 AE 9E 38 BB
                  :      }
                  :      }
                  :      }
437 30     29:      SEQUENCE {
439 06      3:      OBJECT IDENTIFIER
                  :      subjectKeyIdentifier (2 5 29 14)
                  :      (X.509 id-ce (2 5 29))
444 04     22:      OCTET STRING, encapsulates {
446 04     20:      OCTET STRING
                  :      77 D2 B4 D1 B7 4C 8A 8A A3 CE 45 9D
                  :      CE EC 3C A0 3A E3 FF 50
                  :      }
                  :      }
468 30     31:      SEQUENCE {
470 06      3:      OBJECT IDENTIFIER
                  :      subjectAltName (2 5 29 17)
                  :      (X.509 id-ce (2 5 29))
475 04     24:      OCTET STRING, encapsulates {
477 30     22:      SEQUENCE {
479 81     20:      [1] 'AliceRSA@example.com'
                  :      }
                  :      }
                  :      }
                  :      }
                  :      }
501 30     13:      SEQUENCE {
503 06      9:      OBJECT IDENTIFIER
                  :      sha1withRSAEncryption
                  :      (1 2 840 113549 1 1 5)
                  :      (PKCS #1)
514 05      0:      NULL
                  :      }
516 03    129:      BIT STRING 0 unused bits
                  :      3E 70 47 A8 48 CC 13 58 8F CA 51 71
                  :      6B 4E 36 18 5D 04 7E 80 B1 8D 4D CC
                  :      CA A3 8F CC 7D 56 C8 BC CF 6E B3 1C
                  :      59 A9 20 AA 05 81 A8 4E 25 AD A7 70
                  :      14 75 2F F5 C7 9B D1 0E E9 63 D2 64
                  :      B7 C6 66 6E 73 21 54 DF F4 BA 25 5D
                  :      7D 49 D3 94 6B 22 36 74 73 B8 4A EC
                  :      2F 64 ED D3 3D D2 A7 42 C5 E8 37 8A
                  :      B4 DB 9F 67 E4 BD 9F F9 FE 74 EF EA

```

```

:          F9 EE 63 6A D8 3F 4B 25 09 B5 D8 1A
:          76 AE EB 9B DB 49 B0 22
:      }
:  }
648 31 203: SET {
651 30 200:     SEQUENCE {
654 02   1:         INTEGER 1
657 30  38:         SEQUENCE {
659 30  18:             SEQUENCE {
661 31  16:                 SET {
663 30  14:                     SEQUENCE {
665 06   3:                         OBJECT IDENTIFIER
:                                     commonName (2 5 4 3)
:                                     (X.520 id-at (2 5 4))
670 13   7:                                     PrintableString 'CarlRSA'
:                                     }
:                                 }
:                            }
679 02  16:     INTEGER
:         46 34 6B C7 80 00 56 BC 11 D3 6E 2E
:         C4 10 B3 B0
:     }
697 30   9: SEQUENCE {
699 06   5:     OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
:         (OIW)
706 05   0:     NULL
:     }
708 30  13: SEQUENCE {
710 06   9:     OBJECT IDENTIFIER
:         rsaEncryption (1 2 840 113549 1 1 1)
:         (PKCS #1)
721 05   0:     NULL
:     }
723 04 128: OCTET STRING
:     2F 23 82 D2 F3 09 5F B8 0C 58 EB 4E
:     9D BF 89 9A 81 E5 75 C4 91 3D D3 D0
:     D5 7B B6 D5 FE 94 A1 8A AC E3 C4 84
:     F5 CD 60 4E 27 95 F6 CF 00 86 76 75
:     3F 2B F0 E7 D4 02 67 A7 F5 C7 8D 16
:     04 A5 B3 B5 E7 D9 32 F0 24 EF E7 20
:     44 D5 9F 07 C5 53 24 FA CE 01 1D 0F
:     17 13 A7 2A 95 9D 2B E4 03 95 14 0B
:     E9 39 0D BA CE 6E 9C 9E 0C E8 98 E6
:     55 13 D4 68 6F D0 07 D7 A2 B1 62 4C
:     E3 8F AF FD E0 D5 5D C7
:     }
:  }
: }
: }
: }

```

4.3 Basic signed content, detached content

Same as 4.1, except with no eContent. A SignedData with no attribute certificates, signed by Alice using DSS, just her certificate (not Carl's root cert), no CRL. The message is ExContent, but the eContent is not included. There are no signed or unsigned attributes.

```
0 30 887: SEQUENCE {
4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
: (PKCS #7)
15 A0 872: [0] {
19 30 868: SEQUENCE {
23 02 1: INTEGER 1
26 31 9: SET {
28 30 7: SEQUENCE {
30 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)
: }
: }
37 30 11: SEQUENCE {
39 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
: }
50 A0 736: [0] {
54 30 732: SEQUENCE {
58 30 667: SEQUENCE {
62 A0 3: [0] {
64 02 1: INTEGER 2
: }
67 02 2: INTEGER 200
71 30 9: SEQUENCE {
73 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
82 30 18: SEQUENCE {
84 31 16: SET {
86 30 14: SEQUENCE {
88 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
93 13 7: PrintableString 'CarlDSS'
: }
: }
: }
102 30 30: SEQUENCE {
104 17 13: UTCTime '990817011049Z'
119 17 13: UTCTime '391231235959Z'
: }
134 30 19: SEQUENCE {
136 31 17: SET {
```

138	30	15:	SEQUENCE {
140	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
145	13	8:	PrintableString 'AliceDSS'
		:	}
		:	}
		:	}
155	30	438:	SEQUENCE {
159	30	299:	SEQUENCE {
163	06	7:	OBJECT IDENTIFIER
		:	dsa (1 2 840 10040 4 1)
		:	(ANSI X9.57 algorithm)
172	30	286:	SEQUENCE {
176	02	129:	INTEGER
		:	00 81 8D CD ED 83 EA 0A 9E 39 3E C2
		:	48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
		:	53 C5 AB 84 08 4F FF 94 E1 73 48 7E
		:	0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
		:	2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
		:	DC 5F 69 8A E4 75 D0 37 0C 91 08 95
		:	9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
		:	8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
		:	C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
		:	78 BD FF 9D B0 84 97 37 F2 E4 51 1B
		:	B5 E4 09 96 5C F3 7E 5B DB
308	02	21:	INTEGER
		:	00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
		:	B8 37 21 2B 62 8B F7 93 CD
331	02	128:	INTEGER
		:	26 38 D0 14 89 32 AA 39 FB 3E 6D D9
		:	4B 59 6A 4C 76 23 39 04 02 35 5C F2
		:	CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
		:	AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
		:	7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
		:	3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
		:	E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
		:	01 7C 6D 49 89 11 89 36 44 BD F8 C8
		:	95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
		:	1F 11 7F C2 BD ED D1 50 FF 98 74 C2
		:	D1 81 4A 60 39 BA 36 39
		:	}
		:	}
462	03	132:	BIT STRING 0 unused bits, encapsulates {
466	02	128:	INTEGER
		:	5C E3 B9 5A 75 14 96 0B A9 7A DD E3
		:	3F A9 EC AC 5E DC BD B7 13 11 34 A6
		:	16 89 28 11 23 D9 34 86 67 75 75 13
		:	12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
		:	1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
		:	A5 A0 4A E3 85 D6 CE 06 80 3F E8 23

```

:          7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
:          08 BF 66 14 80 5C 62 AC 65 FA 15 8B
:          F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
:          32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:          F2 A5 E2 F4 F2 83 E5 B8
:          }
:      }
597 A3 129: [3] {
600 30 127: SEQUENCE {
602 30 12: SEQUENCE {
604 06 3: OBJECT IDENTIFIER
:         basicConstraints (2 5 29 19)
:         (X.509 id-ce (2 5 29))
609 01 1: BOOLEAN TRUE
612 04 2: OCTET STRING, encapsulates {
614 30 0: SEQUENCE {}
:         }
:     }
616 30 14: SEQUENCE {
618 06 3: OBJECT IDENTIFIER
:         keyUsage (2 5 29 15)
:         (X.509 id-ce (2 5 29))
623 01 1: BOOLEAN TRUE
626 04 4: OCTET STRING, encapsulates {
628 03 2: BIT STRING 6 unused bits
:         '11'B
:     }
: }
632 30 31: SEQUENCE {
634 06 3: OBJECT IDENTIFIER
:         authorityKeyIdentifier (2 5 29 35)
:         (X.509 id-ce (2 5 29))
639 04 24: OCTET STRING, encapsulates {
641 30 22: SEQUENCE {
643 80 20: [0]
:         70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:         3D 20 BC 43 2B 93 F1 1F
:     }
: }
665 30 29: SEQUENCE {
667 06 3: OBJECT IDENTIFIER
:         subjectKeyIdentifier (2 5 29 14)
:         (X.509 id-ce (2 5 29))
672 04 22: OCTET STRING, encapsulates {
674 04 20: OCTET STRING
:         BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
:         13 01 E2 FD E3 97 FE CD
:     }
: }
696 30 31: SEQUENCE {

```



```

698 06      3:      OBJECT IDENTIFIER
                  :      subjectAltName (2 5 29 17)
                  :      (X.509 id-ce (2 5 29))
703 04     24:      OCTET STRING, encapsulates {
705 30     22:      SEQUENCE {
707 81     20:      [1] 'AliceDSS@example.com'
                  :      }
                  :      }
                  :      }
                  :      }
                  :      }
729 30      9:      SEQUENCE {
731 06      7:      OBJECT IDENTIFIER
                  :      dsaWithSha1 (1 2 840 10040 4 3)
                  :      (ANSI X9.57 algorithm)
                  :      }
740 03     48:      BIT STRING 0 unused bits, encapsulates {
743 30     45:      SEQUENCE {
745 02     20:      INTEGER
                  :      55 0C A4 19 1F 42 2B 89 71 22 33 8D
                  :      83 6A B5 3D 67 6B BF 45
767 02     21:      INTEGER
                  :      00 9F 61 53 52 54 0B 5C B2 DD DA E7
                  :      76 1D E2 10 52 5B 43 5E BD
                  :      }
                  :      }
                  :      }
                  :      }
790 31     99:      SET {
792 30     97:      SEQUENCE {
794 02      1:      INTEGER 1
797 30     24:      SEQUENCE {
799 30     18:      SEQUENCE {
801 31     16:      SET {
803 30     14:      SEQUENCE {
805 06      3:      OBJECT IDENTIFIER
                  :      commonName (2 5 4 3)
                  :      (X.520 id-at (2 5 4))
810 13      7:      PrintableString 'CarlDSS'
                  :      }
                  :      }
                  :      }
819 02      2:      INTEGER 200
                  :      }
823 30      7:      SEQUENCE {
825 06      5:      OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
                  :      (OIW)
                  :      }
832 30      9:      SEQUENCE {
834 06      7:      OBJECT IDENTIFIER

```

```

      :
      :          dsaWithSha1 (1 2 840 10040 4 3)
      :          (ANSI X9.57 algorithm)
      :      }
843 04   46:      OCTET STRING, encapsulates {
845 30   44:      SEQUENCE {
847 02   20:      INTEGER
      :              06 FB C7 2A 24 D5 34 89 F7 8B B5 FD
      :              73 24 A5 86 C8 0F 5A 6C
869 02   20:      INTEGER
      :              66 69 19 BC 68 58 D1 8D B1 9D 52 3F
      :              DA 14 88 0D FD C9 A1 B8
      :      }
      :    }
      :  }
      :}
      :}
      :}
      :}

```

4.4 Fancier signed content

Same as 4.1, but includes Carl's root cert, Carl's CRL, some signed and unsigned attributes (Countersignature by Diane). A SignedData with no attribute certificates, signed by Alice using DSS, her certificate and Carl's root cert, Carl's DSS CRL. The message is ExContent, and is included in the eContent. The signed attributes are Content Type, Message Digest and Signing Time; the unsigned attributes are content hint and counter signature. The message includes also Alice's RSA certificate.

```

0 30 2829: SEQUENCE {
4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
: (PKCS #7)
15 A0 2814: [0] {
19 30 2810: SEQUENCE {
23 02 1: INTEGER 1
26 31 9: SET {
28 30 7: SEQUENCE {
30 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)
: }
: }
37 30 43: SEQUENCE {
39 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
50 A0 30: [0] {
52 04 28: OCTET STRING 'This is some sample content.'
: }
: }
82 A0 1967: [0] {
86 30 556: SEQUENCE {

```

90	30	405:	SEQUENCE {
94	A0	3:	[0] {
96	02	1:	INTEGER 2
		:	}
99	02	16:	INTEGER
		:	46 34 6B C7 80 00 56 BC 11 D3 6E 2E
		:	C4 10 B3 B0
117	30	13:	SEQUENCE {
119	06	9:	OBJECT IDENTIFIER
		:	sha1withRSAEncryption
		:	(1 2 840 113549 1 1 5)
		:	(PKCS #1)
130	05	0:	NULL
		:	}
132	30	18:	SEQUENCE {
134	31	16:	SET {
136	30	14:	SEQUENCE {
138	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
143	13	7:	PrintableString 'CarlRSA'
		:	}
		:	}
		:	}
152	30	30:	SEQUENCE {
154	17	13:	UTCTime '990919010847Z'
169	17	13:	UTCTime '391231235959Z'
		:	}
184	30	19:	SEQUENCE {
186	31	17:	SET {
188	30	15:	SEQUENCE {
190	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
195	13	8:	PrintableString 'AliceRSA'
		:	}
		:	}
		:	}
205	30	159:	SEQUENCE {
208	30	13:	SEQUENCE {
210	06	9:	OBJECT IDENTIFIER
		:	rsaEncryption (1 2 840 113549 1 1 1)
		:	(PKCS #1)
221	05	0:	NULL
		:	}
223	03	141:	BIT STRING 0 unused bits, encapsulates {
227	30	137:	SEQUENCE {
230	02	129:	INTEGER
		:	00 E0 89 73 39 8D D8 F5 F5 E8 87 76
		:	39 7F 4E B0 05 BB 53 83 DE 0F B7 AB
		:	DC 7D C7 75 29 0D 05 2E 6D 12 DF A6

```

      :      86 26 D4 D2 6F AA 58 29 FC 97 EC FA
      :      82 51 0F 30 80 BE B1 50 9E 46 44 F1
      :      2C BB D8 32 CF C6 68 6F 07 D9 B0 60
      :      AC BE EE 34 09 6A 13 F5 F7 05 05 93
      :      DF 5E BA 35 56 D9 61 FF 19 7F C9 81
      :      E6 F8 6C EA 87 40 70 EF AC 6D 2C 74
      :      9F 2D FA 55 3A B9 99 77 02 A6 48 52
      :      8C 4E F3 57 38 57 74 57 5F
362 02    3:      INTEGER 65537
      :      }
      :      }
      :    }
367 A3   129:    [3] {
370 30   127:      SEQUENCE {
372 30    12:        SEQUENCE {
374 06     3:          OBJECT IDENTIFIER
      :          basicConstraints (2 5 29 19)
      :          (X.509 id-ce (2 5 29))
379 01     1:          BOOLEAN TRUE
382 04     2:          OCTET STRING, encapsulates {
384 30     0:            SEQUENCE {}
      :            }
      :          }
386 30    14:        SEQUENCE {
388 06     3:          OBJECT IDENTIFIER
      :          keyUsage (2 5 29 15)
      :          (X.509 id-ce (2 5 29))
393 01     1:          BOOLEAN TRUE
396 04     4:          OCTET STRING, encapsulates {
398 03     2:            BIT STRING 6 unused bits
      :            '11'B
      :            }
      :          }
402 30    31:        SEQUENCE {
404 06     3:          OBJECT IDENTIFIER
      :          authorityKeyIdentifier (2 5 29 35)
      :          (X.509 id-ce (2 5 29))
409 04    24:          OCTET STRING, encapsulates {
411 30    22:            SEQUENCE {
413 80    20:              [0]
      :              E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
      :              42 37 4E 22 AE 9E 38 BB
      :              }
      :            }
      :          }
435 30    29:        SEQUENCE {
437 06     3:          OBJECT IDENTIFIER
      :          subjectKeyIdentifier (2 5 29 14)
      :          (X.509 id-ce (2 5 29))
442 04    22:          OCTET STRING, encapsulates {
444 04    20:            OCTET STRING

```

```

:          77 D2 B4 D1 B7 4C 8A 8A A3 CE 45 9D
:          CE EC 3C A0 3A E3 FF 50
:          }
:        }
466 30 31: SEQUENCE {
468 06 3:   OBJECT IDENTIFIER
:         subjectAltName (2 5 29 17)
:         (X.509 id-ce (2 5 29))
473 04 24:   OCTET STRING, encapsulates {
475 30 22:     SEQUENCE {
477 81 20:       [1] 'AliceRSA@example.com'
:         }
:       }
:     }
:   }
: }
499 30 13: SEQUENCE {
501 06 9:   OBJECT IDENTIFIER
:         sha1withRSAEncryption
:         (1 2 840 113549 1 1 5)
:         (PKCS #1)
512 05 0:   NULL
:   }
514 03 129: BIT STRING 0 unused bits
:         3E 70 47 A8 48 CC 13 58 8F CA 51 71
:         6B 4E 36 18 5D 04 7E 80 B1 8D 4D CC
:         CA A3 8F CC 7D 56 C8 BC CF 6E B3 1C
:         59 A9 20 AA 05 81 A8 4E 25 AD A7 70
:         14 75 2F F5 C7 9B D1 0E E9 63 D2 64
:         B7 C6 66 6E 73 21 54 DF F4 BA 25 5D
:         7D 49 D3 94 6B 22 36 74 73 B8 4A EC
:         2F 64 ED D3 3D D2 A7 42 C5 E8 37 8A
:         B4 DB 9F 67 E4 BD 9F F9 FE 74 EF EA
:         F9 EE 63 6A D8 3F 4B 25 09 B5 D8 1A
:         76 AE EB 9B DB 49 B0 22
:       }
646 30 667: SEQUENCE {
650 30 602:   SEQUENCE {
654 A0 3:     [0] {
656 02 1:       INTEGER 2
:     }
659 02 1:   INTEGER 1
662 30 9:   SEQUENCE {
664 06 7:     OBJECT IDENTIFIER
:         dsaWithSha1 (1 2 840 10040 4 3)
:         (ANSI X9.57 algorithm)
:     }
673 30 18: SEQUENCE {
675 31 16:   SET {
677 30 14:     SEQUENCE {

```

```

679 06      3:      OBJECT IDENTIFIER
                   :      commonName (2 5 4 3)
                   :      (X.520 id-at (2 5 4))
684 13      7:      PrintableString 'CarLDSS'
                   :      }
                   :      }
                   :      }
693 30      30:     SEQUENCE {
695 17      13:     UTCTime '990816225050Z'
710 17      13:     UTCTime '391231235959Z'
                   :      }
725 30      18:     SEQUENCE {
727 31      16:     SET {
729 30      14:     SEQUENCE {
731 06      3:      OBJECT IDENTIFIER
                   :      commonName (2 5 4 3)
                   :      (X.520 id-at (2 5 4))
736 13      7:      PrintableString 'CarLDSS'
                   :      }
                   :      }
                   :      }
745 30      439:    SEQUENCE {
749 30      299:    SEQUENCE {
753 06      7:      OBJECT IDENTIFIER
                   :      dsa (1 2 840 10040 4 1)
                   :      (ANSI X9.57 algorithm)
762 30      286:    SEQUENCE {
766 02      129:    INTEGER
                   :      00 B6 49 18 3E 8A 44 C1 29 71 94 4C
                   :      01 C4 12 C1 7A 79 CB 54 4D AB 1E 81
                   :      FB C6 4C B3 0E 94 09 06 EB 01 D4 B1
                   :      C8 71 4B C7 45 C0 50 25 5D 9C FC DA
                   :      E4 6D D3 E2 86 48 84 82 7D BA 15 95
                   :      4A 16 F6 46 ED DD F6 98 D2 BB 7E 8A
                   :      0A 8A BA 16 7B B9 50 01 48 93 8B EB
                   :      25 15 51 97 55 DC 8F 53 0E 10 A9 50
                   :      FC 70 B7 CD 30 54 FD DA DE A8 AA 22
                   :      B5 A1 AF 8B CC 02 88 E7 8B 70 5F B9
                   :      AD E1 08 D4 6D 29 2D D6 E9
898 02      21:    INTEGER
                   :      00 DD C1 2F DF 53 CE 0B 34 60 77 3E
                   :      02 A4 BF 8A 5D 98 B9 10 D5
921 02      128:    INTEGER
                   :      0C EE 57 9B 4B BD DA B6 07 6A 74 37
                   :      4F 55 7F 9D ED BC 61 0D EB 46 59 3C
                   :      56 0B 2B 5B 0C 91 CE A5 62 52 69 CA
                   :      E1 6D 3E BD BF FE E1 B7 B9 2B 61 3C
                   :      AD CB AE 45 E3 06 AC 8C 22 9D 9C 44
                   :      87 0B C7 CD F0 1C D9 B5 4E 5D 73 DE
                   :      AF 0E C9 1D 5A 51 F5 4F 44 79 35 5A
                   :      73 AA 7F 46 51 1F A9 42 16 9C 48 EB

```

```

:      8A 79 61 B4 D5 2F 53 22 44 63 1F 86
:      B8 A3 58 06 25 F8 29 C0 EF BA E0 75
:      F0 42 C4 63 65 52 9B 0A
:      }
:    }
1052 03 133: BIT STRING 0 unused bits, encapsulates {
1056 02 129:   INTEGER
:      00 99 87 74 27 03 66 A0 B1 C0 AD DC
:      2C 75 BB E1 6C 44 9C DA 21 6D 4D 47
:      6D B1 62 09 E9 D8 AE 1E F2 3A B4 94
:      B1 A3 8E 7A 9B 71 4E 00 94 C9 B4 25
:      4E B9 60 96 19 24 01 F3 62 0C FE 75
:      C0 FB CE D8 68 00 E3 FD D5 70 4F DF
:      23 96 19 06 94 F4 B1 61 8F 3A 57 B1
:      08 11 A4 0B 26 25 F0 52 76 81 EA 0B
:      62 0D 95 2A E6 86 BA 72 B2 A7 50 83
:      0B AA 27 CD 1B A9 4D 89 9A D7 8D 18
:      39 84 3F 8B C5 56 4D 80 7A
:      }
:    }
1188 A3 66: [3] {
1190 30 64:   SEQUENCE {
1192 30 15:     SEQUENCE {
1194 06 3:       OBJECT IDENTIFIER
:         basicConstraints (2 5 29 19)
:         (X.509 id-ce (2 5 29))
1199 01 1:       BOOLEAN TRUE
1202 04 5:       OCTET STRING, encapsulates {
1204 30 3:         SEQUENCE {
1206 01 1:           BOOLEAN TRUE
:         }
:       }
:     }
1209 30 14:   SEQUENCE {
1211 06 3:     OBJECT IDENTIFIER
:       keyUsage (2 5 29 15)
:       (X.509 id-ce (2 5 29))
1216 01 1:     BOOLEAN TRUE
1219 04 4:     OCTET STRING, encapsulates {
1221 03 2:       BIT STRING 1 unused bits
:       '1100001'B
:     }
:   }
1225 30 29: SEQUENCE {
1227 06 3:   OBJECT IDENTIFIER
:     subjectKeyIdentifier (2 5 29 14)
:     (X.509 id-ce (2 5 29))
1232 04 22:   OCTET STRING, encapsulates {
1234 04 20:     OCTET STRING
:     70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:     3D 20 BC 43 2B 93 F1 1F

```

```

:
:
:
:
:
:
1256 30 9: SEQUENCE {
1258 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
:
1267 03 48: BIT STRING 0 unused bits, encapsulates {
1270 30 45: SEQUENCE {
1272 02 20: INTEGER
: 6B A9 F0 4E 7A 5A 79 E3 F9 BE 3D 2B
: C9 06 37 E9 11 17 A1 13
1294 02 21: INTEGER
: 00 8F 34 69 2A 8B B1 3C 03 79 94 32
: 4D 12 1F CE 89 FB 46 B2 3B
:
: }
:
: }
1317 30 732: SEQUENCE {
1321 30 667: SEQUENCE {
1325 A0 3: [0] {
1327 02 1: INTEGER 2
:
1330 02 2: INTEGER 200
1334 30 9: SEQUENCE {
1336 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
:
1345 30 18: SEQUENCE {
1347 31 16: SET {
1349 30 14: SEQUENCE {
1351 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
1356 13 7: PrintableString 'CarlDSS'
:
: }
:
: }
1365 30 30: SEQUENCE {
1367 17 13: UTCTime '990817011049Z'
1382 17 13: UTCTime '391231235959Z'
:
1397 30 19: SEQUENCE {
1399 31 17: SET {
1401 30 15: SEQUENCE {
1403 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)

```



```

: (X.520 id-at (2 5 4))
1408 13 8: PrintableString 'AliceDSS'
: }
: }
: }
1418 30 438: SEQUENCE {
1422 30 299: SEQUENCE {
1426 06 7: OBJECT IDENTIFIER
: dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
1435 30 286: SEQUENCE {
1439 02 129: INTEGER
: 00 81 8D CD ED 83 EA 0A 9E 39 3E C2
: 48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
: 53 C5 AB 84 08 4F FF 94 E1 73 48 7E
: 0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
: 2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
: DC 5F 69 8A E4 75 D0 37 0C 91 08 95
: 9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
: 8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
: C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
: 78 BD FF 9D B0 84 97 37 F2 E4 51 1B
: B5 E4 09 96 5C F3 7E 5B DB
1571 02 21: INTEGER
: 00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
: B8 37 21 2B 62 8B F7 93 CD
1594 02 128: INTEGER
: 26 38 D0 14 89 32 AA 39 FB 3E 6D D9
: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2
: D1 81 4A 60 39 BA 36 39
: }
: }
1725 03 132: BIT STRING 0 unused bits, encapsulates {
1729 02 128: INTEGER
: 5C E3 B9 5A 75 14 96 0B A9 7A DD E3
: 3F A9 EC AC 5E DC BD B7 13 11 34 A6
: 16 89 28 11 23 D9 34 86 67 75 75 13
: 12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
: 1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
: A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
: 7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
: 08 BF 66 14 80 5C 62 AC 65 FA 15 8B
: F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4

```

```

:          32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:          F2 A5 E2 F4 F2 83 E5 B8
:          }
:        }
1860 A3 129: [3] {
1863 30 127: SEQUENCE {
1865 30 12: SEQUENCE {
1867 06 3: OBJECT IDENTIFIER
:         basicConstraints (2 5 29 19)
:         (X.509 id-ce (2 5 29))
1872 01 1: BOOLEAN TRUE
1875 04 2: OCTET STRING, encapsulates {
1877 30 0: SEQUENCE {}
:         }
:       }
1879 30 14: SEQUENCE {
1881 06 3: OBJECT IDENTIFIER
:         keyUsage (2 5 29 15)
:         (X.509 id-ce (2 5 29))
1886 01 1: BOOLEAN TRUE
1889 04 4: OCTET STRING, encapsulates {
1891 03 2: BIT STRING 6 unused bits
:         '11'B
:       }
:     }
1895 30 31: SEQUENCE {
1897 06 3: OBJECT IDENTIFIER
:         authorityKeyIdentifier (2 5 29 35)
:         (X.509 id-ce (2 5 29))
1902 04 24: OCTET STRING, encapsulates {
1904 30 22: SEQUENCE {
1906 80 20: [0]
:         70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:         3D 20 BC 43 2B 93 F1 1F
:       }
:     }
1928 30 29: SEQUENCE {
1930 06 3: OBJECT IDENTIFIER
:         subjectKeyIdentifier (2 5 29 14)
:         (X.509 id-ce (2 5 29))
1935 04 22: OCTET STRING, encapsulates {
1937 04 20: OCTET STRING
:         BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
:         13 01 E2 FD E3 97 FE CD
:       }
:     }
1959 30 31: SEQUENCE {
1961 06 3: OBJECT IDENTIFIER
:         subjectAltName (2 5 29 17)
:         (X.509 id-ce (2 5 29))

```

```

1966 04 24:         OCTET STRING, encapsulates {
1968 30 22:             SEQUENCE {
1970 81 20:                 [1] 'AliceDSS@example.com'
                        :
                        :
                        :
                        :
                        :
                        :
                        :
                        :
                        :
                        :
1992 30 9:         SEQUENCE {
1994 06 7:             OBJECT IDENTIFIER
                        :
                        :   dsaWithSha1 (1 2 840 10040 4 3)
                        :   (ANSI X9.57 algorithm)
                        :
                        :   }
2003 03 48:         BIT STRING 0 unused bits, encapsulates {
2006 30 45:             SEQUENCE {
2008 02 20:                 INTEGER
                        :
                        :   55 0C A4 19 1F 42 2B 89 71 22 33 8D
                        :   83 6A B5 3D 67 6B BF 45
2030 02 21:                 INTEGER
                        :
                        :   00 9F 61 53 52 54 0B 5C B2 DD DA E7
                        :   76 1D E2 10 52 5B 43 5E BD
                        :
                        :   }
                        :
                        :   }
                        :
                        :   }
2053 A1 219:         [1] {
2056 30 216:             SEQUENCE {
2059 30 153:                 SEQUENCE {
2062 30 9:                     SEQUENCE {
2064 06 7:                         OBJECT IDENTIFIER
                                :
                                :   dsaWithSha1 (1 2 840 10040 4 3)
                                :   (ANSI X9.57 algorithm)
                                :
                                :   }
2073 30 18:                 SEQUENCE {
2075 31 16:                     SET {
2077 30 14:                         SEQUENCE {
2079 06 3:                             OBJECT IDENTIFIER
                                    :
                                    :   commonName (2 5 4 3)
                                    :   (X.520 id-at (2 5 4))
2084 13 7:                             PrintableString 'CarlDSS'
                                    :
                                    :   }
                                    :
                                    :   }
                                    :
                                    :   }
2093 17 13:             UTCTime '990827070000Z'
2108 30 105:             SEQUENCE {
2110 30 19:                 SEQUENCE {
2112 02 2:                     INTEGER 200
2116 17 13:                     UTCTime '990822070000Z'
                        :
                        :   }
2131 30 19:             SEQUENCE {

```

```

2133 02 2: INTEGER 201
2137 17 13: UTCTime '990822070000Z'
      :
      }
2152 30 19: SEQUENCE {
2154 02 2: INTEGER 211
2158 17 13: UTCTime '990822070000Z'
      :
      }
2173 30 19: SEQUENCE {
2175 02 2: INTEGER 210
2179 17 13: UTCTime '990822070000Z'
      :
      }
2194 30 19: SEQUENCE {
2196 02 2: INTEGER 212
2200 17 13: UTCTime '990824070000Z'
      :
      }
      :
      }
      :
      }
2215 30 9: SEQUENCE {
2217 06 7: OBJECT IDENTIFIER
      : dsaWithSha1 (1 2 840 10040 4 3)
      : (ANSI X9.57 algorithm)
      :
      }
2226 03 47: BIT STRING 0 unused bits, encapsulates {
2229 30 44: SEQUENCE {
2231 02 20: INTEGER
      : 7E 65 52 76 33 FE 34 73 17 D1 F7 96
      : F9 A0 D4 D8 6D 5C 7D 3D
2253 02 20: INTEGER
      : 02 7A 5B B7 D5 5B 18 C1 CF 87 EF 7E
      : DA 24 F3 2A 83 9C 35 A1
      :
      }
      :
      }
      :
      }
      :
      }
2275 31 554: SET {
2279 30 550: SEQUENCE {
2283 02 1: INTEGER 1
2286 30 24: SEQUENCE {
2288 30 18: SEQUENCE {
2290 31 16: SET {
2292 30 14: SEQUENCE {
2294 06 3: OBJECT IDENTIFIER
      : commonName (2 5 4 3)
      : (X.520 id-at (2 5 4))
2299 13 7: PrintableString 'CarlDSS'
      :
      }
      :
      }
      :
      }
2308 02 2: INTEGER 200
      :
      }
2312 30 7: SEQUENCE {

```

```

2314 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      : (OIW)
      : }
2321 A0 93: [0] {
2323 30 24: SEQUENCE {
2325 06 9: OBJECT IDENTIFIER
      : contentType (1 2 840 113549 1 9 3)
      : (PKCS #9 (1 2 840 113549 1 9))
2336 31 11: SET {
2338 06 9: OBJECT IDENTIFIER
      : data (1 2 840 113549 1 7 1)
      : (PKCS #7)
      : }
      : }
2349 30 28: SEQUENCE {
2351 06 9: OBJECT IDENTIFIER
      : signingTime (1 2 840 113549 1 9 5)
      : (PKCS #9 (1 2 840 113549 1 9))
2362 31 15: SET {
2364 17 13: UTCTime '030514153900Z'
      : }
      : }
2379 30 35: SEQUENCE {
2381 06 9: OBJECT IDENTIFIER
      : messageDigest (1 2 840 113549 1 9 4)
      : (PKCS #9 (1 2 840 113549 1 9))
2392 31 22: SET {
2394 04 20: OCTET STRING
      : 40 6A EC 08 52 79 BA 6E 16 02 2D 9E
      : 06 29 C0 22 96 87 DD 48
      : }
      : }
      : }
2416 30 9: SEQUENCE {
2418 06 7: OBJECT IDENTIFIER
      : dsaWithSha1 (1 2 840 10040 4 3)
      : (ANSI X9.57 algorithm)
      : }
2427 04 46: OCTET STRING, encapsulates {
2429 30 44: SEQUENCE {
2431 02 20: INTEGER
      : 3B A5 E0 4A DB 6D 58 E0 19 D1 00 1C
      : 4F 44 9A 57 7A 71 66 68
2453 02 20: INTEGER
      : 1A 11 98 D6 1F 1F AF 34 81 01 DE BE
      : 8B DC B6 A8 6A 91 69 13
      : }
      : }
2475 A1 354: [1] {
2479 30 62: SEQUENCE {
2481 06 11: OBJECT IDENTIFIER

```

```

: id-aa-contentHint
: (1 2 840 113549 1 9 16 2 4)
: (S/MIME Authenticated Attributes
: (1 2 840 113549 1 9 16 2))
2494 31 47: SET {
2496 30 45: SEQUENCE {
2498 0C 32: UTF8String
: 'Content Hints Description Buffer'
2532 06 9: OBJECT IDENTIFIER
: data (1 2 840 113549 1 7 1)
: (PKCS #7)
: }
: }
: }
2543 30 286: SEQUENCE {
2547 06 9: OBJECT IDENTIFIER
: countersignature (1 2 840 113549 1 9 6)
: (PKCS #9 (1 2 840 113549 1 9))
2558 31 271: SET {
2562 30 267: SEQUENCE {
2566 02 1: INTEGER 1
2569 30 38: SEQUENCE {
2571 30 18: SEQUENCE {
2573 31 16: SET {
2575 30 14: SEQUENCE {
2577 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
2582 13 7: PrintableString 'CarlRSA'
: }
: }
: }
2591 02 16: INTEGER
: 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
: C4 10 B3 B0
: }
2609 30 7: SEQUENCE {
2611 06 5: OBJECT IDENTIFIER
: sha1 (1 3 14 3 2 26)
: (OIW)
: }
2618 A0 67: [0] {
2620 30 28: SEQUENCE {
2622 06 9: OBJECT IDENTIFIER
: signingTime
: (1 2 840 113549 1 9 5)
: (PKCS #9 (1 2 840 113549 1 9))
2633 31 15: SET {
2635 17 13: UTCTime '030514153900Z'
: }
: }

```

```
0 30 NDEF: SEQUENCE {
2 06     9:  OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
```

```

      : (PKCS #7)
13 A0 NDEF: [0] {
15 30 NDEF: SEQUENCE {
17 02 1: INTEGER 1
20 31 11: SET {
22 30 9: SEQUENCE {
24 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      : (OIW)
31 05 0: NULL
      : }
      : }
33 30 NDEF: SEQUENCE {
35 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
      : (PKCS #7)
46 A0 NDEF: [0] {
48 24 NDEF: OCTET STRING {
50 04 4: OCTET STRING 'This'
56 04 24: OCTET STRING ' is some sample content.'
      : }
      : }
      : }
88 A0 NDEF: [0] {
90 30 491: SEQUENCE {
94 30 340: SEQUENCE {
98 A0 3: [0] {
100 02 1: INTEGER 2
      : }
103 02 16: INTEGER
      : 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      : 9F F2 50 20
121 30 13: SEQUENCE {
123 06 9: OBJECT IDENTIFIER
      : sha1withRSAEncryption
      : (1 2 840 113549 1 1 5)
      : (PKCS #1)
134 05 0: NULL
      : }
136 30 18: SEQUENCE {
138 31 16: SET {
140 30 14: SEQUENCE {
142 06 3: OBJECT IDENTIFIER
      : commonName (2 5 4 3)
      : (X.520 id-at (2 5 4))
147 13 7: PrintableString 'CarlRSA'
      : }
      : }
      : }
156 30 30: SEQUENCE {
158 17 13: UTCTime '990818070000Z'
173 17 13: UTCTime '391231235959Z'
      : }

```



```

188 30 18:      SEQUENCE {
190 31 16:      SET {
192 30 14:      SEQUENCE {
194 06 3:      OBJECT IDENTIFIER
                :      commonName (2 5 4 3)
                :      (X.520 id-at (2 5 4))
199 13 7:      PrintableString 'CarlRSA'
                :      }
                :      }
                :      }
208 30 159:     SEQUENCE {
211 30 13:     SEQUENCE {
213 06 9:     OBJECT IDENTIFIER
                :     rsaEncryption (1 2 840 113549 1 1 1)
                :     (PKCS #1)
224 05 0:     NULL
                :     }
226 03 141:    BIT STRING 0 unused bits, encapsulates {
230 30 137:    SEQUENCE {
233 02 129:    INTEGER
                :    00 E4 4B FF 18 B8 24 57 F4 77 FF 6E
                :    73 7B 93 71 5C BC 33 1A 92 92 72 23
                :    D8 41 46 D0 CD 11 3A 04 B3 8E AF 82
                :    9D BD 51 1E 17 7A F2 76 2C 2B 86 39
                :    A7 BD D7 8D 1A 53 EC E4 00 D5 E8 EC
                :    A2 36 B1 ED E2 50 E2 32 09 8A 3F 9F
                :    99 25 8F B8 4E AB B9 7D D5 96 65 DA
                :    16 A0 C5 BE 0E AE 44 5B EF 5E F4 A7
                :    29 CB 82 DD AC 44 E9 AA 93 94 29 0E
                :    F8 18 D6 C8 57 5E F2 76 C4 F2 11 60
                :    38 B9 1B 3C 1D 97 C9 6A F1
365 02 3:      INTEGER 65537
                :      }
                :      }
                :      }
370 A3 66:    [3] {
372 30 64:    SEQUENCE {
374 30 15:    SEQUENCE {
376 06 3:    OBJECT IDENTIFIER
                :    basicConstraints (2 5 29 19)
                :    (X.509 id-ce (2 5 29))
381 01 1:    BOOLEAN TRUE
384 04 5:    OCTET STRING, encapsulates {
386 30 3:    SEQUENCE {
388 01 1:    BOOLEAN TRUE
                :    }
                :    }
                :    }
391 30 14:    SEQUENCE {
393 06 3:    OBJECT IDENTIFIER
                :    keyUsage (2 5 29 15)

```

```

: (X.509 id-ce (2 5 29))
398 01 1: BOOLEAN TRUE
401 04 4: OCTET STRING, encapsulates {
403 03 2: BIT STRING 1 unused bits
: '1100001'B
: }
: }
407 30 29: SEQUENCE {
409 06 3: OBJECT IDENTIFIER
: subjectKeyIdentifier (2 5 29 14)
: (X.509 id-ce (2 5 29))
414 04 22: OCTET STRING, encapsulates {
416 04 20: OCTET STRING
: E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
: 42 37 4E 22 AE 9E 38 BB
: }
: }
: }
: }
438 30 13: SEQUENCE {
440 06 9: OBJECT IDENTIFIER
: sha1withRSAEncryption
: (1 2 840 113549 1 1 5)
: (PKCS #1)
451 05 0: NULL
: }
453 03 129: BIT STRING 0 unused bits
: B7 9E D4 04 D3 ED 29 E4 FF 89 89 15
: 2E 4C DB 0C F0 48 0F 32 61 EE C4 04
: EC 12 5D 2D FF 0F 64 59 7E 0A C3 ED
: 18 FD E3 56 40 37 A7 07 B5 F0 38 12
: 61 50 ED EF DD 3F E3 0B B8 61 A5 A4
: 9B 3C E6 9E 9C 54 9A B6 95 D6 DA 6C
: 3B B5 2D 45 35 9D 49 01 76 FA B9 B9
: 31 F9 F9 6B 12 53 A0 F5 14 60 9B 7D
: CA 3E F2 53 6B B0 37 6F AD E6 74 D7
: DB FA 5A EA 14 41 63 5D CD BE C8 0E
: C1 DA 6A 8D 53 34 18 02
: }
585 30 556: SEQUENCE {
589 30 405: SEQUENCE {
593 A0 3: [0] {
595 02 1: INTEGER 2
: }
598 02 16: INTEGER
: 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
: C4 10 B3 B0
616 30 13: SEQUENCE {
618 06 9: OBJECT IDENTIFIER
: sha1withRSAEncryption

```

```

: (1 2 840 113549 1 1 5)
: (PKCS #1)
629 05 0: NULL
: }
631 30 18: SEQUENCE {
633 31 16: SET {
635 30 14: SEQUENCE {
637 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
642 13 7: PrintableString 'CarlRSA'
: }
: }
: }
651 30 30: SEQUENCE {
653 17 13: UTCTime '990919010847Z'
668 17 13: UTCTime '391231235959Z'
: }
683 30 19: SEQUENCE {
685 31 17: SET {
687 30 15: SEQUENCE {
689 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
694 13 8: PrintableString 'AliceRSA'
: }
: }
: }
704 30 159: SEQUENCE {
707 30 13: SEQUENCE {
709 06 9: OBJECT IDENTIFIER
: rsaEncryption (1 2 840 113549 1 1 1)
: (PKCS #1)
720 05 0: NULL
: }
722 03 141: BIT STRING 0 unused bits, encapsulates {
726 30 137: SEQUENCE {
729 02 129: INTEGER
: 00 E0 89 73 39 8D D8 F5 F5 E8 87 76
: 39 7F 4E B0 05 BB 53 83 DE 0F B7 AB
: DC 7D C7 75 29 0D 05 2E 6D 12 DF A6
: 86 26 D4 D2 6F AA 58 29 FC 97 EC FA
: 82 51 0F 30 80 BE B1 50 9E 46 44 F1
: 2C BB D8 32 CF C6 68 6F 07 D9 B0 60
: AC BE EE 34 09 6A 13 F5 F7 05 05 93
: DF 5E BA 35 56 D9 61 FF 19 7F C9 81
: E6 F8 6C EA 87 40 70 EF AC 6D 2C 74
: 9F 2D FA 55 3A B9 99 77 02 A6 48 52
: 8C 4E F3 57 38 57 74 57 5F
861 02 3: INTEGER 65537
: }

```

```

      :
      :
      :
866 A3 129: [3] {
869 30 127: SEQUENCE {
871 30 12: SEQUENCE {
873 06 3: OBJECT IDENTIFIER
      : basicConstraints (2 5 29 19)
      : (X.509 id-ce (2 5 29))
878 01 1: BOOLEAN TRUE
881 04 2: OCTET STRING, encapsulates {
883 30 0: SEQUENCE {}
      : }
      : }
885 30 14: SEQUENCE {
887 06 3: OBJECT IDENTIFIER
      : keyUsage (2 5 29 15)
      : (X.509 id-ce (2 5 29))
892 01 1: BOOLEAN TRUE
895 04 4: OCTET STRING, encapsulates {
897 03 2: BIT STRING 6 unused bits
      : '11'B
      : }
      : }
901 30 31: SEQUENCE {
903 06 3: OBJECT IDENTIFIER
      : authorityKeyIdentifier (2 5 29 35)
      : (X.509 id-ce (2 5 29))
908 04 24: OCTET STRING, encapsulates {
910 30 22: SEQUENCE {
912 80 20: [0]
      : E9 E0 90 27 AC 78 20 7A 9A D3 4C F2
      : 42 37 4E 22 AE 9E 38 BB
      : }
      : }
934 30 29: SEQUENCE {
936 06 3: OBJECT IDENTIFIER
      : subjectKeyIdentifier (2 5 29 14)
      : (X.509 id-ce (2 5 29))
941 04 22: OCTET STRING, encapsulates {
943 04 20: OCTET STRING
      : 77 D2 B4 D1 B7 4C 8A 8A A3 CE 45 9D
      : CE EC 3C A0 3A E3 FF 50
      : }
      : }
965 30 31: SEQUENCE {
967 06 3: OBJECT IDENTIFIER
      : subjectAltName (2 5 29 17)
      : (X.509 id-ce (2 5 29))
972 04 24: OCTET STRING, encapsulates {
974 30 22: SEQUENCE {

```

```

976 81 20: [1] 'AliceRSA@example.com'
      :
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
998 30 13: SEQUENCE {
1000 06 9:   OBJECT IDENTIFIER
      :     sha1withRSAEncryption
      :       (1 2 840 113549 1 1 5)
      :       (PKCS #1)
1011 05 0:   NULL
      : }
1013 03 129:  BIT STRING 0 unused bits
      :     3E 70 47 A8 48 CC 13 58 8F CA 51 71
      :     6B 4E 36 18 5D 04 7E 80 B1 8D 4D CC
      :     CA A3 8F CC 7D 56 C8 BC CF 6E B3 1C
      :     59 A9 20 AA 05 81 A8 4E 25 AD A7 70
      :     14 75 2F F5 C7 9B D1 0E E9 63 D2 64
      :     B7 C6 66 6E 73 21 54 DF F4 BA 25 5D
      :     7D 49 D3 94 6B 22 36 74 73 B8 4A EC
      :     2F 64 ED D3 3D D2 A7 42 C5 E8 37 8A
      :     B4 DB 9F 67 E4 BD 9F F9 FE 74 EF EA
      :     F9 EE 63 6A D8 3F 4B 25 09 B5 D8 1A
      :     76 AE EB 9B DB 49 B0 22
      : }
      : }
1147 31 203: SET {
1150 30 200:   SEQUENCE {
1153 02 1:     INTEGER 1
1156 30 38:     SEQUENCE {
1158 30 18:       SEQUENCE {
1160 31 16:         SET {
1162 30 14:           SEQUENCE {
1164 06 3:             OBJECT IDENTIFIER
      :               commonName (2 5 4 3)
      :               (X.520 id-at (2 5 4))
1169 13 7:             PrintableString 'CarlRSA'
      :           }
      :         }
      :       }
      :     }
1178 02 16:     INTEGER
      :       46 34 6B C7 80 00 56 BC 11 D3 6E 2E
      :       C4 10 B3 B0
      :     }
1196 30 9:     SEQUENCE {
1198 06 5:       OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      :       (OIW)
1205 05 0:       NULL
      :     }

```

```

1207 30 13: SEQUENCE {
1209 06 9: OBJECT IDENTIFIER
: rsaEncryption (1 2 840 113549 1 1 1)
: (PKCS #1)
1220 05 0: NULL
: }
1222 04 128: OCTET STRING
: 2F 23 82 D2 F3 09 5F B8 0C 58 EB 4E
: 9D BF 89 9A 81 E5 75 C4 91 3D D3 D0
: D5 7B B6 D5 FE 94 A1 8A AC E3 C4 84
: F5 CD 60 4E 27 95 F6 CF 00 86 76 75
: 3F 2B F0 E7 D4 02 67 A7 F5 C7 8D 16
: 04 A5 B3 B5 E7 D9 32 F0 24 EF E7 20
: 44 D5 9F 07 C5 53 24 FA CE 01 1D 0F
: 17 13 A7 2A 95 9D 2B E4 03 95 14 0B
: E9 39 0D BA CE 6E 9C 9E 0C E8 98 E6
: 55 13 D4 68 6F D0 07 D7 A2 B1 62 4C
: E3 8F AF FD E0 D5 5D C7
: }
: }
: }
: }
: }

```

4.6 Multiple signers

Similar to 4.1, but the message is also signed by Diane. Two signerInfos (one for Alice, one for Diane) with no attribute certificates, each signed using DSS, Alice's and Diane's certificate (not Carl's root cert), no CRL. The message is ExContent, and is included in the eContent. There are no signed or unsigned attributes.

```

0 30 1463: SEQUENCE {
4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
: (PKCS #7)
15 A0 1448: [0] {
19 30 1444: SEQUENCE {
23 02 1: INTEGER 1
26 31 9: SET {
28 30 7: SEQUENCE {
30 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)
: }
: }
37 30 43: SEQUENCE {
39 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
50 A0 30: [0] {
52 04 28: OCTET STRING 'This is some sample content.'
: }
: }

```

82	A0	1180:	[0] {
86	30	440:	SEQUENCE {
90	30	375:	SEQUENCE {
94	A0	3:	[0] {
96	02	1:	INTEGER 2
		:	}
99	02	2:	INTEGER 210
103	30	9:	SEQUENCE {
105	06	7:	OBJECT IDENTIFIER
		:	dsaWithSha1 (1 2 840 10040 4 3)
		:	(ANSI X9.57 algorithm)
		:	}
114	30	18:	SEQUENCE {
116	31	16:	SET {
118	30	14:	SEQUENCE {
120	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
125	13	7:	PrintableString 'CarlDSS'
		:	}
		:	}
		:	}
134	30	30:	SEQUENCE {
136	17	13:	UTCTime '990817020810Z'
151	17	13:	UTCTime '391231235959Z'
		:	}
166	30	19:	SEQUENCE {
168	31	17:	SET {
170	30	15:	SEQUENCE {
172	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
177	13	8:	PrintableString 'DianeDSS'
		:	}
		:	}
		:	}
187	30	147:	SEQUENCE {
190	30	9:	SEQUENCE {
192	06	7:	OBJECT IDENTIFIER
		:	dsa (1 2 840 10040 4 1)
		:	(ANSI X9.57 algorithm)
		:	}
201	03	133:	BIT STRING 0 unused bits, encapsulates {
205	02	129:	INTEGER
		:	00 A0 00 17 78 2C EE 7E 81 53 2E 2E
		:	61 08 0F A1 9B 51 52 1A DA 59 A8 73
		:	2F 12 25 B6 08 CB CA EF 2A 44 76 8A
		:	52 09 EA BD 05 22 D5 0F F6 FD 46 D7
		:	AF 99 38 09 0E 13 CB 4F 2C DD 1C 34
		:	F7 1C BF 25 FF 23 D3 3B 59 E7 82 97
		:	37 BE 31 24 D8 18 C8 F3 49 39 5B B7

```

:      E2 E5 27 7E FC 8C 45 72 5B 7E 3E 8F
:      68 4D DD 46 7A 22 BE 8E FF CC DA 39
:      29 A3 39 E5 9F 43 E9 55 C9 D7 5B A6
:      81 67 CC C0 AA CD 2E C5 23
:      }
:    }
337 A3 129: [3] {
340 30 127: SEQUENCE {
342 30 12: SEQUENCE {
344 06 3: OBJECT IDENTIFIER
:      basicConstraints (2 5 29 19)
:      (X.509 id-ce (2 5 29))
349 01 1: BOOLEAN TRUE
352 04 2: OCTET STRING, encapsulates {
354 30 0: SEQUENCE {}
:      }
:    }
356 30 14: SEQUENCE {
358 06 3: OBJECT IDENTIFIER
:      keyUsage (2 5 29 15)
:      (X.509 id-ce (2 5 29))
363 01 1: BOOLEAN TRUE
366 04 4: OCTET STRING, encapsulates {
368 03 2: BIT STRING 6 unused bits
:      '11'B
:      }
:    }
372 30 31: SEQUENCE {
374 06 3: OBJECT IDENTIFIER
:      authorityKeyIdentifier (2 5 29 35)
:      (X.509 id-ce (2 5 29))
379 04 24: OCTET STRING, encapsulates {
381 30 22: SEQUENCE {
383 80 20: [0]
:      70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:      3D 20 BC 43 2B 93 F1 1F
:      }
:    }
405 30 29: SEQUENCE {
407 06 3: OBJECT IDENTIFIER
:      subjectKeyIdentifier (2 5 29 14)
:      (X.509 id-ce (2 5 29))
412 04 22: OCTET STRING, encapsulates {
414 04 20: OCTET STRING
:      64 30 99 7D 5C DC 45 0B 99 3A 52 2F
:      16 BF 58 50 DD CE 2B 18
:      }
:    }
436 30 31: SEQUENCE {
438 06 3: OBJECT IDENTIFIER

```



```

:                subjectAltName (2 5 29 17)
:                (X.509 id-ce (2 5 29))
443 04 24:      OCTET STRING, encapsulates {
445 30 22:      SEQUENCE {
447 81 20:      [1] 'DianeDSS@example.com'
:              }
:            }
:          }
:        }
:      }
:    }
469 30 9:      SEQUENCE {
471 06 7:      OBJECT IDENTIFIER
:          dsaWithSha1 (1 2 840 10040 4 3)
:          (ANSI X9.57 algorithm)
:        }
480 03 48:      BIT STRING 0 unused bits, encapsulates {
483 30 45:      SEQUENCE {
485 02 21:      INTEGER
:          00 A1 1A F8 17 0E 3E 5D A8 8C F4 B6
:          55 33 1E 4B E3 2C AC B9 5F
508 02 20:      INTEGER
:          28 4B 10 45 58 D2 1C 9D 55 35 14 18
:          91 B2 3F 39 DF B5 6E D3
:        }
:      }
:    }
530 30 732:    SEQUENCE {
534 30 667:    SEQUENCE {
538 A0 3:      [0] {
540 02 1:      INTEGER 2
:          }
543 02 2:      INTEGER 200
547 30 9:      SEQUENCE {
549 06 7:      OBJECT IDENTIFIER
:          dsaWithSha1 (1 2 840 10040 4 3)
:          (ANSI X9.57 algorithm)
:        }
558 30 18:    SEQUENCE {
560 31 16:    SET {
562 30 14:    SEQUENCE {
564 06 3:      OBJECT IDENTIFIER
:          commonName (2 5 4 3)
:          (X.520 id-at (2 5 4))
569 13 7:      PrintableString 'CarlDSS'
:          }
:        }
:      }
578 30 30:    SEQUENCE {
580 17 13:      UTCTime '990817011049Z'
595 17 13:      UTCTime '391231235959Z'

```

```

:
610 30 19: SEQUENCE {
612 31 17: SET {
614 30 15: SEQUENCE {
616 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
621 13 8: PrintableString 'AliceDSS'
:
:
:
631 30 438: SEQUENCE {
635 30 299: SEQUENCE {
639 06 7: OBJECT IDENTIFIER
: dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
648 30 286: SEQUENCE {
652 02 129: INTEGER
: 00 81 8D CD ED 83 EA 0A 9E 39 3E C2
: 48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
: 53 C5 AB 84 08 4F FF 94 E1 73 48 7E
: 0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
: 2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
: DC 5F 69 8A E4 75 D0 37 0C 91 08 95
: 9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
: 8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
: C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
: 78 BD FF 9D B0 84 97 37 F2 E4 51 1B
: B5 E4 09 96 5C F3 7E 5B DB
784 02 21: INTEGER
: 00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
: B8 37 21 2B 62 8B F7 93 CD
807 02 128: INTEGER
: 26 38 D0 14 89 32 AA 39 FB 3E 6D D9
: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2
: D1 81 4A 60 39 BA 36 39
:
:
:
938 03 132: BIT STRING 0 unused bits, encapsulates {
942 02 128: INTEGER
: 5C E3 B9 5A 75 14 96 0B A9 7A DD E3
: 3F A9 EC AC 5E DC BD B7 13 11 34 A6
: 16 89 28 11 23 D9 34 86 67 75 75 13

```

```

:      12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
:      1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
:      A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
:      7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
:      08 BF 66 14 80 5C 62 AC 65 FA 15 8B
:      F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
:      32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:      F2 A5 E2 F4 F2 83 E5 B8
:      }
:    }
1073 A3 129: [3] {
1076 30 127:   SEQUENCE {
1078 30 12:     SEQUENCE {
1080 06 3:       OBJECT IDENTIFIER
:             basicConstraints (2 5 29 19)
:             (X.509 id-ce (2 5 29))
1085 01 1:       BOOLEAN TRUE
1088 04 2:       OCTET STRING, encapsulates {
1090 30 0:         SEQUENCE {}
:       }
:     }
1092 30 14:   SEQUENCE {
1094 06 3:     OBJECT IDENTIFIER
:           keyUsage (2 5 29 15)
:           (X.509 id-ce (2 5 29))
1099 01 1:     BOOLEAN TRUE
1102 04 4:     OCTET STRING, encapsulates {
1104 03 2:       BIT STRING 6 unused bits
:       '11'B
:     }
:   }
1108 30 31: SEQUENCE {
1110 06 3:   OBJECT IDENTIFIER
:         authorityKeyIdentifier (2 5 29 35)
:         (X.509 id-ce (2 5 29))
1115 04 24:   OCTET STRING, encapsulates {
1117 30 22:     SEQUENCE {
1119 80 20:       [0]
:       70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:       3D 20 BC 43 2B 93 F1 1F
:     }
:   }
: SEQUENCE {
1141 30 29:   OBJECT IDENTIFIER
1143 06 3:     subjectKeyIdentifier (2 5 29 14)
:     (X.509 id-ce (2 5 29))
1148 04 22:   OCTET STRING, encapsulates {
1150 04 20:     OCTET STRING
:     BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
:     13 01 E2 FD E3 97 FE CD

```

```

:
:
:
1172 30 31: SEQUENCE {
1174 06 3: OBJECT IDENTIFIER
: subjectAltName (2 5 29 17)
: (X.509 id-ce (2 5 29))
1179 04 24: OCTET STRING, encapsulates {
1181 30 22: SEQUENCE {
1183 81 20: [1] 'AliceDSS@example.com'
:
: }
:
: }
:
: }
:
: }
:
1205 30 9: SEQUENCE {
1207 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
:
: }
1216 03 48: BIT STRING 0 unused bits, encapsulates {
1219 30 45: SEQUENCE {
1221 02 20: INTEGER
: 55 0C A4 19 1F 42 2B 89 71 22 33 8D
: 83 6A B5 3D 67 6B BF 45
1243 02 21: INTEGER
: 00 9F 61 53 52 54 0B 5C B2 DD DA E7
: 76 1D E2 10 52 5B 43 5E BD
:
: }
:
: }
:
: }
:
1266 31 198: SET {
1269 30 97: SEQUENCE {
1271 02 1: INTEGER 1
1274 30 24: SEQUENCE {
1276 30 18: SEQUENCE {
1278 31 16: SET {
1280 30 14: SEQUENCE {
1282 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
1287 13 7: PrintableString 'CarlDSS'
:
: }
:
: }
:
1296 02 2: INTEGER 200
:
: }
1300 30 7: SEQUENCE {
1302 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)

```

```

:
}
1309 30 9: SEQUENCE {
1311 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
:
}
1320 04 46: OCTET STRING, encapsulates {
1322 30 44: SEQUENCE {
1324 02 20: INTEGER
: 48 24 DE 8B 85 F2 16 AF EC 82 61 A9
: 54 D0 2D 04 A1 CC 5A 4F
1346 02 20: INTEGER
: 17 ED D5 77 02 EE 75 13 D8 10 BD 3D
: 97 17 20 88 BB FD 7B 81
:
}
:
}
:
}
1368 30 97: SEQUENCE {
1370 02 1: INTEGER 1
1373 30 24: SEQUENCE {
1375 30 18: SEQUENCE {
1377 31 16: SET {
1379 30 14: SEQUENCE {
1381 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
1386 13 7: PrintableString 'CarlDSS'
:
}
:
}
:
}
1395 02 2: INTEGER 210
:
}
1399 30 7: SEQUENCE {
1401 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)
:
}
1408 30 9: SEQUENCE {
1410 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
:
}
1419 04 46: OCTET STRING, encapsulates {
1421 30 44: SEQUENCE {
1423 02 20: INTEGER
: 15 FF 81 4D 8C AD 80 4E 9B 35 58 04
: 37 6E 63 6E E9 5B 83 FA
1445 02 20: INTEGER
: 06 7E 58 4E 2B 31 84 41 ED 49 79 38
: 3E 77 D2 A6 8C 75 08 21
:
}
:
}

```

```

:      }
:    }
:  }
: }
: }

```

[4.7](#) Signing using SKI

Same as 4.1, but the signature uses the SKI instead of the issuer/serial number in the cert. A SignedData with no attribute certificates, signed by Alice using DSS, just her certificate (not Carl's root cert), identified by the SKI, no CRL. The message is ExContent, and is included in the eContent. There are no signed or unsigned attributes.

```

0 30 915: SEQUENCE {
4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
: (PKCS #7)
15 A0 900: [0] {
19 30 896: SEQUENCE {
23 02 1: INTEGER 3
26 31 9: SET {
28 30 7: SEQUENCE {
30 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
: (OIW)
: }
: }
: }
37 30 43: SEQUENCE {
39 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
50 A0 30: [0] {
52 04 28: OCTET STRING 'This is some sample content.'
: }
: }
82 A0 736: [0] {
86 30 732: SEQUENCE {
90 30 667: SEQUENCE {
94 A0 3: [0] {
96 02 1: INTEGER 2
: }
99 02 2: INTEGER 200
103 30 9: SEQUENCE {
105 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
114 30 18: SEQUENCE {
116 31 16: SET {
118 30 14: SEQUENCE {
120 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)

```

```

: (X.520 id-at (2 5 4))
125 13 7: PrintableString 'CarlDSS'
: }
: }
: }
134 30 30: SEQUENCE {
136 17 13: UTCTime '990817011049Z'
151 17 13: UTCTime '391231235959Z'
: }
166 30 19: SEQUENCE {
168 31 17: SET {
170 30 15: SEQUENCE {
172 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
177 13 8: PrintableString 'AliceDSS'
: }
: }
: }
187 30 438: SEQUENCE {
191 30 299: SEQUENCE {
195 06 7: OBJECT IDENTIFIER
: dsa (1 2 840 10040 4 1)
: (ANSI X9.57 algorithm)
204 30 286: SEQUENCE {
208 02 129: INTEGER
: 00 81 8D CD ED 83 EA 0A 9E 39 3E C2
: 48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
: 53 C5 AB 84 08 4F FF 94 E1 73 48 7E
: 0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
: 2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
: DC 5F 69 8A E4 75 D0 37 0C 91 08 95
: 9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
: 8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
: C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
: 78 BD FF 9D B0 84 97 37 F2 E4 51 1B
: B5 E4 09 96 5C F3 7E 5B DB
340 02 21: INTEGER
: 00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
: B8 37 21 2B 62 8B F7 93 CD
363 02 128: INTEGER
: 26 38 D0 14 89 32 AA 39 FB 3E 6D D9
: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2

```

```

:          D1 81 4A 60 39 BA 36 39
:          }
:        }
494 03 132: BIT STRING 0 unused bits, encapsulates {
498 02 128:   INTEGER
:           5C E3 B9 5A 75 14 96 0B A9 7A DD E3
:           3F A9 EC AC 5E DC BD B7 13 11 34 A6
:           16 89 28 11 23 D9 34 86 67 75 75 13
:           12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
:           1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
:           A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
:           7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
:           08 BF 66 14 80 5C 62 AC 65 FA 15 8B
:           F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
:           32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:           F2 A5 E2 F4 F2 83 E5 B8
:         }
:       }
629 A3 129: [3] {
632 30 127:   SEQUENCE {
634 30 12:     SEQUENCE {
636 06 3:       OBJECT IDENTIFIER
:           basicConstraints (2 5 29 19)
:           (X.509 id-ce (2 5 29))
641 01 1:       BOOLEAN TRUE
644 04 2:       OCTET STRING, encapsulates {
646 30 0:         SEQUENCE {}
:       }
:     }
648 30 14:   SEQUENCE {
650 06 3:     OBJECT IDENTIFIER
:         keyUsage (2 5 29 15)
:         (X.509 id-ce (2 5 29))
655 01 1:     BOOLEAN TRUE
658 04 4:     OCTET STRING, encapsulates {
660 03 2:       BIT STRING 6 unused bits
:         '11'B
:       }
:     }
664 30 31:   SEQUENCE {
666 06 3:     OBJECT IDENTIFIER
:         authorityKeyIdentifier (2 5 29 35)
:         (X.509 id-ce (2 5 29))
671 04 24:     OCTET STRING, encapsulates {
673 30 22:       SEQUENCE {
675 80 20:         [0]
:           70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:           3D 20 BC 43 2B 93 F1 1F
:         }
:       }
:     }
:   }

```



```

697 30 29:      SEQUENCE {
699 06 3:      OBJECT IDENTIFIER
      :      subjectKeyIdentifier (2 5 29 14)
      :      (X.509 id-ce (2 5 29))
704 04 22:      OCTET STRING, encapsulates {
706 04 20:      OCTET STRING
      :      BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
      :      13 01 E2 FD E3 97 FE CD
      :      }
      :      }
728 30 31:      SEQUENCE {
730 06 3:      OBJECT IDENTIFIER
      :      subjectAltName (2 5 29 17)
      :      (X.509 id-ce (2 5 29))
735 04 24:      OCTET STRING, encapsulates {
737 30 22:      SEQUENCE {
739 81 20:      [1] 'AliceDSS@example.com'
      :      }
      :      }
      :      }
      :      }
      :      }
761 30 9:      SEQUENCE {
763 06 7:      OBJECT IDENTIFIER
      :      dsaWithSha1 (1 2 840 10040 4 3)
      :      (ANSI X9.57 algorithm)
      :      }
772 03 48:      BIT STRING 0 unused bits, encapsulates {
775 30 45:      SEQUENCE {
777 02 20:      INTEGER
      :      55 0C A4 19 1F 42 2B 89 71 22 33 8D
      :      83 6A B5 3D 67 6B BF 45
799 02 21:      INTEGER
      :      00 9F 61 53 52 54 0B 5C B2 DD DA E7
      :      76 1D E2 10 52 5B 43 5E BD
      :      }
      :      }
      :      }
      :      }
822 31 95:      SET {
824 30 93:      SEQUENCE {
826 02 1:      INTEGER 3
829 80 20:      [0]
      :      BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
      :      13 01 E2 FD E3 97 FE CD
851 30 7:      SEQUENCE {
853 06 5:      OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      :      (OIW)
      :      }
860 30 9:      SEQUENCE {

```

```
862 06      7:      OBJECT IDENTIFIER dsa (1 2 840 10040 4 1)
            :      (ANSI X9.57 algorithm)
            :      }
871 04     46:      OCTET STRING, encapsulates {
873 30     44:      SEQUENCE {
875 02     20:      INTEGER
            :          6D 8E 5A CD 28 A0 1F D9 86 AD 7A E9
            :          DF AC D7 BE EC BE 3F F8
897 02     20:      INTEGER
            :          7C 8A 06 1E FC A4 41 35 7E F7 24 14
            :          FD 3D C0 56 B7 05 27 D5
            :      }
            :    }
            :  }
            :}
        }
```

4.8 S/MIME multipart/signed message

A full S/MIME message, including MIME, that includes the body part from [4.3](#) and the body containing the content of the message.

```
MIME-Version: 1.0
To: User2@examples.com
From: aliceDss@examples.com
Subject: Example 4.8
Message-Id: <020906002550300.249@examples.com>
Date: Fri, 06 Sep 2002 00:25:21 -0300
Content-Type: multipart/signed;
    micalg=SHA1;
    boundary="-----_NextBoundry___Fri,_06_Sep_2002_00:25:21";
    protocol="application/pkcs7-signature"
```

This is a multi-part message in MIME format.

```
-----=_NextBoundary_-----Fri, 06 Sep 2002 00:25:21
```

This is some sample content.

```
-----=_NextBoundary____Fri,_06_Sep_2002_00:25:21
Content-Type: application/pkcs7-signature; name=smime.p7s
Content-Transfer-Encoding: base64
Content-Disposition: attachment; filename=smime.p7s
```

MIIDdwYJKoZIhvcNAQcCoIIDaDCCA2QCAQExCTAHBgUrDgMCGjALBgkqhkiG9w0BBwGgggLGMIIC3DCCApugAwIBAgICAMgwCQYHKOZIzjgEAZASMRAdgYDVQQDEwdDYXJsRFNTMB4XD Tk5MDgxNzAxMTA0OVVoXDTM5MTIzMTIzNTk1OVVowEzERMA8GA1UEAxMIQWxpY2VEU1MwggG2MIIBKwYHKOZIzjgEATCCAR4CgYEAgY3N7YPqCp45PsJIKKPKr5PdDteoDuxTxauECE//l0FzSH4M1vNESNH+n6+koYkv4dkwyDbeP5u/t0zcX2mK5HXQNwyRCJWb3qde+fz0ny/dQ6iLVPE/sAcIR01diMPDtbPjVQh11TL2EMR4vf+dsISXN/LkURu15AmWXPn+W9sCFQDiR6YaRwa4E8baj7g3Istii/eTzOKBgCY40BSJMqo5

+z5t2UtZakx2IzkEAjVc8ssaMMMeUF3dm1nizaoFPVjAe6I2uG4Hr32KQiWn9HXPSgheSz6Q+G3q
nMkhijt2FOnOLl2jB80jhbvgvMAF8bUmJEYk2RL34yJVKU1a14vlz7BphNh8Rf8K97dFQ/5h0wtGB
SmA5ujY5A4GEAAKBgFzjuVp1FJYLqXrd4z+p7Kxe3L23ExE0phaJKBEj2TSGZ3V1ExI9Q1tv5VG/
+onyohs+JH09B41bY8i7RaWgSu0F1s4GgD/oI34a8iSrUxq4Jw0e7wi/ZhSAXGksZfoVi/G7NNTS
ljf2YUeyxDKE8H5BQP1Gp2NOM/Kl4vTyg+W4o4GBMH8wDAYDVR0TAQH/BAIwADA0BgNVHQ8BAf8E
BAMCBsAwHwYDVR0jBBgwFoAUcEQ+gi5vh95K03XjPSC8QyuT8R8wHQYDVR00BBYEFL5sobPjwfft
Q3CkzhMB4v3jl/7NMB8GA1UdEQQYMBaBFEEsaWNlRFNTQGV4YW1wbGUuY29tMAkGBYqGSM44BAMD
MAAwLQIUUVQykGR9CK4lxIjONg2q1PWdrv0UCFQCfYVNSVAtcst3a53Yd4hBSW0NevTFjMGECAQEw
GDASMRawDgYDVQQDEwdDYXJsRFNTAgIAyDAHBgUrDgMCGjAJBgcqhkhj00AQDBC4wLAIUM/mGf6gk
gp9Z0XtRdGimJeB/BxUCFGFFJqwYRt1WYcIOQoGiaowqGzVI

-----=_NextBoundry____Fri,_06_Sep_2002_00:25:21--

[4.9](#) S/MIME application/pkcs7-mime signed message

A full S/MIME message, including the MIME parts.

MIME-Version: 1.0
To: User2@examples.com
From: aliceDss@examples.com
Subject: Example 4.9
Message-Id: <021031164540300.304@examples.com>
Date: Thu, 31 Oct 2002 16:45:14 -0300
Content-Type: application/pkcs7-mime; smime-type=signed-data;
name=smime.p7m
Content-Transfer-Encoding: base64
Content-Disposition: attachment; filename=smime.p7m

MIIDmQYJKoZIhvcNAQcCoIIDijCCA4YCAQExCTAHBgUrDgMCGjAtBgkqhkiG9w0BBwGgIAQeDQpU
aGlzIGlzIHNVbWUgc2FtcGxlIGNvbnRlbnQuoIIC4DCCAtwwggKboAMCAQICAgDIMakGByqGSM44
BAMWEjEQMA4GA1UEAxMHQ2FybERTUzAeFw050TA4MTcwMTEwNDlaFw0zOTEyMzEyMzU5NTlaMBMx
ETAPBgNVBAMTCEFSaWNlRFNTMIIBtjCCASsGByqGSM44BAEwggEeAoGBAIGNze2D6gqeOT7CSCij
5EeT3Q7XqA7sU8WrhAhP/5Thc0h+DNbzREjR/p+vpKGJL+HZMMg23j+bv7dM3F9piuR10DcMkQiv
m96nXvn89J8v3U0oi1TxP7AHCEdNXYjDw7Wz41UIddU5dhDEeL3/nbCElzfy5FEbteQJllzzflvb
AhUA4kemGkVmuBPG2o+4NyErYov3k80CgYAMONAUiTKqOfs+bdLLWwPmDiM5BAI1XPLLgJDDHlBd
3ZtZ4s2qBT1YwHuiNrhUB699ikIlp/R1z0oIXks+kPht6pzJIYo7dhTpzi5dowfNI4W4LzABfG1J
iRGJNks9+MiVSlNWteL5c+waYTYfEX/Cve3RUP+YdMLRgUpgObo20Q0BhAACgYBc47ladRSWC6l6
3eM/qeysXty9txMRNKYWiSgRI9k0hmd1dRMSPUNbb+VRv/qJ8qIbPiR9PQeNW2PIu0WloErjhdb0
BoA/6CN+GvIkq1MauCcNHu8Iv2YUGFxirGX6FYvxuzTU0pY39mFHssQyHPB+QUd9RqdjTjPypeL0
8oPluK0BgTB/MAwGA1UdEwEB/wQCMAAwDgYDVR0PAQH/BAQDAgbAMB8GA1UdIwQYMBaAFHBEPoIu
b4feStN14z0gvEMrk/EfMB0GA1UdDgQWBBS+bKGz48H37UNwpM4TAeL945f+zTAFBgNVHREEGDAW
gRRBbGljZURTU0BleGFtcGxlLmNvbTAJBgcqhkhj00AQDAzAAMC0CFFUMpBkfQiuJcSIzjYNqtT1n
a79FAhUAn2FTUlQLXLLd2ud2HeIQultDXr0xYzBhAgEBMBGWEjEQMA4GA1UEAxMHQ2FybERTUwIC
AMgwBwYFKw4DAhowsCQYHKoZIZjgEAwQuMCwCFD1cSW6LIUFzeXle3YI5SKSBer/sAhQmCq7s/CTF
HOEjgASeUjbMpx5g6A==

[4.10](#) SignedData With Attributes

A SignedData message with the following list of signedAttributes:

-unknown OID

- contentHints
- smimeCapabilities
- securityLabel
- ContentReference
- smimeEncryptKeyPreference
- mlExpansionHistory
- EquivalentLabel

```

0 30 2047: SEQUENCE {
  4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
    : (PKCS #7)
15 A0 2032: [0] {
19 30 2028: SEQUENCE {
23 02 1: INTEGER 1
26 31 9: SET {
28 30 7: SEQUENCE {
30 06 5: OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
    : (OIW)
    : }
    : }
37 30 43: SEQUENCE {
39 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
    : (PKCS #7)
50 A0 30: [0] {
52 04 28: OCTET STRING 'This is some sample content.'
    : }
    : }
82 A0 736: [0] {
86 30 732: SEQUENCE {
90 30 667: SEQUENCE {
94 A0 3: [0] {
96 02 1: INTEGER 2
    : }
99 02 2: INTEGER 200
103 30 9: SEQUENCE {
105 06 7: OBJECT IDENTIFIER
    : dsaWithSha1 (1 2 840 10040 4 3)
    : (ANSI X9.57 algorithm)
    : }
114 30 18: SEQUENCE {
116 31 16: SET {
118 30 14: SEQUENCE {
120 06 3: OBJECT IDENTIFIER
    : commonName (2 5 4 3)
    : (X.520 id-at (2 5 4))
125 13 7: PrintableString 'CarlDSS'
    : }
    : }
    : }
134 30 30: SEQUENCE {
136 17 13: UTCTime '990817011049Z'

```

```

151 17 13:      UTCTime '391231235959Z'
                  :
                  }
166 30 19:      SEQUENCE {
168 31 17:      SET {
170 30 15:      SEQUENCE {
172 06 3:      OBJECT IDENTIFIER
                  :      commonName (2 5 4 3)
                  :      (X.520 id-at (2 5 4))
177 13 8:      PrintableString 'AliceDSS'
                  :      }
                  :      }
                  :      }
187 30 438:     SEQUENCE {
191 30 299:     SEQUENCE {
195 06 7:      OBJECT IDENTIFIER
                  :      dsa (1 2 840 10040 4 1)
                  :      (ANSI X9.57 algorithm)
204 30 286:     SEQUENCE {
208 02 129:     INTEGER
                  :      00 81 8D CD ED 83 EA 0A 9E 39 3E C2
                  :      48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
                  :      53 C5 AB 84 08 4F FF 94 E1 73 48 7E
                  :      0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
                  :      2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
                  :      DC 5F 69 8A E4 75 D0 37 0C 91 08 95
                  :      9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
                  :      8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
                  :      C3 B5 B3 E3 55 08 75 D5 39 76 10 C4
                  :      78 BD FF 9D B0 84 97 37 F2 E4 51 1B
                  :      B5 E4 09 96 5C F3 7E 5B DB
340 02 21:     INTEGER
                  :      00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
                  :      B8 37 21 2B 62 8B F7 93 CD
363 02 128:     INTEGER
                  :      26 38 D0 14 89 32 AA 39 FB 3E 6D D9
                  :      4B 59 6A 4C 76 23 39 04 02 35 5C F2
                  :      CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
                  :      AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
                  :      7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
                  :      3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
                  :      E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
                  :      01 7C 6D 49 89 11 89 36 44 BD F8 C8
                  :      95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
                  :      1F 11 7F C2 BD ED D1 50 FF 98 74 C2
                  :      D1 81 4A 60 39 BA 36 39
                  :      }
                  :      }
494 03 132:     BIT STRING 0 unused bits, encapsulates {
498 02 128:     INTEGER
                  :      5C E3 B9 5A 75 14 96 0B A9 7A DD E3
                  :      3F A9 EC AC 5E DC BD B7 13 11 34 A6

```

```

:      16 89 28 11 23 D9 34 86 67 75 75 13
:      12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
:      1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
:      A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
:      7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
:      08 BF 66 14 80 5C 62 AC 65 FA 15 8B
:      F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
:      32 84 F0 7E 41 40 FD 46 A7 63 4E 33
:      F2 A5 E2 F4 F2 83 E5 B8
:      }
:
:      }
629 A3 129: [3] {
632 30 127: SEQUENCE {
634 30 12: SEQUENCE {
636 06 3: OBJECT IDENTIFIER
:      basicConstraints (2 5 29 19)
:      (X.509 id-ce (2 5 29))
641 01 1: BOOLEAN TRUE
644 04 2: OCTET STRING, encapsulates {
646 30 0: SEQUENCE {}
:      }
:      }
648 30 14: SEQUENCE {
650 06 3: OBJECT IDENTIFIER
:      keyUsage (2 5 29 15)
:      (X.509 id-ce (2 5 29))
655 01 1: BOOLEAN TRUE
658 04 4: OCTET STRING, encapsulates {
660 03 2: BIT STRING 6 unused bits
:      '11'B
:      }
:      }
664 30 31: SEQUENCE {
666 06 3: OBJECT IDENTIFIER
:      authorityKeyIdentifier (2 5 29 35)
:      (X.509 id-ce (2 5 29))
671 04 24: OCTET STRING, encapsulates {
673 30 22: SEQUENCE {
675 80 20: [0]
:      70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
:      3D 20 BC 43 2B 93 F1 1F
:      }
:      }
:      }
697 30 29: SEQUENCE {
699 06 3: OBJECT IDENTIFIER
:      subjectKeyIdentifier (2 5 29 14)
:      (X.509 id-ce (2 5 29))
704 04 22: OCTET STRING, encapsulates {
706 04 20: OCTET STRING
:      BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE

```

```

:          13 01 E2 FD E3 97 FE CD
:          }
:        }
728 30 31: SEQUENCE {
730 06 3:   OBJECT IDENTIFIER
:         subjectAltName (2 5 29 17)
:         (X.509 id-ce (2 5 29))
735 04 24:   OCTET STRING, encapsulates {
737 30 22:     SEQUENCE {
739 81 20:       [1] 'AliceDSS@example.com'
:         }
:       }
:     }
:   }
: }
761 30 9: SEQUENCE {
763 06 7:   OBJECT IDENTIFIER
:         dsaWithSha1 (1 2 840 10040 4 3)
:         (ANSI X9.57 algorithm)
:       }
772 03 48: BIT STRING 0 unused bits, encapsulates {
775 30 45:   SEQUENCE {
777 02 20:     INTEGER
:         55 0C A4 19 1F 42 2B 89 71 22 33 8D
:         83 6A B5 3D 67 6B BF 45
799 02 21:     INTEGER
:         00 9F 61 53 52 54 0B 5C B2 DD DA E7
:         76 1D E2 10 52 5B 43 5E BD
:       }
:     }
:   }
: }
822 31 1225: SET {
826 30 1221:   SEQUENCE {
830 02 1:     INTEGER 1
833 30 24:     SEQUENCE {
835 30 18:       SEQUENCE {
837 31 16:         SET {
839 30 14:           SEQUENCE {
841 06 3:             OBJECT IDENTIFIER
:             commonName (2 5 4 3)
:             (X.520 id-at (2 5 4))
846 13 7:             PrintableString 'CarlDSS'
:           }
:         }
:       }
855 02 2:     INTEGER 200
:   }
859 30 7: SEQUENCE {
861 06 5:   OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)

```

```

      :
      :
      :
868 A0 1119:      (OIW)
      :
      :
      :
872 30 24:      }
874 06 9:      [0] {
      :      SEQUENCE {
      :          OBJECT IDENTIFIER
      :              contentType (1 2 840 113549 1 9 3)
      :              (PKCS #9 (1 2 840 113549 1 9))
885 31 11:      SET {
887 06 9:          OBJECT IDENTIFIER
      :              data (1 2 840 113549 1 7 1)
      :              (PKCS #7)
      :          }
      :      }
898 30 35:      SEQUENCE {
900 06 9:          OBJECT IDENTIFIER
      :              messageDigest (1 2 840 113549 1 9 4)
      :              (PKCS #9 (1 2 840 113549 1 9))
911 31 22:      SET {
913 04 20:          OCTET STRING
      :              40 6A EC 08 52 79 BA 6E 16 02 2D 9E
      :              06 29 C0 22 96 87 DD 48
      :          }
      :      }
935 30 56:      SEQUENCE {
937 06 3:          OBJECT IDENTIFIER '1 2 5555'
942 31 49:      SET {
944 04 47:          OCTET STRING
      :              'This is a test General ASN Attribut'
      :              'e, number 1.'
      :          }
      :      }
993 30 62:      SEQUENCE {
995 06 11:          OBJECT IDENTIFIER
      :              id-aa-contentHint
      :              (1 2 840 113549 1 9 16 2 4)
      :              (S/MIME Authenticated Attributes
      :              (1 2 840 113549 1 9 16 2))
1008 31 47:      SET {
1010 30 45:          SEQUENCE {
1012 0C 32:              UTF8String
      :              'Content Hints Description Buffer'
1046 06 9:          OBJECT IDENTIFIER
      :              data (1 2 840 113549 1 7 1)
      :              (PKCS #7)
      :          }
      :      }
      :
      :
1057 30 74:      SEQUENCE {
1059 06 9:          OBJECT IDENTIFIER
      :              sMIMECapabilities
      :              (1 2 840 113549 1 9 15)

```



```

: (PKCS #9
: (1 2 840 113549 1 9))
1070 31 61: SET {
1072 30 59: SEQUENCE {
1074 30 7: SEQUENCE {
1076 06 5: OBJECT IDENTIFIER '1 2 3 4 5 6'
: }
1083 30 48: SEQUENCE {
1085 06 6: OBJECT IDENTIFIER '1 2 3 4 5 6 77'
1093 04 38: OCTET STRING
: 'Smime Capabilities parameters buffe'
: 'r 2'
: }
: }
: }
: }
1133 30 109: SEQUENCE {
1135 06 11: OBJECT IDENTIFIER
: id-aa-securityLabel
: (1 2 840 113549 1 9 16 2 2)
: (S/MIME Authenticated Attributes
: (1 2 840 113549 1 9 16 2))
1148 31 94: SET {
1150 31 92: SET {
1152 02 1: INTEGER 1
1155 06 7: OBJECT IDENTIFIER '1 2 3 4 5 6 7 8'
1164 13 27: PrintableString
: 'THIS IS A PRIVACY MARK TEST'
1193 31 49: SET {
1195 30 47: SEQUENCE {
1197 80 8: [0]
: 2A 03 04 05 06 07 86 78
1207 A1 35: [1] {
1209 13 33: PrintableString
: 'THIS IS A TEST SECURITY-'
: 'CATEGORY.'
: }
: }
: }
: }
: }
: }
1244 30 111: SEQUENCE {
1246 06 11: OBJECT IDENTIFIER
: id-aa-contentReference
: (1 2 840 113549 1 9 16 2 10)
: (S/MIME Authenticated Attributes
: (1 2 840 113549 1 9 16 2))
1259 31 96: SET {
1261 30 94: SEQUENCE {
1263 06 5: OBJECT IDENTIFIER '1 2 3 4 5 6'

```

```

1270 04 43:      OCTET STRING
                  :
                  :
                  :
1315 04 40:      OCTET STRING
                  :
                  :
                  :
                  :
                  :
                  :
                  :
                  :
1357 30 115:     SEQUENCE {
1359 06 11:      OBJECT IDENTIFIER
                  :
                  :      id-aa-encrypKeyPref
                  :
                  :      (1 2 840 113549 1 9 16 2 11)
                  :
                  :      (S/MIME Authenticated Attributes
                  :
                  :      (1 2 840 113549 1 9 16 2))
1372 31 100:    SET {
1374 A0 98:      [0] {
1376 30 90:        SEQUENCE {
1378 31 11:          SET {
1380 30 9:          SEQUENCE {
1382 06 3:          OBJECT IDENTIFIER
                  :
                  :          countryName (2 5 4 6)
                  :
                  :          (X.520 id-at (2 5 4))
1387 13 2:          PrintableString 'US'
                  :
                  :          }
                  :
                  :          }
1391 31 22:      SET {
1393 30 20:        SEQUENCE {
1395 06 3:          OBJECT IDENTIFIER
                  :
                  :          organizationName (2 5 4 10)
                  :
                  :          (X.520 id-at (2 5 4))
1400 13 13:        PrintableString 'US Government'
                  :
                  :          }
                  :
                  :          }
1415 31 17:      SET {
1417 30 15:        SEQUENCE {
1419 06 3:          OBJECT IDENTIFIER
                  :
                  :          organizationalUnitName
                  :
                  :          (2 5 4 11)
                  :
                  :          (X.520 id-at (2 5 4))
1424 13 8:        PrintableString 'VDA Site'
                  :
                  :          }
                  :
                  :          }
1434 31 12:      SET {
1436 30 10:        SEQUENCE {
1438 06 3:          OBJECT IDENTIFIER
                  :
                  :          organizationalUnitName
                  :
                  :          (2 5 4 11)
                  :
                  :          (X.520 id-at (2 5 4))
1443 13 3:        PrintableString 'VDA'
                  :
                  :          }

```

		:	}
1448	31	18:	SET {
1450	30	16:	SEQUENCE {
1452	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
1457	13	9:	PrintableString 'Daisy RSA'
		:	}
		:	}
1468	02	4:	INTEGER 173360179
		:	}
		:	}
		:	}
1474	30	252:	SEQUENCE {
1477	06	11:	OBJECT IDENTIFIER
		:	id-aa-mlExpandHistory
		:	(1 2 840 113549 1 9 16 2 3)
		:	(S/MIME Authenticated Attributes
		:	(1 2 840 113549 1 9 16 2))
1490	31	236:	SET {
1493	30	233:	SEQUENCE {
1496	30	230:	SEQUENCE {
1499	04	7:	OCTET STRING '5738299'
1508	18	15:	GeneralizedTime '19990311104433Z'
1525	A1	201:	[1] {
1528	30	198:	SEQUENCE {
1531	A4	97:	[4] {
1533	30	95:	SEQUENCE {
1535	31	11:	SET {
1537	30	9:	SEQUENCE {
1539	06	3:	OBJECT IDENTIFIER
		:	countryName (2 5 4 6)
		:	(X.520 id-at (2 5 4))
1544	13	2:	PrintableString 'US'
		:	}
		:	}
1548	31	22:	SET {
1550	30	20:	SEQUENCE {
1552	06	3:	OBJECT IDENTIFIER
		:	organizationName
		:	(2 5 4 10)
		:	(X.520 id-at (2 5 4))
1557	13	13:	PrintableString
		:	'US Government'
		:	}
		:	}
1572	31	17:	SET {
1574	30	15:	SEQUENCE {
1576	06	3:	OBJECT IDENTIFIER
		:	organizationalUnitName

		:	(2 5 4 11)
		:	(X.520 id-at (2 5 4))
1581	13	8:	PrintableString
		:	'VDA Site'
		:	}
		:	}
1591	31	12:	SET {
1593	30	10:	SEQUENCE {
1595	06	3:	OBJECT IDENTIFIER
		:	organizationalUnitName
		:	(2 5 4 11)
		:	(X.520 id-at (2 5 4))
1600	13	3:	PrintableString 'VDA'
		:	}
		:	}
1605	31	23:	SET {
1607	30	21:	SEQUENCE {
1609	06	3:	OBJECT IDENTIFIER
		:	commonName (2 5 4 3)
		:	(X.520 id-at (2 5 4))
1614	13	14:	PrintableString
		:	'Bugs Bunny DSA'
		:	}
		:	}
		:	}
1630	A4	97:	[4] {
1632	30	95:	SEQUENCE {
1634	31	11:	SET {
1636	30	9:	SEQUENCE {
1638	06	3:	OBJECT IDENTIFIER
		:	countryName (2 5 4 6)
		:	(X.520 id-at (2 5 4))
1643	13	2:	PrintableString 'US'
		:	}
		:	}
1647	31	22:	SET {
1649	30	20:	SEQUENCE {
1651	06	3:	OBJECT IDENTIFIER
		:	organizationName
		:	(2 5 4 10)
		:	(X.520 id-at (2 5 4))
1656	13	13:	PrintableString
		:	'US Government'
		:	}
		:	}
1671	31	17:	SET {
1673	30	15:	SEQUENCE {
1675	06	3:	OBJECT IDENTIFIER
		:	organizationalUnitName
		:	(2 5 4 11)

```

      : (X.520 id-at (2 5 4))
1680 13    8: PrintableString
      : 'VDA Site'
      : }
      : }
1690 31   12: SET {
1692 30   10: SEQUENCE {
1694 06    3: OBJECT IDENTIFIER
      : organizationalUnitName
      : (2 5 4 11)
      : (X.520 id-at (2 5 4))
1699 13    3: PrintableString 'VDA'
      : }
      : }
1704 31   23: SET {
1706 30   21: SEQUENCE {
1708 06    3: OBJECT IDENTIFIER
      : commonName (2 5 4 3)
      : (X.520 id-at (2 5 4))
1713 13   14: PrintableString
      : 'Elmer Fudd DSA'
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
      : }
1729 30  258: SEQUENCE {
1733 06   11: OBJECT IDENTIFIER
      : id-aa-equivalentLabels
      : (1 2 840 113549 1 9 16 2 9)
      : (S/MIME Authenticated Attributes
      : (1 2 840 113549 1 9 16 2))
1746 31  242: SET {
1749 30  239: SEQUENCE {
1752 31  114: SET {
1754 02    1: INTEGER 1
1757 06    7: OBJECT IDENTIFIER '1 2 3 4 5 6 7 9'
1766 13   38: PrintableString
      : 'EQUIVALENT THIS IS A PRIVACY MARK T'
      : 'EST'
1806 31   60: SET {
1808 30   58: SEQUENCE {
1810 80    8: [0]
      : 2A 03 04 05 06 07 86 78
1820 A1   46: [1] {
1822 13   44: PrintableString

```

```

      :                               'EQUIVALENT THIS IS A TEST SECURITY-'
      :                               'CATEGORY.'
      :                               }
      :                               }
      :                               }
      :                               }
1868 31   121: SET {
1870 02    1:     INTEGER 1
1873 06    7:     OBJECT IDENTIFIER
      :         '1 2 3 4 5 6 7 10'
1882 13   45:     PrintableString
      :         'EQUIVALENT THIS IS A SECOND PRIVACY'
      :         ' MARK TEST'
1929 31   60:     SET {
1931 30   58:       SEQUENCE {
1933 80    8:        [0]
      :          2A 03 04 05 06 07 86 78
1943 A1   46:        [1] {
1945 13   44:          PrintableString
      :          'EQUIVALENT THIS IS A TEST SECURITY-'
      :          'CATEGORY.'
      :          }
      :        }
      :      }
      :    }
      :  }
      :}
1991 30    9: SEQUENCE {
1993 06    7:   OBJECT IDENTIFIER
      :       dsaWithSha1 (1 2 840 10040 4 3)
      :       (ANSI X9.57 algorithm)
      :   }
2002 04   47: OCTET STRING, encapsulates {
2004 30   45:   SEQUENCE {
2006 02   21:     INTEGER
      :         00 BC 33 37 65 C4 F7 70 5C 17 49 13
      :         AA 4C 85 CA BB 52 91 48 59
2029 02   20:     INTEGER
      :         63 96 A2 14 8B CF 57 DE B0 48 5F 6C
      :         64 DD 84 04 49 5F 1C CA
      :       }
      :     }
      :   }
      : }
      : }
      : }
```

CA SignedData message with no content or signature, containing only Alices's and Carl's certificates.

```
0 30 1672: SEQUENCE {
4 06 9: OBJECT IDENTIFIER signedData (1 2 840 113549 1 7 2)
: (PKCS #7)
15 A0 1657: [0] {
19 30 1653: SEQUENCE {
23 02 1: INTEGER 1
26 31 0: SET {}
28 30 11: SEQUENCE {
30 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
: }
41 A0 1407: [0] {
45 30 667: SEQUENCE {
49 30 602: SEQUENCE {
53 A0 3: [0] {
55 02 1: INTEGER 2
: }
58 02 1: INTEGER 1
61 30 9: SEQUENCE {
63 06 7: OBJECT IDENTIFIER
: dsaWithSha1 (1 2 840 10040 4 3)
: (ANSI X9.57 algorithm)
: }
72 30 18: SEQUENCE {
74 31 16: SET {
76 30 14: SEQUENCE {
78 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
83 13 7: PrintableString 'CarlDSS'
: }
: }
: }
92 30 30: SEQUENCE {
94 17 13: UTCTime '990816225050Z'
109 17 13: UTCTime '391231235959Z'
: }
124 30 18: SEQUENCE {
126 31 16: SET {
128 30 14: SEQUENCE {
130 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
135 13 7: PrintableString 'CarlDSS'
: }
: }
: }
```

```

144 30 439:      SEQUENCE {
148 30 299:      SEQUENCE {
152 06 7:        OBJECT IDENTIFIER
                  dsa (1 2 840 10040 4 1)
                  (ANSI X9.57 algorithm)
161 30 286:      SEQUENCE {
165 02 129:      INTEGER
                  00 B6 49 18 3E 8A 44 C1 29 71 94 4C
                  01 C4 12 C1 7A 79 CB 54 4D AB 1E 81
                  FB C6 4C B3 0E 94 09 06 EB 01 D4 B1
                  C8 71 4B C7 45 C0 50 25 5D 9C FC DA
                  E4 6D D3 E2 86 48 84 82 7D BA 15 95
                  4A 16 F6 46 ED DD F6 98 D2 BB 7E 8A
                  0A 8A BA 16 7B B9 50 01 48 93 8B EB
                  25 15 51 97 55 DC 8F 53 0E 10 A9 50
                  FC 70 B7 CD 30 54 FD DA DE A8 AA 22
                  B5 A1 AF 8B CC 02 88 E7 8B 70 5F B9
                  AD E1 08 D4 6D 29 2D D6 E9
297 02 21:      INTEGER
                  00 DD C1 2F DF 53 CE 0B 34 60 77 3E
                  02 A4 BF 8A 5D 98 B9 10 D5
320 02 128:      INTEGER
                  0C EE 57 9B 4B BD DA B6 07 6A 74 37
                  4F 55 7F 9D ED BC 61 0D EB 46 59 3C
                  56 0B 2B 5B 0C 91 CE A5 62 52 69 CA
                  E1 6D 3E BD BF FE E1 B7 B9 2B 61 3C
                  AD CB AE 45 E3 06 AC 8C 22 9D 9C 44
                  87 0B C7 CD F0 1C D9 B5 4E 5D 73 DE
                  AF 0E C9 1D 5A 51 F5 4F 44 79 35 5A
                  73 AA 7F 46 51 1F A9 42 16 9C 48 EB
                  8A 79 61 B4 D5 2F 53 22 44 63 1F 86
                  B8 A3 58 06 25 F8 29 C0 EF BA E0 75
                  F0 42 C4 63 65 52 9B 0A
                  }
                  }
451 03 133:      BIT STRING 0 unused bits, encapsulates {
455 02 129:      INTEGER
                  00 99 87 74 27 03 66 A0 B1 C0 AD DC
                  2C 75 BB E1 6C 44 9C DA 21 6D 4D 47
                  6D B1 62 09 E9 D8 AE 1E F2 3A B4 94
                  B1 A3 8E 7A 9B 71 4E 00 94 C9 B4 25
                  4E B9 60 96 19 24 01 F3 62 0C FE 75
                  C0 FB CE D8 68 00 E3 FD D5 70 4F DF
                  23 96 19 06 94 F4 B1 61 8F 3A 57 B1
                  08 11 A4 0B 26 25 F0 52 76 81 EA 0B
                  62 0D 95 2A E6 86 BA 72 B2 A7 50 83
                  0B AA 27 CD 1B A9 4D 89 9A D7 8D 18
                  39 84 3F 8B C5 56 4D 80 7A
                  }
                  }
587 A3 66:      [3] {

```



```

589 30 64:      SEQUENCE {
591 30 15:      SEQUENCE {
593 06 3:      OBJECT IDENTIFIER
      :      basicConstraints (2 5 29 19)
      :      (X.509 id-ce (2 5 29))
598 01 1:      BOOLEAN TRUE
601 04 5:      OCTET STRING, encapsulates {
603 30 3:      SEQUENCE {
605 01 1:      BOOLEAN TRUE
      :      }
      :      }
      :      }
608 30 14:     SEQUENCE {
610 06 3:     OBJECT IDENTIFIER
      :     keyUsage (2 5 29 15)
      :     (X.509 id-ce (2 5 29))
615 01 1:     BOOLEAN TRUE
618 04 4:     OCTET STRING, encapsulates {
620 03 2:     BIT STRING 1 unused bits
      :     '1100001'B
      :     }
      :     }
624 30 29:    SEQUENCE {
626 06 3:    OBJECT IDENTIFIER
      :    subjectKeyIdentifier (2 5 29 14)
      :    (X.509 id-ce (2 5 29))
631 04 22:    OCTET STRING, encapsulates {
633 04 20:    OCTET STRING
      :    70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
      :    3D 20 BC 43 2B 93 F1 1F
      :    }
      :    }
      :    }
      :    }
      :    }
655 30 9:    SEQUENCE {
657 06 7:    OBJECT IDENTIFIER
      :    dsaWithSha1 (1 2 840 10040 4 3)
      :    (ANSI X9.57 algorithm)
      :    }
666 03 48:    BIT STRING 0 unused bits, encapsulates {
669 30 45:    SEQUENCE {
671 02 20:    INTEGER
      :    6B A9 F0 4E 7A 5A 79 E3 F9 BE 3D 2B
      :    C9 06 37 E9 11 17 A1 13
693 02 21:    INTEGER
      :    00 8F 34 69 2A 8B B1 3C 03 79 94 32
      :    4D 12 1F CE 89 FB 46 B2 3B
      :    }
      :    }
      :    }
      :    }

```

```

716 30 732:      SEQUENCE {
720 30 667:      SEQUENCE {
724 A0 3:        [0] {
726 02 1:        INTEGER 2
729 02 2:        :
729 02 2:        INTEGER 200
733 30 9:        SEQUENCE {
735 06 7:        OBJECT IDENTIFIER
735 06 7:        :      dsaWithSha1 (1 2 840 10040 4 3)
735 06 7:        :      (ANSI X9.57 algorithm)
735 06 7:        :
744 30 18:      SEQUENCE {
746 31 16:      SET {
748 30 14:      SEQUENCE {
750 06 3:      OBJECT IDENTIFIER
750 06 3:      :      commonName (2 5 4 3)
750 06 3:      :      (X.520 id-at (2 5 4))
755 13 7:      PrintableString 'CarlDSS'
755 13 7:      :
755 13 7:      :
755 13 7:      :
764 30 30:      SEQUENCE {
766 17 13:      UTCTime '990817011049Z'
781 17 13:      UTCTime '391231235959Z'
781 17 13:      :
796 30 19:      SEQUENCE {
798 31 17:      SET {
800 30 15:      SEQUENCE {
802 06 3:      OBJECT IDENTIFIER
802 06 3:      :      commonName (2 5 4 3)
802 06 3:      :      (X.520 id-at (2 5 4))
807 13 8:      PrintableString 'AliceDSS'
807 13 8:      :
807 13 8:      :
807 13 8:      :
817 30 438:     SEQUENCE {
821 30 299:     SEQUENCE {
825 06 7:      OBJECT IDENTIFIER
825 06 7:      :      dsa (1 2 840 10040 4 1)
825 06 7:      :      (ANSI X9.57 algorithm)
834 30 286:     SEQUENCE {
838 02 129:     INTEGER
838 02 129:     :      00 81 8D CD ED 83 EA 0A 9E 39 3E C2
838 02 129:     :      48 28 A3 E4 47 93 DD 0E D7 A8 0E EC
838 02 129:     :      53 C5 AB 84 08 4F FF 94 E1 73 48 7E
838 02 129:     :      0C D6 F3 44 48 D1 FE 9F AF A4 A1 89
838 02 129:     :      2F E1 D9 30 C8 36 DE 3F 9B BF B7 4C
838 02 129:     :      DC 5F 69 8A E4 75 D0 37 0C 91 08 95
838 02 129:     :      9B DE A7 5E F9 FC F4 9F 2F DD 43 A8
838 02 129:     :      8B 54 F1 3F B0 07 08 47 4D 5D 88 C3
838 02 129:     :      C3 B5 B3 E3 55 08 75 D5 39 76 10 C4

```

```

: 78 BD FF 9D B0 84 97 37 F2 E4 51 1B
: B5 E4 09 96 5C F3 7E 5B DB
970 02 21: INTEGER
: 00 E2 47 A6 1A 45 66 B8 13 C6 DA 8F
: B8 37 21 2B 62 8B F7 93 CD
993 02 128: INTEGER
: 26 38 D0 14 89 32 AA 39 FB 3E 6D D9
: 4B 59 6A 4C 76 23 39 04 02 35 5C F2
: CB 1A 30 C3 1E 50 5D DD 9B 59 E2 CD
: AA 05 3D 58 C0 7B A2 36 B8 6E 07 AF
: 7D 8A 42 25 A7 F4 75 CF 4A 08 5E 4B
: 3E 90 F8 6D EA 9C C9 21 8A 3B 76 14
: E9 CE 2E 5D A3 07 CD 23 85 B8 2F 30
: 01 7C 6D 49 89 11 89 36 44 BD F8 C8
: 95 4A 53 56 B5 E2 F9 73 EC 1A 61 36
: 1F 11 7F C2 BD ED D1 50 FF 98 74 C2
: D1 81 4A 60 39 BA 36 39
: }
: }
1124 03 132: BIT STRING 0 unused bits, encapsulates {
1128 02 128: INTEGER
: 5C E3 B9 5A 75 14 96 0B A9 7A DD E3
: 3F A9 EC AC 5E DC BD B7 13 11 34 A6
: 16 89 28 11 23 D9 34 86 67 75 75 13
: 12 3D 43 5B 6F E5 51 BF FA 89 F2 A2
: 1B 3E 24 7D 3D 07 8D 5B 63 C8 BB 45
: A5 A0 4A E3 85 D6 CE 06 80 3F E8 23
: 7E 1A F2 24 AB 53 1A B8 27 0D 1E EF
: 08 BF 66 14 80 5C 62 AC 65 FA 15 8B
: F1 BB 34 D4 D2 96 37 F6 61 47 B2 C4
: 32 84 F0 7E 41 40 FD 46 A7 63 4E 33
: F2 A5 E2 F4 F2 83 E5 B8
: }
: }
1259 A3 129: [3] {
1262 30 127: SEQUENCE {
1264 30 12: SEQUENCE {
1266 06 3: OBJECT IDENTIFIER
: basicConstraints (2 5 29 19)
: (X.509 id-ce (2 5 29))
1271 01 1: BOOLEAN TRUE
1274 04 2: OCTET STRING, encapsulates {
1276 30 0: SEQUENCE {}
: }
: }
1278 30 14: SEQUENCE {
1280 06 3: OBJECT IDENTIFIER
: keyUsage (2 5 29 15)
: (X.509 id-ce (2 5 29))
1285 01 1: BOOLEAN TRUE
1288 04 4: OCTET STRING, encapsulates {

```

```

1290 03 2:          BIT STRING 6 unused bits
      :          '11'B
      :          }
      :        }
1294 30 31:      SEQUENCE {
1296 06 3:        OBJECT IDENTIFIER
      :          authorityKeyIdentifier (2 5 29 35)
      :          (X.509 id-ce (2 5 29))
1301 04 24:        OCTET STRING, encapsulates {
1303 30 22:          SEQUENCE {
1305 80 20:            [0]
      :            70 44 3E 82 2E 6F 87 DE 4A D3 75 E3
      :            3D 20 BC 43 2B 93 F1 1F
      :            }
      :          }
      :        }
1327 30 29:      SEQUENCE {
1329 06 3:        OBJECT IDENTIFIER
      :          subjectKeyIdentifier (2 5 29 14)
      :          (X.509 id-ce (2 5 29))
1334 04 22:        OCTET STRING, encapsulates {
1336 04 20:          OCTET STRING
      :          BE 6C A1 B3 E3 C1 F7 ED 43 70 A4 CE
      :          13 01 E2 FD E3 97 FE CD
      :          }
      :        }
1358 30 31:      SEQUENCE {
1360 06 3:        OBJECT IDENTIFIER
      :          subjectAltName (2 5 29 17)
      :          (X.509 id-ce (2 5 29))
1365 04 24:        OCTET STRING, encapsulates {
1367 30 22:          SEQUENCE {
1369 81 20:            [1] 'AliceDSS@example.com'
      :            }
      :          }
      :        }
      :      }
      :    }
      :  }
1391 30 9:    SEQUENCE {
1393 06 7:      OBJECT IDENTIFIER
      :        dsaWithSha1 (1 2 840 10040 4 3)
      :        (ANSI X9.57 algorithm)
      :      }
1402 03 48:    BIT STRING 0 unused bits, encapsulates {
1405 30 45:      SEQUENCE {
1407 02 20:        INTEGER
      :        55 0C A4 19 1F 42 2B 89 71 22 33 8D
      :        83 6A B5 3D 67 6B BF 45
1429 02 21:      INTEGER
      :        00 9F 61 53 52 54 0B 5C B2 DD DA E7

```

```

:          76 1D E2 10 52 5B 43 5E BD
:      }
:  }
:  }
:  }
1452 A1 219: [1] {
1455 30 216:     SEQUENCE {
1458 30 153:         SEQUENCE {
1461 30 9:             SEQUENCE {
1463 06 7:                 OBJECT IDENTIFIER
:                     dsaWithSha1 (1 2 840 10040 4 3)
:                     (ANSI X9.57 algorithm)
:             }
1472 30 18:     SEQUENCE {
1474 31 16:         SET {
1476 30 14:             SEQUENCE {
1478 06 3:                 OBJECT IDENTIFIER
:                     commonName (2 5 4 3)
:                     (X.520 id-at (2 5 4))
1483 13 7:                 PrintableString 'CarlDSS'
:             }
:         }
:     }
1492 17 13: UTCTime '990827070000Z'
1507 30 105: SEQUENCE {
1509 30 19:     SEQUENCE {
1511 02 2:         INTEGER 200
1515 17 13:         UTCTime '990822070000Z'
:     }
1530 30 19: SEQUENCE {
1532 02 2:     INTEGER 201
1536 17 13:     UTCTime '990822070000Z'
: }
1551 30 19: SEQUENCE {
1553 02 2:     INTEGER 211
1557 17 13:     UTCTime '990822070000Z'
: }
1572 30 19: SEQUENCE {
1574 02 2:     INTEGER 210
1578 17 13:     UTCTime '990822070000Z'
: }
1593 30 19: SEQUENCE {
1595 02 2:     INTEGER 212
1599 17 13:     UTCTime '990824070000Z'
: }
: }
: }
1614 30 9: SEQUENCE {
1616 06 7:     OBJECT IDENTIFIER
:         dsaWithSha1 (1 2 840 10040 4 3)
:         (ANSI X9.57 algorithm)

```

```

:
:
1625 03 47: BIT STRING 0 unused bits, encapsulates {
1628 30 44: SEQUENCE {
1630 02 20: INTEGER
: 7E 65 52 76 33 FE 34 73 17 D1 F7 96
: F9 A0 D4 D8 6D 5C 7D 3D
1652 02 20: INTEGER
: 02 7A 5B B7 D5 5B 18 C1 CF 87 EF 7E
: DA 24 F3 2A 83 9C 35 A1
:
: }
:
: }
:
: }
1674 31 0: SET {}
:
: }
:
: }

```

5. Enveloped-data

5.1 Basic encrypted content, TripleDES and RSA

An EnvelopedData from Alice to Bob of ExContent using TripleDES for encrypting and RSA for key management. Does not have a OriginatorInfo.

```

0 30 286: SEQUENCE {
4 06 9: OBJECT IDENTIFIER
: envelopedData (1 2 840 113549 1 7 3)
: (PKCS #7)
15 A0 271: [0] {
19 30 267: SEQUENCE {
23 02 1: INTEGER 0
26 31 192: SET {
29 30 189: SEQUENCE {
32 02 1: INTEGER 0
35 30 38: SEQUENCE {
37 30 18: SEQUENCE {
39 31 16: SET {
41 30 14: SEQUENCE {
43 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
48 13 7: PrintableString 'CarlRSA'
:
: }
:
: }
:
: }
57 02 16: INTEGER
: 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
: CD 5D 71 D0
:
: }
75 30 13: SEQUENCE {

```

```

77 06    9:          OBJECT IDENTIFIER
          :          rsaEncryption (1 2 840 113549 1 1 1)
          :          (PKCS #1)
88 05    0:          NULL
          :          }
90 04   128:         OCTET STRING
          :          0B 71 0D E6 71 88 88 98 B6 96 C1 8F
          :          70 FD A2 27 DE DA E1 EF 24 6C A4 33
          :          DF AC E0 E9 9D A2 D3 2C 7A CD 80 B8
          :          99 9E E6 5F B1 41 B3 72 16 83 E7 FA
          :          2A 00 8B C7 73 35 78 26 D6 C7 CF 8C
          :          0C 56 DB A5 76 9D 08 38 0E F3 F9 D4
          :          91 43 58 78 DC 49 B6 EC EE 6C 68 33
          :          A3 21 1D F0 28 78 1F F7 5D F6 07 73
          :          4D DF AD 69 31 20 4B 48 A9 75 22 6E
          :          36 79 15 63 8F CC EB 9D A3 28 A1 D1
          :          2C 57 F4 DA 1A 2C 75 1F
          :          }
          :          }
221 30   67:         SEQUENCE {
223 06    9:          OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
          :          (PKCS #7)
234 30   20:         SEQUENCE {
236 06    8:          OBJECT IDENTIFIER
          :          des-EDE3-CBC (1 2 840 113549 3 7)
          :          (RSADSI encryptionAlgorithm
          :          (1 2 840 113549 3))
246 04    8:          OCTET STRING
          :          2D 68 C5 E9 47 06 51 35
          :          }
256 80   32:         [0]
          :          0E C8 92 7F C6 7D 3F 8D CB AD 8E 0E
          :          C5 49 3A EB 47 2E D6 55 DE 09 21 4E
          :          48 EA 4E 27 B1 6E 57 25
          :          }
          :          }
          :          }
          :          }

```

[5.2](#) Basic encrypted content, RC2/128 and RSA

Same as 5.1, except using RC2/128 for encryption and RSA for key management. An EnvelopedData from Alice to Bob of ExContent using RC2/40 for encrypting and RSA for key management. Does not have a OriginatorInfo or any attributes.

```

0 30   291: SEQUENCE {
4 06    9:   OBJECT IDENTIFIER
          :   envelopedData (1 2 840 113549 1 7 3)
          :   (PKCS #7)
15 A0   276:   [0] {

```

```

19 30 272: SEQUENCE {
23 02 1: INTEGER 0
26 31 192: SET {
29 30 189: SEQUENCE {
32 02 1: INTEGER 0
35 30 38: SEQUENCE {
37 30 18: SEQUENCE {
39 31 16: SET {
41 30 14: SEQUENCE {
43 06 3: OBJECT IDENTIFIER
: commonName (2 5 4 3)
: (X.520 id-at (2 5 4))
48 13 7: PrintableString 'CarlRSA'
: }
: }
: }
57 02 16: INTEGER
: 46 34 6B C7 80 00 56 BC 11 D3 6E 2E
: CD 5D 71 D0
: }
75 30 13: SEQUENCE {
77 06 9: OBJECT IDENTIFIER
: rsaEncryption (1 2 840 113549 1 1 1)
: (PKCS #1)
88 05 0: NULL
: }
90 04 128: OCTET STRING
: 85 42 BE E3 0B 2E E5 0F 09 AA 24 CA
: DE DA C1 D3 09 B8 27 2B 25 CB D5 71
: FB C9 9C DB F0 B2 6E A0 8A 5F 1C 9D
: 4A ED 98 9D 15 39 26 01 1A 2E 6B F0
: 44 39 89 37 3C 6F C7 4A 61 0B 0B 27
: 77 AA F9 D4 97 A4 D2 21 3F C2 3F 20
: D4 DC 10 E9 D6 3F 00 DB 9C 82 47 D6
: 7E 96 FF 12 6E 87 84 A0 BA ED 81 0F
: 56 6D A6 1D EB AB C3 B7 A1 B9 F8 5F
: 8B CC 1B 4A E5 14 36 06 61 D0 C7 64
: 5F 69 67 91 A9 50 EE D8
: }
: }
221 30 72: SEQUENCE {
223 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
234 30 25: SEQUENCE {
236 06 8: OBJECT IDENTIFIER rc2CBC (1 2 840 113549 3 2)
: (RSADSI encryptionAlgorithm
: (1 2 840 113549 3))
246 30 13: SEQUENCE {
248 02 1: INTEGER 58
251 04 8: OCTET STRING
: E8 70 81 E2 EF C5 15 57

```



```

      :      }
      :      }
261 80  32:  [0]
      :      06 53 0A 7B 8D 5C 16 0D CC D5 76 D6
      :      8B 59 D6 45 8C 1A 1A 0C E6 1E F3 DE
      :      43 56 00 9B 40 8C 38 5D
      :      }
      :      }
      :      }
      :      }

```

[5.3](#) S/MIME application/pkcs7-mime encrypted message

A full S/MIME message, including MIME, that includes the body part from 5.1.

```

MIME-Version: 1.0
Message-Id: <00103112005203.00349@amyemily.ig.com>
Date: Tue, 31 Oct 2000 12:00:52 -0600 (Central Standard Time)
From: User1
To: User2
Subject: Example 5.3
Content-Type: application/pkcs7-mime;
              name=smime.p7m;
              smime-type=enveloped-data
Content-Transfer-Encoding: base64
Content-Disposition: attachment; filename=smime.p7m

```

```

MIIBHgYJKoZIhvcNAQcDoIIBDzCCAQsCAQAxgcAwgb0CAQAwJjASMRAwDgYDVQQDEwdDYXJsUlnB
AhBGNGvHgABWvBHTbi7NXXHQMA0GCSqGSIb3DQEBAQUABIGAC3EN5nGIiJi2lsGPcP2iJ97a4e8k
bKQz36zg6Z2i0yx6zYC4mZ7mX7FBs3IWg+f6KgCLx3M1eCbWx8+MDFbbpXadCDg08/nUkUNYeNxJ
tuzubGgzoyEd8Ch4H/dd9gdzTd+taTEgS0ipdSJUNnkVY4/M652jKKHRLff02hosdR8wQwYJKoZI
hvcNAQcBMBQGCGCCqGSIb3DQMHBAGtaMXpRwZRNYAgDsISf8Z9P43LrY40xUk660cu1lXeCSFOSOp0
J7FuVyU=

```

[6.](#) Digested-data

A DigestedData from Alice to Bob of ExContent using SHA-1.

```

 0 30  94: SEQUENCE {
 2 06   9:  OBJECT IDENTIFIER digestedData (1 2 840 113549 1 7 5)
      :      (PKCS #7)
13 A0  81:  [0] {
15 30  79:      SEQUENCE {
17 02   1:          INTEGER 0
20 30   7:          SEQUENCE {
22 06   5:              OBJECT IDENTIFIER sha1 (1 3 14 3 2 26)
      :              (OIW)
      :          }
29 30  43:      SEQUENCE {

```

```

31 06    9:      OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
          :      (PKCS #7)
42 A0   30:      [0] {
44 04   28:      OCTET STRING 'This is some sample content.'
          :      }
          :      }
74 04   20:      OCTET STRING
          :      40 6A EC 08 52 79 BA 6E 16 02 2D 9E
          :      06 29 C0 22 96 87 DD 48
          :      }
          :      }
          :      }

```

[7. Encrypted-data](#)

[7.1 Simple EncryptedData](#)

An EncryptedData from Alice to Bob of ExContent with no attributes.

```

0 30    87: SEQUENCE {
2 06    9:   OBJECT IDENTIFIER
          :   encryptedData (1 2 840 113549 1 7 6)
          :   (PKCS #7)
13 A0   74:   [0] {
15 30   72:   SEQUENCE {
17 02    1:   INTEGER 0
20 30   67:   SEQUENCE {
22 06    9:   OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
          :   (PKCS #7)
33 30   20:   SEQUENCE {
35 06    8:   OBJECT IDENTIFIER
          :   des-EDE3-CBC (1 2 840 113549 3 7)
          :   (RSADSI encryptionAlgorithm
          :   (1 2 840 113549 3))
45 04    8:   OCTET STRING
          :   B3 6B 6B FB 62 31 08 4E
          :   }
55 80   32:   [0]
          :   FA FC ED DB 3F 18 17 1D 38 89 11 EA
          :   34 D6 20 DB F4 C3 D9 58 15 EF 93 3B
          :   9A F5 D7 04 F6 B5 70 E2
          :   }
          :   }
          :   }
          :   }

```

The TripleDES key is:

```

73 7c 79 1f 25 ea d0 e0 46 29 25 43 52 f7 dc 62
91 e5 cb 26 91 7a da 32

```

[7.2 EncryptedData with unprotected attributes](#)

An EncryptedData from Alice to Bob of ExContent with unprotected attributes.

```
0 30 149: SEQUENCE {
3 06 9: OBJECT IDENTIFIER
: encryptedData (1 2 840 113549 1 7 6)
: (PKCS #7)
14 A0 135: [0] {
17 30 132: SEQUENCE {
20 02 1: INTEGER 2
23 30 67: SEQUENCE {
25 06 9: OBJECT IDENTIFIER data (1 2 840 113549 1 7 1)
: (PKCS #7)
36 30 20: SEQUENCE {
38 06 8: OBJECT IDENTIFIER
: des-EDE3-CBC (1 2 840 113549 3 7)
: (RSADSI encryptionAlgorithm
: (1 2 840 113549 3))
48 04 8: OCTET STRING
: 07 27 20 85 90 9E B0 7E
: }
58 80 32: [0]
: D2 20 8F 67 48 8A CB 41 E4 22 68 5D
: BE 77 05 52 26 ED E3 01 BD 00 91 58
: A7 35 6E BC 4B A2 07 33
: }
92 A1 58: [1] {
94 30 56: SEQUENCE {
96 06 3: OBJECT IDENTIFIER '1 2 5555'
101 31 49: SET {
103 04 47: OCTET STRING
: 'This is a test General ASN Attribut'
: 'e, number 1.'
: }
: }
: }
: }
: }
```

8. Security Considerations

Because this document shows examples of S/MIME and CMS messages, this document also inherits all of the security considerations from [\[SMIME-MSG\]](#) and [\[CMS\]](#).

The Perl script in [Appendix B](#) writes to the user's local hard drive. A malicious attacker could modify the Perl script in this document. Be sure to read the Perl code carefully before executing it.

[A. References](#)

[A.1 Normative References](#)

[CMS] Cryptographic Message Syntax (CMS), [RFC 3369](#).

[PKIX] PKIX Certificate and CRL Profile, [RFC 3280](#).

[SMIME-MSG] S/MIME Version 3 Message Specification. [RFC 3851](#).

[A.2 Informative References](#)

[DVCS] PKIX Data Validation and Certification Server Protocols, [RFC 3029](#).

[B. Binaries of the Examples](#)

This section contains the binaries of the examples shown in the rest of the document. The binaries are stored in a modified Base64 format. There is a Perl program that, when run over the contents of this document, will extract the following binaries and write them out to disk. The program requires Perl.

[B.1 How the binaries and extractor works](#)

The program in the next section looks for lines that begin with a '|' character (or some whitespace followed by a '|'), ignoring all other lines. If the line begins with '|', the second character tells what kind of line it is:

- A line that begins with |* is a comment
- A line that begins with |> gives the name of a new file to start
- A line that begins with |< tells to end the file (and checks the file name for sanity)
- A line that begins with |anythingelse is a Base64 line

The program writes out a series of files, so you should run this in an empty directory. The program will overwrite files (if it can), but won't delete other files already in the directory.

Run this program with this document as the standard input, such as:

```
./extractsample.pl <draft-ietf-smime-examples
```

If you want to extract without the program, copy all the lines between the "|>" and "|<" markers, remove any page breaks, and remove the "|" in the first column of each line. The result is a valid Base64 blob that can be processed by any Base64 decoder.

[B.2 Example extraction program](#)

```
#!/usr/bin/perl
```

```

# CMS Samples extraction program. v 1.1

# Get all the input as an array of lines
@AllIn = (); while (<STDIN>) { push(@AllIn, $_) }

$Base64Chars = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz' .
    'stuvwxyz0123456789+/' ;
$LineCount = 0; $CurrFile = '';

foreach $Line (@AllIn) {
    $LineCount++; # Keep the line counter for error messages
    $Line =~ s/^\s*//; # Get rid of leading whitespace
    chomp($Line); # Get rid of CR or CRLF at the end of the line
    if(substr($Line, 0, 1) ne '|') { next } # Not a special line
    elsif(substr($Line, 1, 1) eq '*') { next } # It is a comment
    elsif(substr($Line, 1, 1) eq '>')
        { &StartNewFile(substr($Line, 2)) } # Start a new file
    elsif(substr($Line, 1, 1) eq '<')
        { &EndCurrFile(substr($Line, 2)) } # End the current file
    else { &DoBase64(substr($Line, 1)) } # It is a line of Base64
}

sub StartNewFile {
    $TheNewFile = shift(@_);
    if($CurrFile ne '') { die "Was about to start a new file at " .
        "line $LineCount, but the old file, $CurrFile, was open\n" }
    open(OUT, ">$TheNewFile") or
        die "Could not open $TheNewFile for writing: $!\n";
    binmode(OUT); # This is needed for Windows, is a noop on Unix
    $CurrFile = $TheNewFile;
    $LeftOver = 0; # Amount left from previous Base64 character
    $NextPos = 0; # Bit position to start the next Base64 character
                  # (bits are numbered 01234567)
    $OutString = ''; # Holds the text going out to the file
}

sub EndCurrFile {
    $FileToEnd = shift(@_);
    if($CurrFile ne $FileToEnd) { die "Was about to close " .
        "$FileToEnd at line $LineCount, but that name didn't match " .
        "the name of the currently open file, $CurrFile\n" }
    print OUT $OutString;
    close(OUT);
    $CurrFile = '';
}

sub DoBase64 {
    $TheIn = shift(@_);
    if($CurrFile eq '') { die "Got some Base64 at line $LineCount, " .
        "but appear to not be writing to any particular file.\n" }
}

```

```

@Chars = split(//, $TheIn); # Make an array of the characters
foreach $ThisChar (@Chars) {
# $ThisVal is the position in the string and the Base64 value
$ThisVal = index($Base64Chars, $ThisChar);
if($ThisVal == -1) { die "At line $LineCount, found the " .
    "character $ThisChar, which is not a Base64 character\n" }
if($ThisVal == 64) { last } # It is a "=", so we're done
if ($NextPos == 0 ) {
    # Don't output anything, just fill the left of $LeftOver
    $LeftOver = $ThisVal * 4;
    $NextPos = 6;
} elsif ($NextPos == 2) {
    # Add $ThisVal to $LeftOver, output, and reset
    $OutString .= chr($LeftOver + $ThisVal);
    $LeftOver = 0;
    $NextPos = 0;
} elsif ($NextPos == 4) {
    # Add upper 4 bits of $ThisVal to $LeftOver and output
    $Upper4 = ($ThisVal & 60);
    $OutString .= chr($LeftOver + ($Upper4/4));
    $LeftOver = (($ThisVal - $Upper4) * 64);
    $NextPos = 2;
} elsif ($NextPos == 6) {
    # Add upper 2 bits of $ThisVal to $LeftOver and output
    $Upper2 = ($ThisVal & 48);
    $OutString .= chr($LeftOver + ($Upper2/16));
    $LeftOver = (($ThisVal - $Upper2) * 16);
    $NextPos = 4;
} else { die "\$NextPos has an illegal value: $NextPos." }
}
}

```

C. Examples in order of appearance

From [Section 2.1](#)

```
***ExContent.bin***
```

```

|* Section 2.1
|>ExContent.bin
|VGhpcyBpcyBzb21lIHNhbnBzZSBjb250ZW50Lg==
|<ExContent.bin

```

From [Section 2.2](#)

```
***AlicePrivDSSSign.pri***
```

```

|* Example AlicePrivDSSSign.pri
|>AlicePrivDSSSign.pri
|MIIBSwIBADCCASsGByqGSM44BAEwggEeAoGBAIGNze2D6gqeOT7CSCij5EeT3Q7XqA7sU8
|WrhAhP/5Thc0h+DNbzREjR/p+vpKGJL+HZMMg23j+bv7dM3F9piuR10DcMkQiVm96nXvn8

```

```
|9J8v3U0oi1TxP7AHCEdNXYjDw7Wz41UIddU5dhDEeL3/nbCElzf5FEbteQJllzzflvbAh
|UA4kemGkVmuBPG2o+4NyErYov3k80CgYAm0NAUiTKqOfs+bdllWWpMdiM5BAI1XPLLgjDD
|HlBd3ZtZ4s2qBT1YwHuiNrhuB699ikIlp/R1z0oIXks+kPhT6pzJIYo7dhTpzi5dowfNI4
|W4LzABfG1JiRGJNkS9+MiVSlNWteL5c+waYTYfEX/Cve3RUP+YdMLRgUpg0bo20QQAUA
|u0RG0aXJRgcu0P561pIH8JqFiT8=
|<AlicePrivDSSSign.pri
```

AlicePrivRSASign.pri

```
|* Example AlicePrivRSASign.pri
|>AlicePrivRSASign.pri
|MIICdgIBADANBgkqhkiG9w0BAQEFAASCAmAwggJcAgEAAoGBAOCJczmN2PX16Id20X90sA
|W7U4PeD7er3H3HdSkNBS5tEt+mhibU0m+qWCn8l+z6glEPMIC+sVCeRkTxLLvYMs/GaG8H
|2bBgrL7uNaLqE/X3BQWT3166NVbZYf8ZF8mB5vhs6odAc0+sbSx0ny36VTq5mXcCpkhSjE
|7zVzhXdFdfAgMBAAECgYAApAPDJ0d2NDRspoa1eUkBSy6K0shissfXSAIqi5H3NvJ11ujN
|FZBgJzFHNWRNlc1nY860n1asLzduH040vygt9DmQbzTYbghb1WVq2EHZE9ctOV7+M8v/Ke
|QDCz0Foo+38Y6idjewevFTLyvehwYifQRmXskbr4saw+yRRKt/IQJBAPbW4CIhTF8KcP8n
|/OWzUGqd5Q+1hZbGQPqoCrSbmwxVwgEd+TeCihTI8pM0ks2LziG5PNIGv7RVMcncrcqYLd
|ECQQDo3rARJQnSALEB3oromFD1d3dhpEWTawhVlnNd9MhbEpMic4t/03B/9aSqu3T9PCJq
|2jiRkoZbbBTorkye+o4vAkEAL0zwh5sXf+4bgxsUtgtqkF+GJ1Hht6B/9eSI41m5+R6b0y
|l30CJI1yKxJZi6PVLtT/oeILLIURYjdZNR56vN8QJALPAkW/qgzYUi6tBuT/pszSHTyOTx
|hERIZHPXKY9+RozsFd7kUbOU5yyZLVVleyTqo2IfPmxNZ0ERO+G+6YMCgwJAWIjZoVA4hG
|qrA7y730v0nG+4tCol+/bkBS9u4oiJIW9LJZ7Qq1CTyr9AcwhJcV/+wLpIZa4M83ixpXu
|b41fKA==
|<AlicePrivRSASign.pri
```

BobPrivRSAEncrypt.pri

```
|* Example BobPrivRSAEncrypt.pri
|>BobPrivRSAEncrypt.pri
|MIICChQIBADANBgkqhkiG9w0BAQEFAASCAmAwggJcAgEAAoGBAKnhZ5g/OdVf8qCTQV6meY
|mFyDVdmpFb+x0B2hlwJhcPvaUi0DWfbXqYZhRBXM+3twg7CcmRuB1pN235ZR572akzJKN/
|07uvRgGGNjQyywcDWVL8hYsxBLjMGAgUSOZPHPtYMTgXB9T039T2Gk8QX4enDRvoPGXz
|jPHCYqaqfrAgMBAAECgYBnzUhMmg2PmMIbZf8ig5xt8KYGHBztpw0ILPIcaw+LNd40gngw
|y+e6alatd8brUXlweQqg9P5F4Kmy9Bnah5jWMIR05PxZbMHGd9ypkdb8MKCixQheIXFD/A
|0HPfD6bRSeTmPwF1h5HEuYHD09sBvf+iU7o8AsmAX2EAnYh9sDGQJBANDDisbeopkYdo+N
|vKZ11mY/1I1FUox29XLE6/BGmvE+XKpVC5va3Wtt+Pw7PAhDk7Vb/s7q/WiEI2Kv8zHCue
|UCQQDQUfweIrd7bW0AcjXq/JY1PeClPNTqBlFy2bKKBlf4hAr84/sajB0+E0R9KfEILVH
|IdxJAfkKICnwJAiEYH2PAkA0umTJSchXdNdVUN5qS08bKlocSHseIVnDYDubl6nA7xhmqU
|5iUjiEzuUJiEiUacUgFJlaV/4jb0SnI3vQgLeFAkEAni+zN5r7CwZdV+EJBqRd2ZCWBgVf
|JAZAcpw6iIWchw+dYhKIFmionRobQ+g4wJhprwMKSDIETukPj3d9NDALBwJAVxhn1grSta
|vCunrnVNqcBU+B108BiR4yPWnLMcRSyFRVJQA7HCp8JlDV6abXd8vPFfXuC9WN7rOvTKF8
|Y0ZB9qANMAsgA1UdDzEEAwIAEA==
|<BobPrivRSAEncrypt.pri
```

CarlPrivDSSSign.pri

```
|* Example CarlPrivDSSSign.pri
|>CarlPrivDSSSign.pri
|MIIBSgIBADCCASsGByqGSM44BAEwggEeAoGBALZJGD6KRMEpcZRMaCQSwXp5y1RNqx6B+8
|ZMsw6UCQbrAdSxyHFLx0XAUCVdnPza5G3T4oZiHij9uhWVShb2Ru3d9pjSu36KCoq6Fnu5
```

```
|UAFIk4vrJRVrL1Xcj1M0EKlQ/HC3zTBU/dreqKoitaGvi8wCi0eLcF+5reEI1G0pLdbpAh
|UA3cEv31POCzRgdz4CpL+KXZi5ENUCgYAM7lebS73atgdqdDdPVX+d7bxhDetGWTxWCytb
|DJH0pWJSacrhbT69v/7ht7krYTyty65F4wasjCKdnESHc8fN8BzZtU5dc96vDskdWlH1T0
|R5NVpzqn9GUR+pQhacS0uKeWG01S9TIkRjH4a4o1gGJfgpw0+64HXwQsRjZVKbCgQWAhQZ
|szilIWIxU0V/uT4IRnjRPrXlcg==
|<CarlPrivDSSSign.pri
```

CarlPrivRSASign.pri

```
|* Example CarlPrivRSASign.pri
|>CarlPrivRSASign.pri
|MIICdgIBADANBgkqhkiG9w0BAQEFAASCAmAwggJcAgEAAoGBA0RL/xi4JFf0d/9uc3uTcV
|y8MxqSknIj2EFG0M0R0gSzjq+Cnb1RHhd68nYsK4Y5p73XjRpT70QA1ejsojax7eJQ4jIJ
|ij+fmSWPuE6ruX3VlmXaFqDFvg6uRFvvXvSnKcuC3axE6aqTlCk0+BjWyFde8nbE8hFg0L
|kbPB2XyWrXAgMBAAECgYEAarnPkW19bZlrJ18bvOF9TISovYv7eKZp6hmc2531ieHU9c6C8
|KQ7zj73Dycm2+LrWE5vDl3rKavC4hWVOD72nqPdUBkG969wgd5DfYZuab3Te6jvUnIdg7X
|aE8WowN9XgkBb4gEfDgwvtdXe6Su05tl0CRztfG8gcq8vo9SY/pIECQQD/3wmgVgtCUp7E
|TZ0zsEm73ueBfSiZ0LFIugs54Rx7IhgztKd2v9yuHdChrQRxWmEKbjv0MNo2n2UlkbnDn
|8LAKEA5GloGF/5V9B8ZokPumMdcssgIF2ZInNfdHCJ6kurHpWmoUH2TADowOrf4iSUCQB
|qhsHHyBMt8l7Vve2wn6rcwJAVzZsj4wEdmy2104kRAD4gOKvQgGpDxSE+0cA4I+MJ6QtX6
|LlbbVjwK1E6XaRpxlJLkb4d4VL04cE8K/S2FQmlQJAZKEPrFV0G70NYXsXA82w5qcZHYCv
|8UFI2Bq2iBSgLHrFdtQPDh96KrJuNwSrOUVzukaod42CXyIUBc+io/N8gwJAJh4dHKGyK+
|Tb00hXbmtzGYhhOvp0SjaLR2hdU0sm4+p9m05lqa97q0sudlE9qNARq6PWqMAnNh1UC6qn
|0W2N+g==
|<CarlPrivRSASign.pri
```

DianePrivDSSSign.pri

```
|* Example DianePrivDSSSign.pri
|>DianePrivDSSSign.pri
|MIIBSwIBADCCASsGByqGSM44BAEwggEeAoGBALZJGD6KRMEpcZRMACQSwXp5y1RNqx6B+8
|ZMsw6UCQbrAdSxyHFLx0XAUCVdnPza5G3T4oZIhIj9uhWVShb2Ru3d9pjSu36KCoq6Fnu5
|UAFIk4vrJRVrL1Xcj1M0EKlQ/HC3zTBU/dreqKoitaGvi8wCi0eLcF+5reEI1G0pLdbpAh
|UA3cEv31POCzRgdz4CpL+KXZi5ENUCgYAM7lebS73atgdqdDdPVX+d7bxhDetGWTxWCytb
|DJH0pWJSacrhbT69v/7ht7krYTyty65F4wasjCKdnESHc8fN8BzZtU5dc96vDskdWlH1T0
|R5NVpzqn9GUR+pQhacS0uKeWG01S9TIkRjH4a4o1gGJfgpw0+64HXwQsRjZVKbCgQXAhUA
|lpX54MHgQS0yD4tCUpMq5h40ISk=
|<DianePrivDSSSign.pri
```

DianePrivRSASignEncrypt.pri

```
|* Example DianePrivRSASignEncrypt.pri
|>DianePrivRSASignEncrypt.pri
|MIICdwIBADANBgkqhkiG9w0BAQEFAASCAmEwggJdAgEAAoGBANb9uMBwxkwl70rP6ny7om
|L680Yy0LP/sZJaF/Qg4ZkkggrQ9nz7RMqLJwbxfiYDqXadz+ygLHCW8oNC9tS3KAq7+L9K
|TBk/B9ugwWAet35n996xw2BJrEXX+MbvCDchk0fu8HM1crACxPMRw15H5Qq3g/HbdG1ki0
|QdlV3NKMCFAGMBAAECgYA9vc3CDmEUW0vvn2AjBCvFazWllkUj/Gl9kzwP0yWWumJSQuKW
|z/5YgI/rsYy91A1l0Dp3RSSeD0uGgM0sIRFxR00yqKkurBfSo4QlY7W8Lx7d9iH/FSAkW/
|GAL9VBDjIk99RKMP65SdgZjj85jWK9gPwMJJKT5MPXBZFTu5a2QQJBAP04P0rRLLCRYBNB
|kg2NRD93Hf+Wl0QI1AtwyRqv6ZCU8rDVX08ZhVChkJGuvQV2UrMi2Kh8jLR/AHJPNNvoc7
|UCQQDh0ucRVwauCpUiFqoCtFrTtp2CEU+WPIbJEI1WezF1eWnndWg4AEsu0iYy3bHi4CxU
```



```
|gAp1utFmIhuwDqB+0ruRAKEAr7a82yJzQ0HstLVnqaGZ/O/Sjv0d++Upi/4K39TIXlclCl  
|0r1AmgVlvFsWL8IL4ILeMHtaHns//EwKVfrBJcqQJBALmYQfwIUB9zYIoBonxSiiBa6iyJ  
|2aUZ3ZTGG8MlwIJR504rmhncc+3pHSfU+GwD3asdCHu1rH/pgpvxiYpx22ECQAEHIZdfem  
|Co/VpcB9+o3vfisTR9/OuRvbBzdMjEvj9YRTAGkLOsacyz9z98rMe4G2WhFjk5s0N0fc/N  
|xaxsv+U=  
|<DianePrivRSASignEncrypt.pri
```

From [Section 2.3](#)

AliceDSSSignByCarlNoInherit.cer

```
|* Example AliceDSSSignByCarlNoInherit.cer  
|>AliceDSSSignByCarlNoInherit.cer  
|MIIC3DCCApugAwIBAgICAMgWCQYHKOZIZjgEAzASMRAwDgYDVQQDEwdDYXJsRFNTMB4XDT  
|k5MDgxNzAxMTA00VoXDTM5MTIzMTIzNTk1OVowEzERMA8GA1UEAxMIQWxpY2VEU1MwggG2  
|MIIBKwYHKOZIZjgEATCCAR4CgYEAgY3N7YPqCp45PsJIKKPkR5PdDteoDuxTxauECE//lO  
|FzSH4M1vNESNH+n6+koYkv4dkwyDbeP5u/t0zcX2mK5HXQNwyRCJWb3qde+fz0ny/dQ6iL  
|VPE/sAcIR01diMPDtbPjVQh11Tl2EMR4vf+dsISXN/LkURu15AmWXPn+W9sCFQDiR6YaRW  
|a4E8baj7g3Istii/eTzQKBgCY40BSJMqo5+z5t2UtZakx2IzkEAjVc8ssaMMMeUF3dm1ni  
|zaoFPVjAe6I2uG4Hr32KQiWn9HXPSgheSz6Q+G3qnMkhijt2F0nOLl2jB80jhbvgvMAF8bU  
|mJEYk2RL34yJVKU1a14vlz7BphNh8Rf8K97dFQ/5h0wtGBSmA5ujY5A4GEAAKBgFzjuVp1  
|FJYLqXrd4z+p7Kxe3L23ExE0phaJKB Ej2TSGZ3V1ExI9Q1tv5VG/+onyohs+JH09B41bY8  
|i7RaWgSu0F1s4GgD/oI34a8iSrUxq4Jw0e7wi/ZhSAXGKSzfoVi/G7NNTSljf2YUeyxDKE  
|8H5BQP1Gp2NOM/Kl4vTyg+W4o4GBMH8wDAYDVR0TAQH/BAIwADA0BgNVHQ8BAf8EBAMCBs  
|AwHwYDVR0jBBgwFoAUcEQ+gi5vh95K03XjPSC8QyuT8R8wHQYDVR00BBYEFL5sobPjwfft  
|Q3CkzhMB4v3jl/7NMB8GA1UdEQQYMBaBFEFsaWNlRFNTQGV4YW1wbGUuY29tMAKGByqGSM  
|44BAMDMAAwLQIUvQykGR9CK4lxIj0Ng2q1PWdrv0UCFQCfYVNSVATcst3a53Yd4hBSW0Ne  
|vQ==  
|<AliceDSSSignByCarlNoInherit.cer
```

AliceRSASignByCarl.cer

```
|* Example AliceRSASignByCarl.cer  
|>AliceRSASignByCarl.cer  
|MIICLDCCAZWgAwIBAgIQRjRrx4AAVrwR024uxBCzsDANBgkqhkiG9w0BAQUFADASMRAwDg  
|YDVQQDEwdDYXJsUlnBMB4XDTk5MDkxOTAxMDg0N1oXDTM5MTIzMTIzNTk1OVowEzERMA8G  
|A1UEAxMIQWxpY2VSU0EwgZ8wDQYJKoZIhvcNAQEBBQADgY0AMIGJAoGBAOCJczmN2PX16I  
|d20X90sAW7U4PeD7er3H3HdSkNBS5tEt+mhibU0m+qWCn8l+z6glEPMIC+sVCeRkTxLLvY  
|Ms/GaG8H2bBgrL7uNALqE/X3BQWT3166NVbZYf8ZF8mB5vhs6odAc0+sbSx0ny36VTq5mX  
|cCpkhSjE7zVzhXdFdfAgMBAAGjgYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAwIG  
|wDAfBgNVHSMEGDAWgBTp4JAnrHggeprTTPJCN04irp44uzAdBgNVHQ4EFgQUd9K00bdMio  
|qjzkWdzuw8oDrj/1AwHwYDVR0RBbgwFoEUQWxpY2VSU0FAZXhhbXBsZS5jb20wDQYJKoZI  
|hvcNAQEFBQADgYEAPnBHqEjME1iPyLFxa042GF0EfoCxjU3Myq0PzH1WyLzPbrMcWakggg  
|WBqE4lradvFHUv9ceb0Q7pY9Jkt8ZmbnMhVN/0uiVdfUnTLGsiNnRzuErsL2Tt0z3Sp0LF  
|6DeKtNufZ+S9n/n+d0/q+e5jatg/SyUJtdgadq7rm9tJsCI=  
|<AliceRSASignByCarl.cer
```

BobRSASignByCarl.cer

```
|* Example BobRSASignByCarl.cer  
|>BobRSASignByCarl.cer
```

```
|MIICJzCCAZCgAwIBAgIQRjRrx4AAVrwR024uzV1x0DANBgkqhkiG9w0BAQUFADASMRAwDg
|YDVQQDEwdDYXJsUlnBMB4XDTk5MDkxOTAxMDkwMloXDTM5MTIzMTIzNTk1OVowETEPMA0G
|A1UEAxMGQm9iUlnBMIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCp4WeYPznVX/Kgk0
|FepnmJhcg1XZqRW/sdAdoZcCYXD72lItA1hW16mGYUQVzPt7cIOwnJkbgZaTdt+WUee9mp
|MySj fzu7r0YBhjY0MssHA1ls/IWLMQS4zBgIFEjmTxz7XWDE4FwfU9N/U9hpAfeF+Hpw0b
|6Dxl84zxwsqmqn6wIDAQABo38wfTAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAWIFIDAF
|BgNVHSMEGDAWgBTp4JAnrHggeprTTPJCN04irp44uzAdBgNVHQ4EFgQU6PS4Z9izlqQq8x
|GqKd0VWoYwTcQwHQYDVR0RBBYwFIESQm9iUlnBQGV4YW1wbGUuY29tMA0GCSqGSIb3DQEB
|BQUAA4GBAHu0ZsXxED8QIEyIcat7QGshM/pKld6dDltrlCEFWPlhfirNnJOIh/uLt359QW
|Hh5NZt+eIEVWFFvGQnRMChvVL52R1kPCHWRbBdaDOS6qzxV+WBfZjmNZGjOd5390gcOync
|f1EHL/M28FAK3Zvetl44ESv7V+qJba3JiNiPzyvT
|<BobRSASignByCarl.cer
```

CarlDSSSelf.cer

```
|* Example CarlDSSSelf.cer
|>CarlDSSSelf.cer
|MIICmzCCAlqgAwIBAgIBATAJBgcqhkiG9w0BAQDMBIXEDA0BgNVBAMTB0NhcmxEU1MwHhcNOT
|kwODE2MjI1MDUwWhcNMzIxMjM1OTU5WjASMRAwDgYDVQQDEwdDYXJsRFNTMIIBtzCC
|ASsGByqGSM44BAEwggEeAoGBALZJGD6KRMEpcZRMACQSwXp5y1RNqx6B+8ZMsw6UCQbrAd
|SxyHFLx0XAUCVdnPza5G3T4oZIhIj9uhWVShb2Ru3d9pjSu36KCoq6Fnu5UAFIk4vrJRVR
|l1Xcj1MOEklQ/HC3zTBU/dreqKoitaGvi8wCi0eLcF+5reEI1G0pLdbpAhUA3cEv31POCz
|Rgdz4CpL+KXZi5ENUCgYAM7lebS73atgdqdDdPVX+d7bxbDetGWTxWCybtDJH0pWJSacr
|bT69v/7ht7krYTyty65F4wasjCKdnESHC8fN8BzZtU5dc96vDskdWLH1T0R5NVpzn9GUR
|+pQhacSOuKewG01S9TIkRjH4a4o1gGJfpgpw0+64HXwQsRjZVKbCg0BhQACgYEAmyd0JwNm
|oLHARDwsdbvhebESc2iFtTUDtsWIJ6diuHvI6tJSxo456m3FOAJTJtCV0uWCWGSQB82IM/n
|XA+87YaADj/dVwT98jLhkGLPSxYY86V7EIEaQLJiXwUnaB6gtiDZUq5oa6crKnUIMLqiFN
|G6lNiZrXjRg5hD+LxVZNghqjQjBAMA8GA1UdEwEB/wQFMAMBAf8wDgYDVR0PAQH/BAQDAG
|GGMB0GA1UdDgQWBRRwRD6CLm+H3krTdeM9ILxDK5PxHzAJBgqhkiG9w0BAQDAzAAMC0CFGup
|8E56Wnnj+b49K8kGN+kRF6ETAhUAjzRpKouxPAN5LDJNEh/OiftGsjs=
|<CarlDSSSelf.cer
```

CarlRSASelf.cer

```
|* Example CarlRSASelf.cer
|>CarlRSASelf.cer
|MIIB6zCCAVSgAwIBAgIQRjRrx4AAVrwR024un/JQIDANBgkqhkiG9w0BAQUFADASMRAwDg
|YDVQQDEwdDYXJsUlnBMB4XDTk5MDgxODA3MDAwMFoXDTM5MTIzMTIzNTk1OVowEjEQMA4G
|A1UEAxMHQ2FybFJTQTcBnzANBgkqhkiG9w0BAQEFAAOBjQAwYkCgYEA5Ev/GLgkV/R3/2
|5ze5NxXLwzGpKSciPYQubQzRE6BL00r4KdvVEeF3rydiwrhjmrvdeNGLPs5ADV60yiNrHt
|4ldiMgmKP5+ZJY+4Tqu5fdWWZdoWoMW+Dq5EW+9e9Kcpy4LdrETppqOUKQ74GNbIV17yds
|TyEWA4uRs8HZfJavECAwEAAaNCMEAwDwYDVR0TAQH/BAUwAwEB/zA0BgNVHQ8BAf8EBAMC
|AYYwHQYDVR00BBYEFongkCeseCB6mtNM8kI3TiKunji7MA0GCSqGSIb3DQEBBQUAA4GBAL
|ee1ATT7Snk/4mJFS5M2wzwSA8yYe7EB0wSXS3/D2RZfgrD7Rj941ZAN6cHtfa4EmFQ7e/d
|P+MLuGGlpJs85p6cVJq2ldbabDu1LUU1nUkBdvq5uTH5+WsSU6D1FGCbfco+8lNrsDdvre
|Z019v6WuoUQWNdz7b7IDsHao1TNBgC
|<CarlRSASelf.cer
```

DianeDSSSignByCarlInherit.cer

```
|* Example DianeDSSSignByCarlInherit.cer
```

```
|>DianeDSSSignByCarlInherit.cer
|MIIBuDCCAXegAwIBAgICANIwCQYHKOZIZjgEAzASMRAwDgYDVQQDEwdDYXJsRFNTMB4XDT
|k5MDgxNzAyMDgxMFOxDTM5MTIzMTIzNTk1OVowEzERMA8GA1UEAxMIRGlhbmVEU1MwgZMw
|CQYHKOZIZjgEAQOBhQACgYEAoAAxeCzufoFTLi5hCA+hm1FSGtpZqHMvEiW2CMvK7ypEdo
|pSCeq9BSLVD/b9RtevmTgJDhPLTyzdHDT3HL8l/yPT01nngpc3vjEk2BjI80k5W7fi5Sd+
|/IxFclt+Po9oTd1GeiK+jv/M2jkpoznl0PpVcnXW6aBZ8zAqs0uxS0jgYEwfzAMBgNVHR
|MBAf8EAjAAMA4GA1UdDwEB/wQEAwIGwDAfBgNVHSMEGDAWgBRwRD6CLm+H3krTdeM9ILxD
|K5PxHzAdBgNVHQ4EFgQUZDCZfVzcRQuZ0lIvFr9YUN30KxgwHwYDVR0RBBgwFoEURGlhbm
|VEU1NAZXhhbXBsZS5jb20wCQYHKOZIZjgEAwMwADAtAhUAoRr4Fw4+XaiM9LZVMx5L4yys
|uV8CFChLEEVY0hydVTUUGJGyPznftW7T
|<DianeDSSSignByCarlInherit.cer
```

DianeRSASignByCarl.cer

```
|* Example DianeRSASignByCarl.cer
|>DianeRSASignByCarl.cer
|MIICLDCCAZWgAwIBAgIQRjRrx4AAVrwR024u1ZowkDANBgkqhkiG9w0BAQUFADASMRAwDg
|YDVQQDEwdDYXJsUlnBMB4XDTk5MDgxOTA3MDAwMFOxDTM5MTIzMTIzNTk1OVowEzERMA8G
|A1UEAxMIRGlhbmVSU0EwgZ8wDQYJKoZIhvcNAQEBBQADgY0AMIGJAoGBANb9uMBwxkw170
|rP6ny7omL680Yy0LP/sZJaF/Qg4ZkkggrQ9nz7RMqLJwbxfiYDqXadz+ygLHCW8oNC9tS3
|KAq7+L9KTBk/B9ugwWAet35n996xw2BJrEXX+MbvCDchk0fu8HM1crACxPMRw15H5Qq3g/
|HbdGllki0QdlV3NKMCFagMBAAGjgYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAwIF
|4DAfBgNVHSMEGDAWgBTp4JAnrHggeprTTPJCN04irp44uzAdBgNVHQ4EFgQUjPPLdQ6NMf
|bUKdpEknW4/u1POQwwHwYDVR0RBBgwFoEURGlhbmVSU0FAZXhhbXBsZS5jb20wDQYJKoZI
|hvcNAQEFBQADgYEAfaYstXhC1nnzMf72QsoPEweSCRvgb7CRGPa/SvvMY3n7gb/dl8eQa8
|sKNytBagOYxRs+MshFK4YBnBziNu8WwRqSuL5i+1M+SUcLxLnkK1imBoPwsqe7hX7Vxtr0
|nHsxctei6kGrasDdH7kURBjPhFdm6MXmuNwtsx8bKEM2dXo=
|<DianeRSASignByCarl.cer
```

From [Section 2.4](#)

CarlDSSCRLForAll.crl

```
|* Example CarlDSSCRLForAll.crl
|>CarlDSSCRLForAll.crl
|MIHYMIGZMAkGBByqGSM44BAMwEjEQMA4GA1UEAxMHQ2FybERTUxcNOTkwODI3MDcwMDAwWj
|BpMBMCAGDIw050TA4MjIwNzAwMDBaMBMCAGDJFw050TA4MjIwNzAwMDBaMBMCAGDTFw05
|OTA4MjIwNzAwMDBaMBMCAGDSFw050TA4MjIwNzAwMDBaMBMCAGDUFw050TA4MjQwNzAwMD
|BaMAkGBByqGSM44BAMDLwAwLAIUfmVsdp+NHMX0feW+aDU2G1cft0CFAJ6W7fVWxjBz4fv
|ftok8yqDnDWh
|<CarlDSSCRLForAll.crl
```

CarlDSSCRLForCarl.crl

```
|* Example CarlDSSCRLForCarl.crl
|>CarlDSSCRLForCarl.crl
|MIGDMEQwCQYHKOZIZjgEAzASMRAwDgYDVQQDEwdDYXJsRFNTFw050TA4MjUwNzAwMDBaMB
|QwEgIBARcNOTkwODIyMDcwMDAwWjAJBgqhkiG9w0AQDAZAAMC0CFQCzH8VPej3sdtVg+d55
|IuxPsJD+lwIUWovDhLxmhxu/eYJbCl0H9rqpBSk=
|<CarlDSSCRLForCarl.crl
```

CarlDSSCRLEmpty.crl

```
|* Example CarlDSSCRLEmpty.crl
|>CarlDSSCRLEmpty.crl
|MG0wLjAJBgcqhkJ00AQDMBiXEDA0BgNVBAMTB0NhcmxEU1MXDTk5MDgyMDA3MDAwMFowCQ
|YHkoZIZjgEAWmWADAtAhRiPzYXMVguZ1B59QlLjK3Ua/RknwIVALU7TqFMe/0Pw42btv7D
|XW/eZSh9
|<CarlDSSCRLEmpty.crl
```

CarlRSACRLForAll.crl

```
|* Example CarlRSACRLForAll.crl
|>CarlRSACRLForAll.crl
|MIIBMBnTANBgkqhkiG9w0BAQQFADASMRAwDgYDVQQDEwdDYXJsUlnBFw05OTA4MjcwNz
|AwMDBaMGkwIQIRjRrx4AAVrwR024uxBCzsBcNOTkwODIyMDcwMDAwWjAhAhBGNGvHgABW
|vBHTbi7VmJCQFw05OTA4MjIwNzAwMDBaMCECEYY0a8eAAFa8EdNuLs1dcdAXDTk5MDgyND
|A3MDAwMFowDQYJKoZIhvcNAQEEBQADgYEA70XqlPwMiEWK3eSemu7l8jc6vH6ZhYwDrWe
|XPCB1F6zbsGIa4zUXsVN+0deZvNdq+W0GDZgqE2cPInsbye/NVBxgcK5RFttiRkSMa17mt
|PMZssR2QsQR3etTyLZ5X8w8lv8lFGLWHY7H6hGph/2od5Voe0xiGmXDwjT1AxxWx4=
|<CarlRSACRLForAll.crl
```

CarlRSACRLForCarl.crl

```
|* Example CarlRSACRLForCarl.crl
|>CarlRSACRLForCarl.crl
|MIHsMFcwDQYJKoZIhvcNAQEEBQAwEjEQMA4GA1UEAxMHQ2FybFJTQRcNOTkwODI1MDcwMD
|AwWjAjMCECEYY0a8eAAFa8EdNuLp/yUCAXDTk5MDgyMjA3MDAwMFowDQYJKoZIhvcNAQEE
|BQADgYEAIE8h1MEahZVJa8pFYtzXCf+pUS602UcY+vjlct1P7XR04/NlMmUoLJodV+XVJg
|bq1eYjlySNDome7psML84H96PRa4VMD//m3fzczXMSHn3csHHFTPwBblJXaR45Y98SIjDH
|E1WUBW4qAKlBxCpmlGLONjPCK2NHJZ3z3nDuAFY=
|<CarlRSACRLForCarl.crl
```

CarlRSACRLEmpty.crl

```
|* Example CarlRSACRLEmpty.crl
|>CarlRSACRLEmpty.crl
|MIHHMDIwDQYJKoZIhvcNAQEEBQAwEjEQMA4GA1UEAxMHQ2FybFJTQRcNOTkwODIwMDcwMD
|AwWjANBgkqhkiG9w0BAQQFAA0BgQCpxSG4E3x087UR7ATzIEWGHgtuf4NtX/Q0dgZZJQ4E
|PYgJiIE3xNwgmPoXgQs3lKy0j3tRiRSky3JzFAe8IpxAoQf8RHyFDwuI0e7hDq/2FnStoa
|/BAHUAZOqlmvYLCKLbLrlfpqe50UULCg72XoTn+LlayRjCDriglr6B0oBtyQ==
|<CarlRSACRLEmpty.crl
```

Rest of the sections

3.1.bin

```
|* Example 3.1.bin
|>3.1.bin
|MIAGCSqGSIB3DQEHAaCAJIAEBFRoaXMEGCBpcyBzb21lIHhnbXBsZSBjb250ZW50LgAAAA
|AAAA==
|<3.1.bin
```

3.2.bin

```
|* Example 3.2.bin
|>3.2.bin
|MCsGCSqGSIB3DQEHAaAeBBxUaGlzIGlzIHNVbWUgc2FtcGx1IGNvbnRlbnQu
|<3.2.bin
```

4.1.bin

```
|* Example 4.1.bin
|>4.1.bin
|MIIDlwYJKoZIhvcNAQcCoIIDiDCCA4QCAQExCTAHBgUrDgMCGjArBgkqhkiG9w0BBwGgHg
|QcVGhpcyBpcyBzb21lIHNBbXBsZSBjb250ZW50LQCCAuAwggLcMIIICm6ADAgECAGIAyDAJ
|Bgqhkj00AQDMBixEDA0BgNVBAMTB0NhcmxEU1MwHhcNOTkwODE3MDExMDQ5WhcNMzkxMj
|MxMjM1OTU5WjATMREwDwYDVQQDEwhBbGljZURTUzCCAbYwggErBgqhkj00AQBMIIIBHgKB
|gQCBjc3tg+oKnjk+wkgo+RHk90016g07FPFq4QIT/+U4XNIfigzW80RI0f6fr6ShiS/h2T
|DINT4/m7+3TNxfayRkddA3DJEILZvep175/PSfL91DqItU8T+wBwhHTV2Iw801s+NVCHXV
|OXYQxHi9/52whJc38uRRG7XkCZZc835b2wIVA0JHphpFZrgTtxtqPuDchK2KL95PNAoGAJj
|jQFIkyqjn7Pm3ZS1lqTHYj0QQCNVzyyxowwx5QXd2bWeLNqgU9WMB7oja4bgevfYpCJaf0
|dc9KCF5LPpD4beqcySGK03YU6c4uXaMHZS0FuC8wAXxtSYkRiTZEvfjILUpTVrXi+XPsGm
|E2HxF/wr3t0VD/mHTC0YFKYDm6NjkdGyQAaGAX005WnUULgupet3jP6nsrF7cvbcTETSm
|FokoESPZNIzNdXUTEj1DW2/lUb/6ifKiGz4kft0HjVtjyLtFpaBK44XWzgaAP+gjfhryJK
|tTGrgrnDR7vCL9mFIBcYqxl+hWL8bs01NKWN/ZhR7LEMoTwfkFA/UanY04z8qXi9PKD5bij
|gYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAwIGwDAfBgNVHSMEGDAWgBRwRD6CLm
|+H3krTdeM9ILxDK5PxHzAdBgNVHQ4EFgQUvmyhs+PB9+1DcKT0EwHi/eOX/s0wHwYDVR0R
|BBgwFoEUQWxpY2VEU1NAZXhhbXBsZS5jb20wCQYHKOZiZjgEAWMwADAtAhRVDKQZH0IriX
|EiM42DarU9Z2u/RQIVAJ9hU1JUC1yy3drndh3iEFJbQ169MWMwYQIBATAYMBixEDA0BgNV
|BAMTB0NhcmxEU1MCAgDIMAcGBSs0AwIaMAKGBYqGSM44BAMELjAsAhQJkf7r0mn1GLfXzV
|X0geoqQmqTawIUOgfMwyG+4RpLfz61Ddu6H0q8zYk=
|<4.1.bin
```

4.2.bin

```
|* Example 4.2.bin
|>4.2.bin
|MIIDUgYJKoZIhvcNAQcCoIIDQzCCAz8CAQExCzAJBgUrDgMCGGUAMCsGCSqGSIB3DQEHAa
|AeBBxUaGlzIGlzIHNVbWUgc2FtcGx1IGNvbnRlbnQuoIICMDCCAiwggGVoAMCAQICEEY0
|a8eAAFa8EdNuLsQQs7AwDQYJKoZIhvcNAQEFBQAWEjEQMA4GA1UEAxMHQ2FybFJTQTAEfW
|05OTA5MTkwMTA4NDdaFw0zOTEyMzEyMzU5NTlaMBMxETAPBgNVBAMTCEFSaWNlULNBMIgf
|MA0GCSqGSIB3DQEBAQUAA4GNADCBiQKBgQDgiXM5jddj19eiHdjL/TrAFu10D3g+3q9x9x3
|UpDQUubRLfpoYm1NJvqlgp/Jfs+oJRDzCAvrFQnkZE8Sy72DLPxmhbV9mwYKy+7jQJahP1
|9wUFk99eujVW2WH/GX/Jgeb4b0qHQHDvrG0sdJ8t+lU6uZl3AqZIUox081c4V3RXXwIDAQ
|ABo4GBMH8wDAYDVR0TAQH/BAIwADA0BgNVHQ8BAf8EBAMCBsAwHwYDVR0jBBgwFoAU6eCQ
|J6x4IHqa00zyQjd0Iq6e0LswHQYDVR00BBYEFHfStNG3TIqKo85Fnc7sPKA64/9QMB8GA1
|UdEQQYMBaBFESaWNlULNBQGV4YW1wbGUuY29tMA0GCSqGSIB3DQEBAQUAA4GBAD5wR6hI
|zBNYj8pRcWtONhhdBH6AsY1NzMQjj8x9Vsiz26zHFmpIKoFgah0Ja2ncBR1L/XHm9E06W
|PSZLfgZm5zIVTf9LoLXX1J05RrIjZ0c7hK7C9k7dM90qdCzeg3irTbn2fkvZ/5/nTv6vnu
|Y2rYP0slCbXYGnau65vbSbAiMYHLMIHIAgEBMCYWEjEQMA4GA1UEAxMHQ2FybFJTQQIQRj
|Rrx4AAVrwR024uxBCzsDAJBgUrDgMCGGUAMA0GCSqGSIB3DQEBAQUABIGALyOC0vMJX7gM
|W0tOnb+JmoHldcSRPdPQ1Xu21f6UoYqs48SE9c1gtieV9s8AhnZ1Pyvw59QCZ6f1x40WBK
```

```
|WztefZMvAk7+cgrNwFB8VTJPrOAR0PFxOnKpWdK+QDlRQL6TkNus5unJ4M6JjmVRPUaG/Q
|B9eisWJM44+v/eDVXcc=
|<4.2.bin
```

4.3.bin

```
|* Example 4.3.bin
|>4.3.bin
|MIIDdwYJKoZIhvcNAQcCoIIDaDCCA2QCAQExCTAHBgUrDgMCGjALBqkqhkiG9w0BBwGggg
|LgMIIC3DCCApugAwIBAgICAMgwCQYHKOZIzjgEAzASMRAwDgYDVQQDEwdYXJsRFNTMB4X
|DTk5MDgxNzAxMTA0OVoXDTM5MTIzMTIzNTk1OVowEzERMA8GA1UEAxMIQWxpY2VEU1Mwgg
|G2MIIBKwYHKOZIzjgEATCCAR4CgYEAgY3N7YPqCp45PsJIKKPkR5PdDteoDuxTxauECE//
|lOFzSH4M1vNESNH+n6+koYkv4dkwyDbeP5u/t0zcX2mK5HXQNwyRCJWb3qde+fz0ny/dQ6
|iLVPE/sAcIR01diMPDtbPjVQh11Tl2EMR4vf+dsISXN/LkURu15AmWXPn+W9sCFQDiR6Ya
|Rwa4E8baj7g3Istii/eTzQKBgCY40BSJMqo5+z5t2UtZakx2IzkEAjVc8ssaMMMeUF3dm1
|nizaoFPVjAe6I2uG4Hr32KQiWn9HXPSgheSz6Q+G3qnMkhijt2FOnOLl2jB80jhbgbvMAF8
|bUmJEYk2RL34yJVKU1a14vLz7BphNh8Rf8K97dFQ/5h0wtGBSmA5ujY5A4GEAAKBgFzjuV
|p1FJYLqXrd4z+p7Kxe3L23ExE0phaJKBj2TSGZ3V1ExI9Q1tv5VG/+onyohs+JH09B41b
|Y8i7RaWgSu0F1s4GgD/oI34a8iSrUxq4Jw0e7wi/ZhSAXGKSzfoVi/G7NNTSljf2YUeyxD
|KE8H5BQP1Gp2NOM/Kl4vTyg+W4o4GBMH8wDAYDVR0TAQH/BAIwADA0BgNVHQ8BAf8EBAMC
|BsAwHwYDVR0jBBgwFoAUceQ+gi5vh95K03XjPSC8QyuT8R8wHQYDVR00BBYEFL5sobPjwf
|ftQ3CkzhMB4v3jl/7NMB8GA1UdEQQYMBaBFEEFsaWNlRFNTQGV4YW1wbGUuY29tMAKGBYqG
|SM44BAMDMAAwLQIUUVQykGR9CK4lxIjONg2q1PWdrv0UCFQCfYVNSVAtcst3a53Yd4hBSW0
|NevTFjMGECAQEWGDASMRADgYDVQQDEwdYXJsRFNTAgIAyDAHBgUrDgMCGjAJBgcqhkiG9
|OAQDBC4wLAIUBvvhKiTVNIn3i7X9cySlhsgPWmwCFGZpGbxoWNGNsZ1SP9oUiA39yaG4
|<4.3.bin
```

4.4.bin

```
|* Example 4.4.bin
|>4.4.bin
|MIILDQYJKoZIhvcNAQcCoIIK/jCCCvoCAQExCTAHBgUrDgMCGjArBqkqhkiG9w0BBwGgHg
|QcVGhpcyBpcyBzb21lIHhnbXBsZSBjb250ZW50LqCCB68wggIsMIIBlaADAgECAhBGNGvH
|gABWvBHTbi7EELowMA0GCSqGSIb3DQEBBQUAMBIxEDA0BgNVBAMTB0NhcmxSU0EwHhcNOT
|kwOTE5MDEwODQ3WhcNMzIxMjMxMjM1OTU5WjATMREwDwYDVQQDEwhBbGljZVJTQTCBnzAN
|BgkqhkiG9w0BAQEFAA0BjQAwgYkCgYEA4Ilz0Y3Y9fXoh3Y5f06wBbtTg94Pt6vcfcd1KQ
|0FLm0S36aGJtTSb6pYKfyX7PqCUQ8wgl6xUJ5GRPEsu9gyz8ZobwfZsGCsvu40CWot9fcF
|BZPfXro1vtlh/xl/yYHm+Gzqh0Bw76xtLHSfLfpV0rmZdwKmSFKMTvNX0Fd0V18CAwEAAa
|OBgTB/MAwGA1UdEwEB/wQCMAAwDgYDVR0PAQH/BAQDAgbAMB8GA1UdIwQYMBaAF0ngkCes
|eCB6mtNM8ki3TiKunji7MB0GA1UdDgQWBBr30rTrt0yKiqPORZ307DygoUP/UDAFBgNVHR
|EEGDAWgRRBbGljZVJTQUBleGFtcGxllmNvbTANBgkqhkiG9w0BAQUFAA0BgQA+cEeoSMwT
|WI/KUXFrTjYYXQR+gLGNTczKo4/MfVbIvM9usxxZqSCqBYGoTiWtp3AUdS/1x5vRDulj0m
|S3xmZucyFU3/S6JV19Sd0UayI2dH04SuwvZ03TPdKnQsXoN4q0259n5L2f+f507+r57mNq
|2D9LJQm12Bp2ruub20mwIjCCApSwggJaoAMCAQICAQEWcQYHKOZIzjgEAzASMRAwDgYDVQ
|QEwdYXJsRFNTMB4XDTk5MDgxNjIyNTA1MFOxDTM5MTIzMTIzNTk1OVowEjEQMA4GA1UE
|AxMHQ2FybERTUzCCAbcwggErBgcqhkiG9w0BAQMIIBHGBgQC2SRg+ikTBKXGUTAHEEsF6ec
|tUTasegfvGTLMOlAkG6wHUSchXs8dFwFAlXZz82uRt0+KGSISCfboVLu0W9kbt3faY0rt+
|igqKuhZ7uVABSJOL6yUVUZdV3I9TDhCpUPxwt80wVP3a3qiqIrWhr4vMAojni3Bfua3hCN
|RtKS3W6QIVAN3BL99Tzgs0YHc+AQs/il2YuRDVAoGAD05Xm0u92rYHanQ3T1V/ne28YQ3r
|Rlk8VgsrWwyRzqViUmnK4W0+vb/+4be5K2E8rcuuReMGrIwinZxEhvwHzfAc2bV0XXPerw
|7JHVpR9U9EeTVac6p/RlEfqUIWnEjrinlhtNUvUyJEYx+GuKNYBiX4KcDvuuB18ELEY2VS
```

|mwoDgYUAAoGBAJmHdCcDZqCwK3cLHW74WxEnNohbU1HbbFiCenYrh7y0rSUsa00eptxTg
|CUybQlTrlgLhkkAfNiDP51wPv02GgA4/3VcE/fI5YZBpT0sWGP0lexCBGkCyYl8FJ2geoL
|Yg2VKuaGunKyp1CDC6onzRupTYma140Y0YQ/i8VWTYB6o0IwQDAPBgNVHRMBAf8EBTADAQ
|H/MA4GA1UdDwEB/wQEAwIBhjAdBgNVHQ4EFgQUcEQ+gi5vh95K03XjPSC8QyuT8R8wCQYH
|KoZiZjgEAWMwADAtAhRrqfB0elp54/m+PSvJBjfpERehEwIVAI80aSqLsTwDeZQyTRIfzo
|n7RrI7MIIC3DCCApugAwIBAgICAMgwCQYHKOZiZjgEAzASMRAdgYDVQQDEwdDYXJsRFNT
|MB4XDTk5MDgxNzAxMTA0VoXDTM5MTIzMTIzNTk1OVowEzERMA8GA1UEAxMIQWxpY2VEU1
|MwggG2MIIBKwYHKOZiZjgEATCCAR4CgYEAgY3N7YPqCp45PsJIKKPkR5PdDteoDuxTxauE
|CE//l0FzSH4M1vNESNH+n6+koYkv4dkwyDbeP5u/t0zcX2mK5HXQNwyRCJWb3qde+fz0ny
|/dQ6iLVPE/sAcIR01diMPDtbPjVQh11TL2EMR4vf+dsISXN/LkURu15AmWXPn+W9sCFQDi
|R6YaRwa4E8baj7g3Istii/eTzQKBgCY40BSJMqo5+z5t2UtZakx2IzkEAjVc8ssaMMMeUF
|3dm1nizaoFPVjAe6I2uG4Hr32KQIwn9HXPSgheSz6Q+G3qnMkhijt2F0n0Ll2jB80jhbqv
|MAF8bUmJEYk2RL34yJVKU1a14vlz7BphNh8Rf8K97dFQ/5h0wtGBSmA5ujY5A4GEAAKBgF
|zjuVp1FJYLqXrd4z+p7Kxe3L23ExE0phaJKBEj2TSGZ3V1ExI9Q1tv5VG/+onyohs+JH09
|B41bY8i7RaWgSu0F1s4GgD/oI34a8iSrUxq4Jw0e7wi/ZhSAXGksZfoVi/G7NNTSlj f2YU
|eyxDKE8H5BQP1Gp2NOM/Kl4vTyg+W4o4GBMH8wDAYDVR0TAQH/BAIwADA0BgNVHQ8BAf8E
|BAMCBsAwHwYDVR0jBBgwFoAUcEQ+gi5vh95K03XjPSC8QyuT8R8wHQYDVR00BBYEFL5sob
|PjwfftQ3CkzhMB4v3jl/7NMB8GA1UdEQQYMBaBFEFsaWNlRFNTQGV4Yw1wbGUuY29tMAkG
|ByqGSM44BAMDMAAwLQIUUVQykGR9CK4lxIj0Ng2q1PWdrv0UCFQCfYVNSVAtcst3a53Yd4h
|BSW0NevaGB2zCB2DCBmTAJBgcqhki00AQDMBiXEDA0BgNVBAMTB0NhcmxEU1MXDTk5MDgy
|NzA3MDAwMFowaTATAgIAyBcNOTkwODIyMDcwMDAwWjATAgIAyRcNOTkwODIyMDcwMDAwWj
|ATAgIA0xcNOTkwODIyMDcwMDAwWjATAgIA0hcNOTkwODIyMDcwMDAwWjATAgIA1BcNOTkw
|ODI0MDcwMDAwWjAJBgcqhki00AQDAy8AMCwCFH5lUnYz/jRzF9H3lvmg1NhtXH09AhQCeL
|u31VsYwc+H737aJPMqg5w1oTGCAiowggImAgEBMBgwEjEQMA4GA1UEAxMHQ2FybERTUwIC
|AMgwBwYFKw4DAhggXTAYBgkqhkiG9w0BCQMxCwYJKoZIhvcNAQcBMBwGCSqGSIb3DQEJB
|EPFw0wMzA1MTQxNTM5MDBaMCMGCSqGSIb3DQEJBDEWBBAauwIUnm6bhYCLZ4GKcAilofd
|SDAJBgqhki00AQDBC4wLAIU06XgStttW0AZ0QAcT0SaV3pxZmgCFBoRmNYfH680gQHevo
|vctqhkhkKwToYIBYjA+BgsqhkiG9w0BCRACBDEVMC0MIENvbnRlbnQSGludHMGRGVzY3Jp
|cHRpb24gQnVmZmVyBgkqhkiG9w0BBwEwggEeBgkqhkiG9w0BCQYxggEPMIIBCwIBATAMMB
|IxEDA0BgNVBAMTB0NhcmxSU0ECEeY0a8eAAFa8EdNuLsQQs7AwBwYFKw4DAhggQzAcBgkq
|hkiG9w0BCQUxDxcNMDMwNTE0MTUzOTAwWjAjBgkqhkiG9w0BCQQxFgQUAL9JTjmYUIWzZt
|OKH3ueaar72DMwDQYJKoZIhvcNAQEBBQAEGYBtqiAk7XrupV6H3XUfK1QQZfT0m7EseHS8
|ixxgtdula55J8it/k249iRTJ42v09n12rj5YH5u7vHwwGU4Q9wLxi1u025q7k7QY0MwryZ
|GprdlG+Gwp4nGV0NROH810b4LoN29aPcvH1F/CgBva04RAaF9WmmL10w1sM8PtZz9Dvw==
|<4.4.bin

4.5.bin

|* Example 4.5.bin
|>4.5.bin
|MIAGCSqGSIb3DQEHAqCAMIACAQExCzAJBgUrDgMCGGUAMIAGCSqGSIb3DQEHAaCAJIAEBF
|RoAXMEGCBpcyBzb21lIHhnbXBsZSBjb250ZW50LgAAAAAAKCAMIIB6zCCAUSgAwIBAgIQ
|RjRrx4AAVrwR024un/JQIDANBgkqhkiG9w0BAQUFADASMRAdgYDVQQDEwdDYXJsUlnBMB
|4XDTk5MDgxODA3MDAwMFoXDTM5MTIzMTIzNTk1OVowEjEQMA4GA1UEAxMHQ2FybFJTQT
|nzANBgkqhkiG9w0BAQEFAAOBjQAwGyKCGYEA5Ev/GLgkV/R3/25ze5NxxLwzGpKSciPYQU
|bQzRE6BL0Or4KdvVEeF3rydiwrhjmndvENGlpS5ADV60yiNrHt4ldiMgmKP5+ZJY+4Tqu5
|fdWWZdoWoMW+Dq5EW+9e9Kcpy4LdrETpp0UKQ74GNbIV17ydsTyEWA4uRs8HZfJavECAw
|EAAaNCMEAwDwYDVR0TAQH/BAUwAwEB/zA0BgNVHQ8BAf8EBAMCAYYwHQYDVR00BBYEFong
|kCeseCB6mtNM8ki3TiKunji7MA0GCSqGSIb3DQEBBQUAA4GBALee1ATT7Snk/4mJFS5M2w
|zwSA8yYe7EB0wSXS3/D2RZfgrD7Rj941ZAN6chtfa4EmFQ7e/dP+MLuGGlpJs85p6cVJq2
|ldbabDu1LUU1nUkBDvq5uTH5+WsSU6D1FGCbfc0+8lNrsDdvreZ019v6WuoUQWNdzb7IDs

```
|Haa01TNBgCMIICLDCCAZWgAwIBAgIQRjRrx4AAVrwR024uxBCzsDANBgkqhkiG9w0BAQUF
|ADASMRAdgYDVQQDEwdDYXJsUlnBMB4XDTk5MDkxOTAxMDg0N1oXDTM5MTIzMTIzNTk1OV
|owEzERMA8GA1UEAxMIQWxpY2VSU0EwgZ8wDQYJKoZIhvcNAQEBBQADgY0AMIGJAoGBAOCJ
|czmN2PX16Id20X90sAW7U4PeD7er3H3HdSkNBS5tEt+mhibU0m+qWCn8l+z6glEPMIC+sV
|CerKtXLLvYMs/GaG8H2bBgrL7uNaLqE/X3BQWT3166NVbZYf8Zf8mB5vhs6odAc0+sbSx0
|ny36VTq5mXcCpkhSjE7zVzhXdFdfAgMBAAGjgYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDw
|EB/wQEAwIGwDAfBgNVHSMEGDAWgBTp4JAnrHggeprTTPJCN04irp44uzAdBgNVHQ4EFgQU
|d9K00bdMioqjzkWdzuw8oDrj/1AwHwYDVR0RBBgwFoEUQWxpY2VSU0FAZXhhbXBsZS5jb2
|0wDQYJKoZIhvcNAQEFBQADgYEAPnBHqEjME1iPyLFxa042GF0EfoCwjU3MyqOPzH1WyLzP
|brMcWakggqWBqE4lrAdwFHUv9ceb0Q7pY9Jkt8ZmbnMhVN/0uiVdfUnTLGsinnRzuErsL2
|Tt0z3Sp0LF6DeKtNufZ+S9n/n+d0/q+e5jatg/SyUJtdgadq7rm9tJsCIAADGByzCByAIB
|ATAmMBIxEDA0BgNVBAMTB0NhcmxSU0ECEY0a8eAAFA8EdNuLsQQs7AwCQYFKw4DAh0FAD
|ANBgkqhkiG9w0BAQEFAASBgC8jgtLzCV+4DFjrTp2/iZqB5XXEkT3T0NV7ttX+lKKGroPE
|hPXNYE4nlfbPAIZ2dT8r80fUAmen9ceNFgSlS7Xn2TLwJO/nIETVnwffUyT6zgEdDxcTpy
|qVnSvKA5UUC+k5DbrObpyeD0iY5lUT1Ghv0AfXorFiT00Pr/3g1V3HAAAAAAAA
|<4.5.bin
```

4.6.bin

```
|* Example 4.6.bin
|>4.6.bin
|MIIFtwYJKoZIhvcNAQcCoIIFqDCCBaQCAQExCTAHBgUrDgMCGjArBgkqhkiG9w0BBwGgHg
|QcVGhpcyBpcyBzb21lIHNBbXBsZS5jb250ZW50LQCCBJwwggG4MIIBD6ADAgECAGIA0jAJ
|Bgqhkj00AQDMBIxEDA0BgNVBAMTB0NhcmxSU1MwHhcNOTkwODE3MDIwODEwWhcNMzkxMj
|MxMjM1OTU5WjATMREwDwYDVQQDEwEaFuZURTUzCBkzAJBgqhkj00AQA4GFAAKBgQCg
|ABd4L05+gVMuLmEID6GbUVIa2lmocy8SJBvYIy8rvKkR2ilIJ6r0FiTUP9v1G16+Z0AkOE8
|tPLN0cNPccvYX/I9M7WeeClze+MSTYGMjzSTlbt+LLJ378jEVyW34+j2hN3UZ6Ir60/8za
|OSmj0eWfQ+lvyddbpofnzMCqzS7FI60BgTB/MAwGA1UdEwEB/wQMAAwDgYDVROPAQH/BA
|QDAgbAMB8GA1UdIwQYMBaAFHBEPoIub4feStN14z0gvEMrk/EfMB0GA1UdDgQWBBrKMJl9
|XNxFC5k6Ui8Wv1hQ3c4rGDAfBgNVHREEGDAWgRREaWfuZURTU0BLEGFtcGxLLmNvbTAJBg
|cqhkiG9w0BAQADAQAAMC0CFQChGvgXDj5dqIz0tLuzHkvjLKy5XwIUKesQRvjSHJ1VNRQYkbI/
|Od+1btMwggLcMIICm6ADAgECAGIAyDAJBgcqhkiG9w0BAQADAQAAMC0CFQChGvgXDj5dqIz0tLuzHkvjLKy5XwIUKesQRvjSHJ1VNRQYkbI/
|MwHhcNOTkwODE3MDExMDQ5WhcNMzkxMjMxMjM1OTU5WjATMREwDwYDVQQDEwEaFuZURTUzCBkzAJBgqhkj00AQA4GFAAKBgQCg
|UzCCAbYwggErBgqhkj00AQBMIIbHgKBgQCBjc3tg+oKnjk+wkgo0+RHk90016g07FPFq4
|QIT/+U4XNIfgzW80RI0f6fr6ShiS/h2TDInt4/m7+3TNxfayrkddA3DJEILZvep175/PSf
|L91DqItU8T+wBwhHTV2Iw801s+NVCHXVOXYQxHi9/52whJc38uRRG7XkCZZc835b2wIVA0
|JHphpFZrgTtxtqPuDchK2KL95PNAoGAJjjQFIkyqjn7Pm3ZS1lqTHYj0QQCNVzyyxoww5Q
|Xd2bWeLNqgU9WMB7oja4bgevfYpCJaf0dc9KCF5LPpD4beqcySGK03YU6c4uXaMHZSOFuC
|8wAXxtSYkRiTZEvfjILUpTVrXi+XPsgmE2HxF/wr3t0VD/mHTC0YFKYDm6NjkDgYQAAoGA
|X005WnUULgupet3jP6nsrF7cvbcTETSmFokoESPZNIzndXUTEj1DW2/lUb/6ifKiGz4kft
|0HjVtjyLtFpaBK44XWzgaAP+gjfhryJKtTGrnDR7vCL9mFIBcYqxL+hWL8bs01NKWN/Zh
|R7LEMoTwfkFA/UanY04z8qXi9PKD5bijgYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/w
|QEAwIGwDAfBgNVHSMEGDAWgBRwRD6CLm+H3krTdeM9ILxDK5PxHzAdBgNVHQ4EFgQUvmyh
|s+PB9+1DcKTOEwHi/eOX/s0wHwYDVR0RBBgwFoEUQWxpY2VEU1NAZXhhbXBsZS5jb20wCQ
|YHkoZiZjgEAWMwADAtAhRVDKQZH0IriXiM42DarU9Z2u/RQIVAJ9hU1JUC1yy3drndh3i
|EFJBQ169MYHGMGECAQEwGDASMRAdgYDVQQDEwdDYXJsRFNTAgIAyDAHBgUrDgMCGjAJBg
|cqhkiG9w0BAQADAQAAMC0CFQChGvgXDj5dqIz0tLuzHkvjLKy5XwIUKesQRvjSHJ1VNRQYkbI/
|/XuBMGECAQEwGDASMRAdgYDVQQDEwdDYXJsRFNTAgIA0jAHBgUrDgMCGjAJBgqhkj00A
|QDBC4wLAIUff+BTYytgE6bNVgEN25jbulbg/ocFAZ+WE4rMYRB7UL50D530qaMdQgh
|<4.6.bin
```


4.7.bin

| * Example 4.7.bin

| >4.7.bin

| MIIDLAYJKoZIhvcNAQcCoIIDhTCCA4ECAQMxCTAHBgUrDgMCGjArBgkqhkiG9w0BBwGgHg
| QcVGhpcyBpcyBzb21lIHhnbXBsZSBjb250ZW50LQCCAuAwggLcMIIcM6ADAgECAGIAyDAJ
| BgcqhkiG9w0AQDMBIAEDAOBgNVBAMTB0NhcmxEU1MwHhcNOTkwODE3MDExMDQ5WhcNMzkxMj
| MxMjM1OTU5WjATMREwDwYDVQQDEWhBbGJjZURTUzCCAbYwggErBgqhkiG9w0AQBMIIIBHgKB
| gQCBjc3tg+oKnjk+wkgo+RHk90016g07FPFq4QIT/+U4XNIfigzW80RI0f6fr6ShiS/h2T
| DINT4/m7+3TNxfaYrkddA3DJEILZvep175/PSfL91DqItU8T+wBwhHTV2Iw801s+NVCHXV
| OXYQxHi9/52whJc38uRRG7XkCZZc835b2wIVA0JHphpFZrgTtxtqPuDchK2KL95PNAoGAJj
| jQFIkyqjn7Pm3ZS1lqTHYj0QQCNVzyyxowwx5QXd2bWeLNqgU9WMB7oja4bgevfYpCJaf0
| dc9KCF5LPpD4beqcySGK03YU6c4uXaMHZS0FuC8wAXxtSYkRiTZEvfjILUpTVrXi+XPsgm
| E2HxF/wr3t0VD/mHTC0YFKYDm6NjkdGyQAAGAX005WnUULgupet3jP6nsrF7cvbcTETSm
| FokoESPZNIzndXUTEj1DW2/lUb/6ifKiGz4kft0HjVtjyLtfpaBK44XWzgaAP+gjfhryJK
| tTGrgnDR7vCL9mFIBcYqxl+hWL8bs01NKWN/ZhR7LEMoTfwkFA/UanY04z8qXi9PKD5bij
| gYEwfzAMBGNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAwIGwDAfBgNVHSMEGDAWgBRwRD6CLm
| +H3krTdeM9ILxDK5PxHzAdBgNVHQ4EFgQUvmyhs+PB9+1DcKT0EwHi/eOX/s0wHwYDVR0R
| BBgwFoEUQWxpY2VEU1NAZXhhbXBsZS5jb20wCQYHKoZiZjgEAWMwADAtAhRVDKQZH0IriX
| EiM42DarU9Z2u/RQIVAJ9hu1JUC1yy3drndh3iEFJbQ169MwAwXgIBA4AUvmyhs+PB9+1D
| cKT0EwHi/eOX/s0wBwYFKw4DAhOWCQYHKoZiZjgEAWQvMC0CFQCJw2t7VvfDEgBL8Tf1xF
| gXjRFXgwIUCw9D0qrs3nphLIyc9UGZpzwgw7c=
| <4.7.bin

4.8.eml

| * Example 4.8.eml

| >4.8.eml

| TUlNRS1WZXJzaW9uOiAxLjAKVG86IFVzZXIyQGV4YW1wbGVzLmNvbQpGcm9tOiBhbGJjZU
| Rzc0BleGFtcGxlcy5jb20KU3ViamVjdDogRXhhbXBsZSA0LjgKTWVzc2FnZS1JZDogPDAY
| MDkwNjAwMjU1MDMwMC4yNDlAZXhhbXBsZXMuY29tPgpEYXRlOiBGcmksIDA2IFNlcCAyMD
| AyIDAuOjI10jIxC0wMzAwIApDb250ZW50LVR5cGU6IG11bHRpcGFydC9zaWduZWQ7CiAg
| ICBtawNhbGc9U0hBMTsKICAgIGJvdW5kYXJ5PSItLS0tPV90ZXh0Qm91bmRyeV9fX19Gcm
| ksXzA2X1NlcF8yMDAyXzAwOjI10jIxijsKICAgIHByb3RvY29sPSJhcHBsaWNhdGlvbi9w
| a2NzNy1zaWduYXR1cmUiCgpUaGlzIGlzIGlgbXVsdGktdGFydCBtZXNzYWdlIGluIE1JTU
| UgZm9ybWFOlgoKLS0tLS0tPV90ZXh0Qm91bmRyeV9fX19GcmksXzA2X1NlcF8yMDAyXzAw
| OjI10jIxCgpUaGlzIGlzIHhnbWUgc2FtcGxlIGNvbmlbnQuCi0tLS0tLT1fTmV4dEJvdW
| 5kcmlfX19fRnJpLF8wNl9TZXBfMjAwMl8wMDoyNToyMQpDb250ZW50LVR5cGU6IGFwcGxp
| Y2F0aW9uL3BrY3M3LXNpZ25hdHVyZTsgbmFtZT1zbWltZS5wN3MKQ29udGVudC1UcmFuc2
| Zlc1fFbmNvZGluZzogYmFzZTY0CkNvbnRlbnQtRGltZcG9zaXRpb246IGF0dGFjaG1lbnQ7
| IGZpbGVuYW1lPXNtaW1lLnA3cwoKTUljRGR3WUpLb1pJaHJjTkFRY0NvSUlEYURDQ0EyUU
| NBUUV4Q1RBSEJnVXJEZ01DR2pBTEJna3Foa2lhOXcwQkI3R2dnZ0xnTUlJQwozRENDQXB1
| Z0F3SUJBZ0lDQU1nd0NRWUhLb1pJempnRUF6QVNNUkF3RGdZRFZRUURFd2REWVhKc1JGTl
| RNQjRFRFRnRU1EZ3h0ekF4Ck1UQTBPVm9YRFRNNU1USXpNVEl6TlRrMU9Wb3dfFekVSTUE4
| R0ExVUVBeE1JUVD4cFkyVkVVMU13Z2dHMk1JSUJld1lIS29aSXpqZ0UKQVRDQ0FSNENnWU
| VBZ1kzTjdZUHFDcDQ1UHNKSUtlUGtSNVBkRHRlb0R1eFR4YXVFQ0UvL2xPRnpTSDRNMXZO
| RVNOSCtuNitrbl1rdgo0ZGt3eURiZVA1dS90MHPjWDJtSzVIWFFOd3lSQ0pXYjNxZGUrZn
| owbnkvZFE2aUxWUEUvc0FjSVIwMWRpTVBEDGJQaLZRAdExVGwyCkVNUjR2Zitkc0lTWE4v
| TGtVUnUxNUFtV1hQTitXOXNDRLFEaVI2WWFSV2E0RThiYWo3ZzZnJU3RpaS9lVHPRs0JnQ1
| k0MEJTSk1xbzUKK3o1dDJVdFpha3gySXprRUFqVmM4c3NhTU1NZVVGMR2tMW5pemFvRlBW
| akFlNkkydUc0SHIzMKtRaVduOUhYUFNnaGVTEjZRK0czcQpuTWtoawP0MKZPbk9MBdJqQj

| gwamhiZ3ZNQUY4YlVtSkVZazJSTDM0eUpWS1UxYTE0dmx6N0JwaE5oOFJm0Es5N2RGUS81
| aDB3dEdCClNtQTV1a1k1QTRHRUFBS0JnRnpqdVZwMUZKWUxxWHJkNHorcDdLeGUzTDIzRX
| hFMHBoYUpLQkVqMLRTR1ozVjFFeEk5UTF0djVWRy8KK29ueW9ocytKSDA5QjQxYlK4aTdS
| YVdnU3VPRjFzNEdnRC9vSTM0YThpU3JVeHE0SncwZTd3aS9aaFNBWEdLc1pmb1ZpL0c3Tk
| 5UUwpsamYyWVVleXhES0U4SDVCUVAxR3AyTk9NL0tsNHZUeWcrVzRvNEdCTUg4d0RBWURW
| UjBUQVFIL0JBSXdBREFPQmdOVkhROEJBZjhFckJBTUNCc0F3SHdZRFZSMGpCQmd3Rm9BVW
| NFUSTnaTV2aDk1SzAzWGpQU0M4UXl1VDhSOHdIUvLEvLIwT0JCWUVGTDVzb2JQandmZnQK
| UTNDa3poTUI0djNqbC83Tk1COEdBMVVKRVFRWU1CYUJGRUZzYVdObFJGTlRRR1Y0WVcx2
| JHVXVZMjl0TUFrR0J5cUdTTTQ0QkFNRApNQUF3TFFJVVZReWtHUjldSszRseElqt05nMnEx
| UfdkcnywVUNGUUNmWVZOu1ZBdGNzdDNhNTNZZDRoQlNXME5ldlRGak1HRUNBUUV3CkdEQV
| NNUkF3RGdZRFZRUURFd2REWVhKc1JGTlRBZ0lBeURBSEJnVXJEZ01DR2pBSkJnY3Foa2pP
| T0FRREJDNDHdMQULVTS9tR2Y2Z2sKZ3A5WjBYdFJkR2ltSmVCL0J4VUNGR0ZGSnF3WVJ0MV
| dZY0lPUW9HaWfvd3FHelZJCgotLS0tLS09X05leHRCb3VuZHJ5X19fX0ZyaSxfMDZfU2Vw
| XzIwMDJfMDA6MjU6MjEtLQo=
| <4.8.eml

4.9.eml

| * Example 4.9.eml
| >4.9.eml
| TUlNRS1WZXJzaW9uOiAxLjAKVG86IFVzZXIyQGV4YW1wbGVzLmNvbQpGcm9tOiBhbGljZU
| Rzc0BLEGFtcGxlcY5jb20KU3ViamVjdDogRXhxbXBsZSA0LjkkTWVzc2FnZS1JZDogPDAY
| MTazMTE2NDU0MDMwMC4zMdRAZXhxbXBsZXMuY29tPgpEYXRlOiBUaHUzIDMxIE9jdCAyMD
| AyIDE2OjQ1OjE0IC0wMzAwIApDb250ZW50LVR5cGU6IGFwcGxpY2F0aW9uL3BrY3M3LW1p
| bWU7IHNTaW1lLXR5cGU9c2lnbmVklWRhdGE7CiAgICBuYW1lPXNtaW1lLnA3bQpDb250ZW
| 50LVRyYW5zZmVyLUVuY29kaW5nOiBiYXNlNjQKQ29udGVudC1EaXNwb3NpdGlvbjogYXR0
| YWNobWVudDsgZmlsZW5hbWU9c21pbWUucDdtCgpNSUlEbVFZSkttvWklodmNOQVfjQ29JSU
| RpakNDQTRZQ0FRRXhdVEFIQmdVckRnTUNHakF0QmdrcWhraUc5dzBCQndHZ0lBUWVEUXBV
| CmFhbHhpJR2x6SUh0dmJXVWdjMkZ0Y0d4bElHTnZib1JsYm5RdW9JSUM0RENDQXR3d2dnS2
| JvQU1DQVFJQ0FnRElNQWthQnlxR1NNNDQKQkFNd0VqRVFNQTRHQTFRUF4TUHRMkZ5YkVS
| VVF6QWVGdzA1T1RBNE1UY3dNVEV3TKRsYUz3MHPVEV5TXpFeU16VTVOVGxhTUJNeApFVE
| FQQmdOVkJBTVRDRUZzYVdObFJGTlRNSUlCdGpDQ0FTc0dCeXFHU000NEJBRXdnZ0VlQW9H
| QkFJR056ZTJENmdxZU9UN0NTQ2lqCjVFZVQzUTdYcUE3c1U4V3JoQWhQLzVUaGMwaCtETm
| J6UkVqUi9wK3ZwS0dKTCTtIwk1NZzIzaitidjdkTTNG0XBpdVixMERjTwtRaVYKbTk2blh2
| bjg5Sjh2M1VPb2kxVHhQN0FIQ0VktlhZakR3N1d6NDFVSWRkVTVkaERFZUwzL25iQ0Vsem
| Z5NUZFYnRlUUpsbHp6Zmx2YgpBaFVBNGtlbUdrVm11QlBHMm8rNE55RXJZb3YzazgwQ2dZ
| QW1PTkFVaVRLcU9mcytiZGxMV1dwTWRpTTVCQUkxWFBMTedqRERibEJkCjNadFo0czJxQl
| QxWXdlldWl0cmh1QjY5OWlrSWxwL1IxejBvSVhrcytrUGh0NnB6Sk1ZbzdkaFRwemk1ZG93
| Zk5JNFc0ThpBQmZHMUoKaVJHsk5rUzkrTWlWU2x0V3RlTDVjK3dhWVRZZkVYL0N2ZTNSVV
| ArWWRNtFJnVXBnT2JvMk9RT0JoQUFDZ1lCYzQ3bGFkUlNXQzZsNgozZU0vcWV5c1h0eTl0
| eE1STktZV2lTZ1JJOWswaG1kMWRSTVNQVU5iYitWUnYvcUo4cUl1UGlSOVBRZU5XMlBJdT
| BXbG9FcmpoZGJPCk1vQS82Q04rR3ZJa3ExTWF1Q2NOSHU4SXyyWVvNrhnpckdYNkZZdnh1
| elRVMHBZMzltRkhzc1F5aFBCK1FVRDlScWRqVGpQeXB1TDAKOG9QbHVLt0JnVEIvTUF3R0
| ExVWRFd0VCL3dRQ01BQXdEZ1lEVlIiwUEFRSC9CQVFEQWdiQU1COEdBMVVKsXdRWU1CYUFG
| SEJFUG9JdQp1NGZlU3R0MTR6MGd2RU1yay9FZk1CMEdBMVVKRGdRV0JCuytiS0d6NDhIMz
| dVTndwTTRUQWVMOTQ1Zit6VEFmQmdOVkhSRUVHREFXCmduSukJiR2xqWlVSFVUwQmxlR0Z0
| Y0d4bExtTnZiVEFKQmdjcWhrak9PQVFEQXpBQU1DMENGRlVnCEJrZlFpdUpjU0l6all0cX
| RUMW4KYTc5RkFoVUFuMkZUVWxRTFhMTGQydWQySGVJUUVVsdERYcjB4WXPcAEFnRUJNQmd3
| RWpFUU1BNEdBMVVFQXhNSFEyRnl1RVJUVXdJQwpBTWd3QndZRkt3NERBaG93Q1FZSEtVWk
| l6amdFQXdRdU1Dd0NGRDFjU1c2TElVRnplWGx1M1lJNVNLU0Jlci9zQWhRbUNxN3MvQ1RG
| CkhPRWpnQVNlVWp1TXB4NWc2QT09Cg==

| <4.9.eml

4.10.bin

```
|* Example 4.10.bin
```

```
|>4.10.bin
```

```
|MIIH/wYJKoZiHvcNAQcCoIIH8DCCB+wCAQEXCTAHBgUrDgMCGJArBgkqhkiG9w0BBwGgHg
|QcVGhpcyBpcyBzb21lIHhnbXBsZSBjb250ZW50LqCCAUAwggLcMIIcM6ADAgECAGIAyDAJ
|BgcqhkiG9w0AQDMBIXEDA0BgNVBAMTB0NhcmxU1MwHhcNOTkwODE3MDExMDQ5WhcNMzkxMj
|MxMjM1OTU5WjATMREwDwYDVQQDEWhBbGljZURTUzCCABYwggErBgcqhkiG9w0AQBMIIHBgKB
|gQCBj3ctg+oKnjk+wkgo0+RHk90016g07FPFq4QIT/+U4XNIfgzW80RI0f6fr6ShiS/h2T
|DINT4/m7+3TNxfayrkddA3DJEILZvep175/PSfL91DqITu8T+wBwhHTV2Iw801s+NVCHXV
|OXYQxHi9/52whJc38uRRG7XkCZZc835b2wIVA0JHphfFZrgTtxtqPuDchK2KL95PNAoGAJj
|jQFIkyqjn7Pm3ZS1lqTHYjOQQCNVzyyxowwx5QXd2bWeLNqgU9WMB7oja4bgevfYpCJaf0
|dc9KCF5LPpD4beqcySGK03YU6c4uXaMHZS0FuC8wAXxtSYkRiTZEvfjIlUpTVrXi+XPsGm
|E2HxF/wr3t0VD/mHTC0YFKYDm6NjkdGyQAAoGAX005WnUULgupet3jP6nsrF7cvbcTETSm
|FokoESPZNIZndXUTEj1DW2/lUb/6ifKiGz4kfT0HjVtjyLtFpaBK44XWzgaAP+gjfhryJK
|tTGrnDR7vCL9mFIBcYqxl+hWL8bs01NKWN/Zhr7LEMoTfwkFA/UanY04z8qXi9PKD5bij
|gYEwfzAMBgNVHRMBAf8EAjAAMA4GA1UdDwEB/wQEAwIGwDAfBgNVHSMEGDAWgBRWRD6CLM
|+H3krTdeM9ILxDK5PxHzAdBgNVHQ4EFgQUvmyhs+PB9+1DcKTOEwhi/eOX/s0wHwYDVR0R
|BBgwFoEUQWxpY2VEU1NAZXhhbXBsZS5jb20wCQYHKoZiZjgEAWMwADAtAhRVDKQZH0IriX
|EiM42DarU9Z2u/RQIVA9hU1JUC1yy3drndh3iEFJbQ169MYIEyTCCBMUCAQEwGDASMRaw
|DgYDVQQDEwdDYXJsRfNTAgIAyDAHBUrDgMCGqCCBF8wGAYJKoZiHvcNAQkDMQsGCSqGSI
|b3DQEHATAjBgkqhkiG9w0BCQQxFgQUUGrSCFJ5um4WAi2eBinAIpaH3UgwOAYDKqszMTEE
|L1RoaxMgaXMgYSB0ZXN0IEdlbmVyYWwgQVN0IEF0dHJpYnV0ZSwgbnVtYmVyIDEuMD4GCy
|qGSib3DQEJEAIEMS8wLQwgQ29udGVudCBIAw50cyBEZXNjcmldwGlVbiBCdWZmZXIGCSqG
|SIb3DQEHATBKBgkqhkiG9w0BCQ8xPTA7MAcGBSoDBAUGMDAGBiodBAUGTQQmU21pbWUgQ2
|FwYWJpbGl0aWVzIHBhcmFtZXRLcnMgYnVmZmVyIDIwMjYyMDQ5MDQ5MDQ5MDQ5MDQ5MDQ5
|BgqAwQFBgcIEExtUSElTIElTIEEgUFJJVkfFDWSBNQVJLIFRfU1QxMTAvGAgqAwQFBgeGeK
|EjEyFUSElTIElTIEEgVEVTVCBTRUNVUklUWS1DQVRFR09SWS4wbwYlKoZiHvcNAQkQAgox
|YDBeBgUqAwQFBgQrQ29udGVudCBSZWZlcmVuY2UgQ29udGVudCBJZGVudGlmawVyIEJlZm
|ZlcgQoQ29udGVudCBSZWZlcmVuY2UgU2lnbmF0dXJlIFZhbHVlIEJlZmZlcjBzBgsqhkiG
|9w0BCRACCzFkoGIWwJELMAkGA1UEBhMCVVMxZjAUBgNVBAoTDVVTIEEdvdmVybm1lbnQxET
|APBgNVBAstCFZEQSBTAxRlMQwwCgYDVQQLEWNNWREExEjAQBgNVBAMTCURhaXN5IFJTTQIE
|ClVEMzCB/AYLKOZiHvcNAQkQAgMxgewwgekweYEBzU3MzgyOTkYDzE5OTkwMzExMTA0ND
|MzWqGBYTCBxqRhMF8xCzAJBgNVBAYTALVTMRYwFAYDVQQKEw1VUyBHb3Zlcm5tZW50MREw
|DwYDVQQLEWhWREEgU2l0ZTEMAAoGA1UECXMdVkrBMRcwFQYDVQQDEw5CdWdzIEJlbn55IE
|RTQaRhMF8xCzAJBgNVBAYTALVTMRYwFAYDVQQKEw1VUyBHb3Zlcm5tZW50MREwDwYDVQQL
|EwhWREEgU2l0ZTEMAAoGA1UECXMdVkrBMRcwFQYDVQQDEw5FbG1lcjBgdWRkIERTQTCCAQ
|IGCyqGSib3DQEJEAIJMYHyMIHvMXICAQEGByoDBAUGBwkTJKVRVULWQUxFTlQgVEhJUyBJ
|UyBBIFBSSVZBQ1kgTUfSSyBURVNUMTwwOoAIKgmEBQYHhniHhLhMsRVFVSZBTEVOVCBUSE
|lTIElTIEEgVEVTVCBTRUNVUklUWS1DQVRFR09SWS4xeQIBAQQYHkgMEBQYHChMtRVFVSZB
|TEVOVCBUSElTIElTIEEgU0VDT05EIFBSSVZBQ1kgTUfSSyBURVNUMTwwOoAIKgmEBQYHhni
|ihLhMsRVFVSZBTEVOVCBUSElTIElTIEEgVEVTVCBTRUNVUklUWS1DQVRFR09SWS4wCQYH
|KoZiZjgEAWQvMC0CFQC8MzdXpDwXBdJE6pMhcq7UpFIWQIUy5aifiVpV96wSF9sZN2EBE
|lfHMo=
|4.10.bin
```

4.11.bin

```
|* Example 4.11.bin
```



```
|MIIBZQYJKoZIhvcNAQcDoIIBVjCCAVICAQIxggEAMIG9AgEAMCYwEjEQMA4GA1UEAxMHQ2
|FybFJTQQIQRjRrx4AAVrwR024uzV1x0DANBgkqhkiG9w0BAQEFAASBgJQmQojGi7Z4IP+C
|VypBmNFoCDoEp87khtgyff2N4SmqD3RXPx+8hbLQt9i3YcMwcap+ai0kyqjMaLT03VUC0X
|BOGv+HYI3HBZm/aFzxoq+YOXAWs5xlGerZwT0c9j6AYlK4qXvnztR5SQ8TBjlzytm4V7zg
|+TGrnGVNQBnw47Ewoj4CAQQwDQQLTWfPbExpC3RSQzIwEAYLKoZIhvcNAQcQAwwCAToEGH
|cUr5MSJ/g9HnJVHsQ6X56VcwYb+0fojTBJBgkqhkiG9w0BBwEwGgYIKoZIhvcNAwIwDgIC
|AKAECJwE0hkuKlWhgCBeKNXhojuej3org9Lt7n+wWx0hnky5V50vSpoYRfRRyw==
|<5.2.bin
```

5.3.eml

```
|* Example 5.3.eml
|>5.3.eml
|TULNRS1WZXJzaW9uOiAxLjAKTWVzc2FnZS1JZDogPDAwMTAzMTEyMDA1MjAzLjAwMzQ5QG
|FteWVtaWx5LmInLmNvbT4KRGF0ZTogVHVlLCAzMSPY3QgMjAwMCAxMjowMD01MiAtMDYw
|MCAoQ2VudHJhbCBTdGFuZGFyZCBUaW1lKQpGcm9tOiBVc2VyMQpUbzogVXNlcjIKU3Viam
|VjdDogRXhhbXBsZSA1LjMKQ29udGVudC1UeXBloIBhcHBsaWNhdGlvbi9wa2NzNy1taW1l
|OwoJbmFtZT1zbWltZS5wN207CglzbWltZS10eXBWPWVudmVsb3BlZC1kYXRhCkNvbnRlbn
|QtVHJhbnNmZXItRW5jb2Rpbmc6IGJhc2U2NApDb250ZW50LURpc3Bvc2l0aW9uOiBhdHRh
|Y2htZW50OyBmaWxlbmFtZT1zbWltZS5wN20KCk1JSUJIZ1lKS29aSWht2Y05BUWNEb0lJQk
|R6Q0NBUXNDQVFBeGdjQXdnYjBDQVFBD0pqQVNNUkF3RGdZRFZRUURFd2REWVhKc1VsTkIK
|QWhCR05HdkhnQUJXdkJlVGJpN05YWEhRTUEwR0NTcUdTSWlZRFFFQkFRVUFCSUdBQzNFTj
|VuR0lpSmkybHNHUGNQmMlKOTdhNGU4awpiS1F6MzZ6ZzZaMmkweXg2ellDNG1aN21YN0ZC
|czNjV2crZjZLZ0NMeDNNMWDYld40CtNREZiYnBYWRDRGdPOC9uVWtVTlllTnhKCnR1en
|Vir2d6b3lFZDhDaDRIL2RkOWdkeIRkK3RhVEVnUzBpcGRTSnV0bmtWWTQvTTY1MmpLS0hS
|TEZmMDJob3NkUjh3UXdZSkvtvWkkKaHZjTkFRY0JNQlFHQ0NxR1NjYjNEUU1IQkFndGFNW
|BSd1pStllBZ0RzaVNmOFo5UDQzTHJZNE94VWs2NjBjdTFsWGVDU0ZPU09wTwpKN0Z1VnLV
|PQoK
|<5.3.eml
```

6.0.bin

```
|* Example 6.0.bin
|>6.0.bin
|MF4GCSqGSIB3DQEHBA BRME8CAQAwBwYFKw4DAhOWKwYJKoZIhvcNAQcBoB4EHFRoaXMgaX
|Mgc29tZSBzYW1wbGUgY29udGVudC4EFEBq7AhSebpuFgItngYpwCKWh91I
|<6.0.bin
```

7.1.bin

```
|* Example 7.1.bin
|>7.1.bin
|MFcGCSqGSIB3DQEHBA BKMEgCAQAwQwYJKoZIhvcNAQcBMBQGCCCqGSIB3DQMHBaiZa2v7Yj
|EIToAg+vzt2z8YFx04iRHqNNYg2/TD2VgV75M7mvXXBPaiC0I=
|<7.1.bin
```

7.2.bin

```
|* Example 7.2.bin
|>7.2.bin
|MIGVBgkqhkiG9w0BBwaggYcwgyQCAQIwQwYJKoZIhvcNAQcBMBQGCCCqGSIB3DQMHBAGHJy
```


INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE