

Network Working Group
Internet-Draft
Updates: [2460](#) (if approved)
Intended status: Standards Track
Expires: April 15, 2010

J. Arkko
Ericsson
S. Bradner
Harvard University
October 12, 2009

IANA Allocation Guidelines for the IPv6 Routing Header
draft-ietf-6man-iana-routing-header-00

Status of this Memo

This Internet-Draft is submitted to IETF in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/lid-abstracts.txt>.

The list of Internet-Draft Shadow Directories can be accessed at <http://www.ietf.org/shadow.html>.

This Internet-Draft will expire on April 15, 2010.

Copyright Notice

Copyright (c) 2009 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents in effect on the date of publication of this document (<http://trustee.ietf.org/license-info>). Please review these documents carefully, as they describe your rights and restrictions with respect to this document.

Abstract

This document specifies the IANA guidelines for allocating new values for the Routing Type field in the IPv6 Routing Header.

Internet-Draft

IPv6 RH IANA Rules

October 2009

1. Introduction

This document specifies the IANA guidelines [[RFC5226](#)] for allocating new values for the Routing Type field in the IPv6 Routing Header [[RFC2460](#)]. Previously, no IANA guidance existed for such allocations.

2. IANA Considerations

New Routing Type values are allocated through IETF Review or IESG Approval [[RFC5226](#)].

Note that two experimental values (253 and 254) are already available for use [[RFC4727](#)].

3. Security Considerations

This specification does not change the security properties of the Routing Header. However, past experience shows that it is easy to design routing headers that have significant problems [[RFC5095](#)].

4. References

4.1. Normative References

- [RFC2460] Deering, S. and R. Hinden, "Internet Protocol, Version 6 (IPv6) Specification", [RFC 2460](#), December 1998.
- [RFC5226] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", [BCP 26](#), [RFC 5226](#), May 2008.

4.2. Informative References

- [RFC4727] Fenner, B., "Experimental Values In IPv4, IPv6, ICMPv4, ICMPv6, UDP, and TCP Headers", [RFC 4727](#), November 2006.
- [RFC5095] Abley, J., Savola, P., and G. Neville-Neil, "Deprecation of Type 0 Routing Headers in IPv6", [RFC 5095](#), December 2007.

[Appendix A](#). Changes from [RFC 2460](#)

This document specifies only the IANA rules associated with the

Arkko & Bradner

Expires April 15, 2010

[Page 2]

Internet-Draft

IPv6 RH IANA Rules

October 2009

Routing Type field.

Authors' Addresses

Jari Arkko
Ericsson
Jorvas 02420
Finland

Email: jari.arkko@piuha.net

Scott Bradner
Harvard University
Cambridge, MA 02138
US

Phone: +1 617 495 3864
Email: sob@harvard.edu

Arkko & Bradner

Expires April 15, 2010

[Page 3]