

# YANG Data Extensions

draft-bierman-netmod-data-ext-01

IETF 100

Andy Bierman <[andy@yumaworks.com](mailto:andy@yumaworks.com)>

Martin Björklund <[mbj@tail-f.com](mailto:mbj@tail-f.com)>

Kent Watsen <[kwatsen@juniper.net](mailto:kwatsen@juniper.net)>

# The problem

- The YANG extension statement `yang-data` in the module `ietf-restconf` can be used to define a data structure that is not intended to be part of a datastore.
- Original use case was RESTCONF resources and errors, but since then it has been used to define file formats, contents of protocol messages etc.
- However, this solution has a couple of limitations:
  - The structure cannot be augmented
  - The structure must define exactly one container
  - Creates a dependency to RFC 8040 RESTCONF

# The solution

A separate document that defines two new extension statements:

- `yang-data`: intended to replace `ietf-restconf:yang-data`. Semantics the same, but removes the limitation that the top-level node must be a single container.
- `augment-yang-data`: can be used to augment a structure defined with `yang-data`.

# Open Issue B.1

Should we also define a new statement `uses -yang-data` that can be used just like normal `uses`, in all places where `uses` can be used?

Drawback: we get two ways of defining reusable structures, `grouping` and `yd:yang-data`.

# Open Issue B.2

Currently there is no way to define special `<error-info>` content for an `rpc/action`. `Yd:yangdata` could be used to define the structure. But should we also define a new extension that can be used in `rpc/action` to refer to such a structure?

```
yd:yang-data my-error-info { ... }

rpc my-rpc {
  input { ... }
  output { ... }
  yd:map-error-info my-error-info;
}
```