

OSPF Flooding Reduction

draft-cc-ospf-flooding-reduction-02

Huaimo Chen (huaimochen@huawei.com)

Dean Cheng (dean.cheng@huawei.com)

Mehmet Toy (mehmet.toy@verizon.com)

Yi Yang (yyietf@gmail.com)



Updates

- Link and node failures
 - Issues raised by experts:
 - ◆ Break/split flooding topology
 - ◆ How to guarantee reliable LS flooding?
 - ✓ Solutions
- Select and switch a mode for flooding topology
 - .00 version:
 - Distributed mode
 - Central mode
 - Static configuration mode
 - ✓ This version:
 - ✓ Select/change a mode
 - ✓ Smoothly switch to a new mode

Solutions for Reliable LS Flooding

➤ Critical Interface/Link

- interface on the flooding topology and
- without it, flooding topology is broken/split



- Critical interface can be determined during/after computing flooding topology
- When critical interface or node down, simply use traditional flooding before new flooding topology is constructed

Select and Switch a Mode

➤ Flooding Reduction Instruction TLV in RI LSA

0	1	2	3
0 1 2 3 4 5 6 7 8 9 0	1 2 3 4 5 6 7 8 9 0	1 2 3 4 5 6 7 8 9 0	1
+-----+-----+-----+-----+			
INST-TLV-Type (TBD1) TLV-Length			
+-----+-----+-----+-----+			
OP MOD Algorithm Reserved (MUST be zero)			
+-----+-----+-----+-----+			
~ sub TLVs (optional) ~			
+-----+-----+-----+-----+			

OP :

- ✓ 0x001 (R): Perform flooding Reduction
- ✓ 0x010 (N): Roll back to Normal flooding

MOD :


- ◆ 0x001 (C): Central Mode
 - 1. Select leader, backup leader
 - 2. Leader computes flooding topology, flooded to all
 - 3. Every node receives and uses flooding topology
- ◆ 0x010 (D): Distributed Mode
 - Every node computes and uses its flooding topology
- ◆ 0x010 (S): Static Mode. Every node uses flooding topology configured

Algorithm :

Indicating an algorithm for computing a flooding topology

Extensions For Central Mode

- Flooding Reduction Information TLV in RI LSA



Priority :

- ✓ indicate priority of node originating TLV to become leader in central mode

Leader sub TLV

Backup Leader sub TLV

Method/Algorithm to select Leader and Backup Leader

Summary

- Addressed Issues on Link and node failures
- Support selecting and switching a mode for flooding topology

Next Step

Welcome comments