

# JMAP

IETF 103 / 7 Nov 2018

# Note Well

**This is a reminder of IETF policies in effect on various topics such as patents or code of conduct. It is only meant to point you in the right direction. Exceptions may apply. The IETF's patent policy and the definition of an IETF "contribution" and "participation" are set forth in BCP 79; please read it carefully.**

**As a reminder:**

- **By participating in the IETF, you agree to follow IETF processes and policies.**
- **If you are aware that any IETF contribution is covered by patents or patent applications that are owned or controlled by you or your sponsor, you must disclose that fact, or not participate in the discussion.**
- **As a participant in or attendee to any IETF activity you acknowledge that written, audio, video, and photographic records of meetings may be made public.**
- **Personal information that you provide to IETF will be handled in accordance with the IETF Privacy Statement.**
- **As a participant or attendee, you agree to work respectfully with other participants; please contact the ombudsteam (<https://www.ietf.org/contact/ombudsteam/>) if you have questions or concerns about this.**

**Definitive information is in the documents listed below and other IETF BCPs. For advice, please talk to WG chairs or ADs:**

- **BCP 9 (Internet Standards Process)**
- **BCP 25 (Working Group processes)**
- **BCP 25 (Anti-Harassment Procedures)**
- **BCP 54 (Code of Conduct)**
- **BCP 78 (Copyright)**
- **BCP 79 (Patents, Participation)**

**<https://www.ietf.org/privacy-policy/> (Privacy Policy)**

# Agenda

- JMAP Core: 10 min
- JMAP Mail: 10 min
- JMAP Extensions: 20 min
- Rechartering: 10 min
- Other business: 10 min

# JMAP Core

- In last call: finishes 16th November
- Small revisions have been made based on feedback, e.g.
  - Method calls must pass explicit accountId
  - Added state management to /copy and /import
- Implementations: Cyrus IMAPd, Apache JAMES, Ix (Perl)
- No open issues; next step submit for publication

# JMAP Mail

- In last call: finishes 16th November
- Small revisions have been made based on feedback, e.g.
  - Added GroupedAddresses header parse format
- Implementations: Cyrus IMAPd, Apache JAMES, atmail
- No open issues; next step submit for publication

# Cross-account queries

- User has access to multiple accounts on the server
- Client would like to present a single view of mail across the accounts (e.g. a “unified inbox”).
- What’s the best way to achieve this? Aggregate in the client? Aggregate in the server (JMAP extension)? Set up accounts so you don’t need to do it in the first place?

# JMAP Extensions

# Generating MDN

<https://datatracker.ietf.org/doc/draft-ietf-jmap-mdn/>



# JMAP over WebSocket

[https://tools.ietf.org/html/  
draft-murchison-jmap-websocket-01](https://tools.ietf.org/html/draft-murchison-jmap-websocket-01)

# Rechartering

**Any other business**