

IETF 103 – Bangkok Spring Working Group

draft-ali-spring-srv6-oam-02.txt SRv6 OAM

Zafar Ali - Cisco Systems (<u>zali@cisco.com</u>) - Presenter

Clarence Filsfils - Cisco Systems (cfilsfil@cisco.com)

Nagendra Kumar - Cisco Systems (naikumar@cisco.com)

Carlos Pignataro – Cisco Systems (cpignata@cisco.com)

Faisal Iqbal – Cisco Systems (faiqbal@cisco.com)

Rakesh Gandhi - Cisco Systems (rgandhi@cisco.com)

John Leddy Comcast (<u>John_Leddy@cable.comcast.com</u>)

Satoru Matsushima – Softbank (<u>satoru.matsushima@g.softbank.co.jp</u>)

Robert Raszuk Bloomberg LP (robert@raszuk.net)

Daniel Voyer - Bell Canada (<u>daniel.voyer@bell.ca</u>)

Gaurav Dawra – LinkedIn (gdawra.ietf@gmail.com)

Bart Peirens – Proximus (bart.peirens@proximus.com)

Mach Chen – Huawei (<u>mach.chen@huawei.com</u>)

Gaurav Naik - Drexel University (gn@drexel.edu)

History of the Draft

- draft-ali-6man-srv6-oam-00 was published in July 2017.
 - Main draft describing use-cases including classic ping and traceroute in SRv6 networks.
- draft-ali-6man-srv6-oam-01 was published in October 2017.
 - Revision with editorial changes.
- draft-ali-spring-srv6-oam-00.txt was published in Feb 2018.
 - Added SRv6 ping and traceroute.
 - Added SRv6 segment-by-segment ping and overlay traceroute.
 - Presented in IETF101 (London, March 2018).
- draft-ali-spring-srv6-oam-01.txt was published in July 2018.
- draft-ali-spring-srv6-oam-02.txt was published in October 2018.

Summary of Changes

- draft-ali-spring-srv6-oam-01.txt was presented at the 6man and Spring WG at IETF102.
- Summary of changes in Rev 2 are as follows:
 - Suggest to move O-bit flag to draft-ietf-6man-segment-routing-header.
 - Editorial changes

3

Scope of the Draft

- The document describes how existing ICMP mechanisms can be used in SRv6 Network.
- The document does not propose any changes to the SRH or IPv6 data plane.
- The document does not make any changes to ICMP procedures.
- The document requests one ICMPv6 Message type from the "ICMPv6 type Numbers" registry.
 - SRv6 OAM Message (Value: TBD) and an associated sub-registry.

Use Cases (I-D illustrations – cont'ed)

- Classic Ping and Traceroute
- SRv6 Ping
 - End-to-end
 - Segment-by-segment
- SRv6 Traceroute
 - Hop-by-hop
 - Segment-by-Segment (Overlay Traceroute)
- SRv6 Paths Monitoring
 - Applicability of draft-ietf-spring-oam-usecase-10 to SRv6 Networks

Next Steps

- Multiple implementations exist.
- Draft –v02 does not have any dependency on 6man WG.
- The authors will be requesting Spring WG for adoption of this work.

6