

# T2TRG: Thing-to-Thing Research Group

IETF 103, November 6, 2018, Bangkok, TH

Chairs: Carsten Bormann & Ari Keränen

# Note Well

- You may be recorded
- The IPR guidelines of the IETF apply:  
see <http://irtf.org/ipr> for details.

# Administrivia (I)

- Pink Sheet
  - Note-Takers
  - Off-site (Jabber, Hangout?)
  - <xmpp:t2trg@jabber.ietf.org?join>
  - Mailing List: [t2trg@irtf.org](mailto:t2trg@irtf.org) — subscribe at:  
<https://www.ietf.org/mailman/listinfo/t2trg>
- Repo: <https://github.com/t2trg/2018-ietf103>


# Agenda

Time	Who	Subject	Docs
16:10	Chairs	Intro, RG Status	<a href="#">draft-irtf-t2trg-iot-secons</a> <a href="#">draft-irtf-t2trg-rest-iot</a>
16:20	Chairs, various	Report from <a href="#">WISHI</a> and Hackathon	
16:45	Michael Koster	brief <a href="#">iot.schema.org</a> update	
17:00	Matthias Kovatsch	W3C WoT update	
17:15	Chairs, various	<a href="#">core-apps</a> , <a href="#">CoRAL</a> — division of work	
17:45	Chairs, various	Intro to Friday's work meeting	
18:00	Chairs	Meeting Planning, Wrapup	
18:10		end of meeting	

# T2TRG scope & goals

- Open research issues in turning a true "Internet of Things" into reality
  - Internet where low-resource nodes ("things", "constrained nodes") can communicate among themselves and with the wider Internet
- Focus on issues with opportunities for IETF standardization
  - Start at the IP adaptation layer
  - End at the application layer with architectures and APIs for communicating and making data and management functions, including security

# IRTF and IETF?



# Recent activities

- Work on IoT/Semantic Hypermedia Interoperability (WISHI): bi/tri-weekly calls and hackathons
- Semiphysical/WebEx sessions with OCF on CoRE technologies

# Next meetings

- Work meeting this Friday (with Breakouts)
- Regular WISHI calls (~ monthly)
- Virtual meetings with OCF
- Virtual meetings with OMA SpecWorks (LwM2M & IPSO)
- Prague IETF 104
  - WISHI hackathon?
- Co-locating with academic conferences 2019?



# RG Doc Status

- “State-of-the-Art and Challenges for the IoT Security” ready
- “RESTful Design for IoT” (next slides)
- Upcoming:
  - Document(s) to be shaped from CoRAL and CoRE Apps?
  - Inter-network Coexistence in IoT?

# RESTful Design for IoT

New in -02:

- FETCH/(i)PATCH method considerations
- Caching considerations
- CoRE Apps draft for more details on how to define IoT hypermedia apps in a structured way
- And a bunch of IoT details discussed in Montreal

# RESTful Design for IoT next steps


- Experiences from building IoT systems with (constrained) RESTful+ methods
  - W3C Web of Things?
  - OMA SpecWorks LwM2M?
  - OCF?
  - IoT platforms?
- More outside (of IRTF/IETF) reviews
- Ready for publication by IETF 105?

# WISHI

- Four Web meetings since IETF102, discussing e.g.:
  - [iot.schema.org](http://iot.schema.org) definitions for semantic annotation
  - Semantic Style Sheets:  
adding semantics to existing instances of data
  - Declarative Data Conversion for JSON
  - LwM2M-WoT integration with [iot.schema.org](http://iot.schema.org) semantics
  - [iot.schema.org](http://iot.schema.org) with IPSO/LwM2M and OCF models
  - Notes on Semantics and Engineering principles

# WISHI hackathon results

- 4th WISHI IETF Hackathon
- 8 participants  
(2 remotely)
- Connecting things from different ecosystems using shared semantics and hypermedia



# What got done

- Key achievements
  - Turned a lamp on (and off) – hands off
  - Semantic interop for data and actions between LwM2M clients, Philips Hue lights, CoMI Toaster (kind of)
  - New Tiny Thing Directory implementation
  - Improved RD implementation
- Good discussions
  - Adding semantics to binary data
  - Hypermedia safety for IoT
  - Semantics and engineering principles; semantic uncertainty and usable semantics

# What we learned

- Semantics is hard(er than you think)
- Setting up and testing stuff even more beforehand helps a lot – but we're getting better
- Bunch of new potential research topics for T2TRG

iot.schema.org

T2TRG Review

November 6, 2018



# Overview and status

- SSN Workshop
- Charter
- Explainer and introductory slides
- Integration with [schema.org](https://schema.org)
- Developer tools
- Work on modeling target ecosystems
- Work on automating consumed and exposed APIs
- Developer-user tools
- Going forward

# SSN Workshop at ICSW2018

- Presented [iot.schema.org](http://iot.schema.org) at the SSN Workshop last week
- Presentation is in the teleconferences folder
- Discussion:
  - Action, Event, Property terms are badly overloaded
  - When will the definitions be available on [schema.org](http://schema.org)?
  - How do we create and use definitions?
  - What tools are available for definitions and annotation
  - How do we use definitions with existing device ecosystems?

# SSN Workshop (contd)

- Presentations on Automotive, Building Management, Home Care use cases
- Clear focus on Feature of Interest concepts
- Gap analysis for Semantic IoT
  - Taxonomy of Observable Properties
  - FoI Vocabularies
  - Sensor/Actuator Vocabulary
  - Vocabulary for processes and procedures

# Organization

- W3C CG Charter
- Introductory materials
  - Explainer
  - Slide set for introduction
  - SSN workshop slides
- Integration with schema.org
  - May not be a sub-domain, e.g. become part of schema.org
  - We need to enable the schema browser for iotschema definitions


# Developer tools

- How to create and maintain definitions
- How to use definitions in deployed systems
- **How to apply definitions to existing device ecosystems and FoI definitions**
  - OMA LWM2M
  - OCF
  - W3C WOT Thing Description
  - Genivi VSS
  - Haystack/Brick
  - What about Amazon Alexa, SmartThings, etc.
  - Other APIs using OAS/Swagger, HAL, JSON Hyperschema

# Applying [iot.schema.org](https://iot.schema.org) definitions to existing ecosystems

- Existing definitions in some machine-readable format
  - XML, JSON-Schema, JSON, others e.g. YAML
- Annotate the definitions with Semantic terms to describe affordances
  - JSON-LD schema can be annotated as in WOT TD
  - Other annotation techniques (WISHI Research)
  - Use existing definition or create new definitions
- Generate hypermedia controls from the annotated definitions
  - TD Generator
  - Other annotations of instances

# Process



# Annotation of a JSON Schema fragment using JSON-LD

```
{
  "type": "object",
  "properties": {
    "name": "bri",
    "@type": ["iot:LevelData" ],
    "type": "integer",
    "min": 0,
    "max": 254
  }
}
```

- Annotated schema is used to generate hypermedia controls for instances
- E.g. a link with a target attribute containing the annotation



# Work on API automation

- Abstraction to semantic annotation
- Consumed and exposed APIs
- Abstract interactions
  - Property – read, write
  - Action – invoke
  - Event – subscribe, unsubscribe
- Programmatic abstract API
- Node-RED examples

# Semantic API Examples

```
// Semantic Lookup returns instances capable of semantic lookup
thing = local-directory.lookup-by-simple-template;
light = thing( {"@type": ["iot:Light", "BinarySwitchCapability"]} )
switch = light.property( {"@type": "iot:BinarySwitch"} )
rgbcolor = light.property( {"@type": "iot:RGBColor"} )
turnon = light.action( {"@type": "iot:TurnOnAction"} )
setlevel = light.action( {"@type": "iot:SetLevelAction"} )

// read() function with and without DataItem filter
>>> console.log( switch.read( {"@type": "iot:BinarySwitchData"} ) )
true

>>> console.log( switch.read() )
[{"@type": "iot:BinarySwitchData", "value": true },
 { "@type": "iot:ApplicationTypeData", "value": "tester" }]

// write() function
switch.write( {"@type": "iot:ApplicationTypeData", "value": "Light"} )
```

# Semantic API Examples (2)

```
// Write of multiple DataItems in a structured DataInstance
rgbcolor.write( [
  {"@type": "iot:RedColorData", "value": 255},
  {"@type": "iot:GreenColorData", "value": 255},
  {"@type": "iot:BlueColorData", "value": 255} ] )


// invoke() function
turnon.invoke()

setlevel.invoke( [{"@type": "iot:LevelData", "value": 170},
{"@type": "iot:TransitionTimeData", "value": 100}] )

// chained semantic references
>>> console.log( thing({"@type": ["iot:Light", "BinarySwitchCapability"]})
.property({"@type": "iot:BinarySwitch"})
.read({"@type": "iot:BinarySwitchData"}) )
true
```

# Enriching the device models with [iot.schema.org](http://iot.schema.org) Semantics


## Type 2 Nodes



```
"@type": [ "Thing", "iot:Thermostat" ],
"id":
  "urn:dev:wot:panasonic:airconditioner",
"security": [{"scheme": "basic"}],
"iot:isAssociatedWith": { "@id": "Room1",
"@type": "iot:Room" },
"properties": {
  "temperature": {
    "@type": "iot:Temperature",
    "iot:capability":
      {"@id": "iot:Thermostat"},
    "io:isPropertyOf": { "@id": "Room1",
"@type": "iot:Room" },
    "type": "object",
    "properties": {
      "temperatureValue": { "type":
        "number", "minimum":
        10.0, "maximum": 40.0 ,
        "iot:unitCode": "iot:Celcius" } },
    "writable": false, "observable": true..
```

# Semantic Integration of Existing Things with [iot.schema.org](http://iot.schema.org)

## Type 2 Nodes



```
{
  celsius: 25,
  timestamp:13:00
}
```

**Datatype adaptor**  
(Int to float)


```
{
  input: {
    celcius: 25,
    timestamp:13:00
  },
  output: {
    celcius: 25.0,
    timestamp:13:00
  }
}
```

**UnitCode adaptor**

```
{
  value: 77.0,
  unit: fahrenheit,
  timestamp: 13:00
}
```

**Output1:** {  
TemperatureShape,  
}  
**Output2:** {  
value: 77.0,  
iot:unitCode: fahrenheit,  
timestamp: 13:00  
}

# Recipe Flow Creation Application Creation



**Recipe:** A template that defines orchestration of Things.

- Models Things required for orchestration
- Describes how Things should interact

**Node-RED Node:** Recipe ingredient

**Node-RED Wire:** Recipe interaction

**Use Cases:**

- Create a Recipe as Node-RED flow.
- Add context to flow JSON description
- Store Recipe to Thing Directory

# Going Forward

- Set up the CG
- schema.org integration
- Accept definitions for target ecosystems
  - LWM2M/IPSO (Ericsson), OCF, SmartThings
- Work with IIC to create testbeds for semantic interoperability

# Upcoming Teleconferences


- Dr. Amelie Gyrard – Semantic Web of Things
  - Industry-wide survey of existing definitions
- Bruce Nordman – Lawrence Berkeley Laboratory
  - Device descriptions for energy monitoring



# SSN Workshop Exit Keynote (condensed)

ISCW 2018  
October 9, 2018

# This is the Problem being solved:




Source: <https://xkcd.com/927/>


# Problem being solved – Semantic Interoperability for IoT

- Acknowledge the diversity of IoT device ecosystems
  - Not another device standard
  - Adaptive to diverse protocol, language, and data models
  - Distill the common and stable operational features
  - Second "narrow waist" for systems above IP networks
- Address the ease of use of Semantic Web for IoT and use of IoT for Semantic Web
  - Not another IoT ontology
  - A conceptual layer that models connected things in relation to existing ontologies

# Narrow Waist in System Design



# Diverse Devices and Applications, Common Protocols and Semantics



# Integration with other Ontologies

Enables Well-Characterized interactions with Physical Entities

Feature of Interest, O&M  
Situation, Provenance




iot.schema.org  
Definition


Software  
Affordances



Quantities, Units, Shapes,  
Property Value Constraint

# Connect things to the real world





# **W3C Web of Things Update**

IETF 103, T2TRG, Bangkok, Thailand, Nov 2018




# W3C WoT Working Group

- **Mission**

- Counter the fragmentation in the IoT by adopting Web technologies to **describe** and **complement** existing ecosystems

- **Deliverables**

- WoT Architecture
- WoT Thing Description ("TD")
- WoT Binding Templates (informative)
- WoT Scripting API
- Security & Privacy Guidelines (informative)



# WoT Thing Description – a JSON-based Format

```
{
  "@context": [
    "https://w3c.github.io/wot/w3c-wot-td-context.jsonld",
    { "iot": "http://iotschema.org/" }
  ],
  "@type": ["Thing"],
  "id": "MyLEDThing",
  "name": "urn:dev:wot:example-thing",
  "security": [{
    "scheme": "OAuth2",
    "as": "https://authority-issuing.example.org"
  }],
  "properties": {
    "status": {
      "@type": "iot:SwitchStatus",
      "readOnly": false,
      "observable": true,
      "type": "boolean",
      "forms": [ ... ]
    }
  },
  "actions": {
    "fadeIn": {
      "@type": "iot:TurnOn",
      "input": {
        "@type": "iot:Duration",
        "type": "integer",
        "unit": "ms"
      },
      "forms": [ ... ]
    }
  },
  "events": {
    "criticalCondition": {
      "@type": "iot:Alert",
      "type": "string",
      "forms": [ ... ]
    }
  },
  "links": [
    { "href": "power-meter", "rel": "iot:Component", "type": "application/td+json" }
  ]
}
```

Thing  
Metadata

List of Interactions  
with data model  
(JSON Schema)

Links

- Representation format for Thing metadata
  - Linked Data to be machine-understandable
  - **JSON-LD** processing for Semantic Web tooling, e.g., reasoning, semantic queries (SPARQL)
  - Raw JSON processing for programmatic handling, e.g., embedded devices, user interfaces, scripts
- Data Schema
  - JSON Schema vocabulary in Linked Data
  - Compatible with existing validator implementations
- Hypermedia Controls
  - Links to express relations to additional metadata and related Things (e.g., to model complex system)
  - Forms to express interaction with described, existing IoT devices

# WoT Thing Description – a JSON-based Format

```
{
  "@context": [
    "https://w3c.github.io/wot/w3c-wot-td-context.jsonld",
    { "iot": "http://iotschema.org/" }
  ],
  "@type": ["Thing"],
  "id": "MyLEDThing",
  "name": "urn:dev:wot:example-thing",
  "security": [{
    "scheme": "OAuth2",
    "as": "https://authority-issuing.example.org"
  }],
  "properties": {
    "status": {
      "@type": "iot:SwitchStatus",
      "readOnly": false,
      "observable": true,
      "type": "boolean",
      "forms": [ ... ]
    }
  },
  "actions": {
    "fadeIn": {
      "@type": "iot:TurnOn",
      "input": {
        "@type": "iot:Duration",
        "type": "integer",
        "unit": "ms"
      },
      "forms": [ ... ]
    }
  },
  "events": {
    "criticalCondition": {
      "@type": "iot:Alert",
      "type": "string",
      "forms": [ ... ]
    }
  },
  "links": [
    { "href": "power-meter", "rel": "iot:Component", "type": "application/td+json" }
  ]
}
```

Thing  
Metadata

List of Interactions  
with data model  
(JSON Schema)

Links

- TD extension points

- Pluggable domain vocabularies (cf. Linked Data)

- Refine TD to have meaning within application context
- Existing, e.g., SSN, SAREF
- Collaborative, e.g., schema.org / iot.schema.org
- Converted, e.g., OPC UA Companion Standards


- WoT Binding Templates

- Describe concrete operations of Interactions using Web forms with information how to construct messages (e.g., method, headers)
- IoT available, e.g., HTTP, CoAP, MQTT, OCF, LWM2M
- Industrial to do, e.g., Modbus, BACnet, OPC UA

# Recent Changes

- Features
  - Event subscription/cancellation parameters
  - URI Templates
- Term alignment
  - writable → readOnly (JSON Schem compatibility, typo avoidance)
  - label → title
  - mediaType → contentType (to define required media type parameters)
  - from rel → op
- New terms
  - version, created, lastModified, safe, idempotent, unit (UCUM)

# W3C WoT Roadmap



# Next Steps and At-Risk Features

- Todos
  - Algorithm to transform JSON-LD 1.1 syntax to JSON-LD 1.0 REC (JSON-LD 1.1 is still in draft phase, "*@container*": "*@path*" feature missing)
  - WoT Arch and TD Candidate Recommendations (CR)
  - Definition of test cases
  - Implementation of Test Suite
  - WoT IG Proposed Charter
- Features still under discussion
  - Meta-Interactions (read all Properties, write multiple, list active Events, ...)
  - URI Template abstraction (integration into Action input)

# Contact

**Matthias Kovatsch**

[matthias.kovatsch@siemens.com](mailto:matthias.kovatsch@siemens.com)

# CoRE Applications

- Convention and template for application designers building hypermedia-driven application interfaces in a structure way
  - draft-hartke-core-apps-08
- Goal: implementors can easily build interoperable clients and servers; others can re-use components more easily



# CoRE app API Components


- Communication protocols, identified by URI schemes
- Representation formats, identified by Internet media types
- Link relation types
- Form relation types
- Template variables in templated links
- Form field names in forms
- Well-known locations

in-band instructions  
to a client for interfacing  
with a given application

# Template for CoRE Apps

- Human-readable information about API components (see previous slide) and other useful information:
  - Application name
  - Interoperability considerations
  - Security considerations
  - Contact person
  - Change controller / author

# Working on CORAL in IRTF and IETF?



# CoRAL

The Constrained RESTful Application Language

Klaus Hartke

**CoRAL** is a *hypermedia representation format* for the hypermedia model described in draft-hartke-core-apps:

- **Links**

change *application state*.

“{context} has a {link relation type} resource at {target URI}, which has {target attributes}”

- **Forms**

change *resource state*.

“To {form relation type} the {context}, make a {method} request to {target URI}”

**CoRAL** aims to reduce the cost of hypermedia:

- **Reduce size of representations**

- Encode links and forms in a compact, binary format
- Use numbers instead of strings
- Use sensible default values

Most links and forms can be expressed in a few bytes

- **Reduce number of roundtrips**

- Embed a representation of the link target and forms manipulating the link target at the link source

- **Simplify implementations**

- Same option concept as CoAP

This simplifies URI parsing and reference resolution a lot

## CoRAL

A language for the description of typed connections between resources on the Web ("links") and possible operations on such resources ("forms") as well as simple resource metadata for automated software agents.

- \* Data and interaction model
- \* Compact, binary format
  - suitable for constrained environments
- \* Lightweight, textual format
  - easy to read and write by humans

# CoRAL Examples: Textual format


- Interchange format is binary (CBOR)
  - Could use CBOR diagnostic notation to discuss
  - “Ready to munch” format (including CIRIs) gets tedious quick
- Instead: Use separate textual format
  - **Danger:** textual format can shape thinking away from actual data
  - **Danger:** textual format can acquire “syntactic processing” that is not actually part of the binary format
  - **Danger:** hand-made examples [<https://github.com/t2trg/wishi/blob/master/slides/hand-made-examples.pdf>]
  - Keep these dangers in mind → textual format best way to discuss



```
<!-- HTML5 -->
<link rel="stylesheet" href="/style.css">
<link rel="icon" href="/favicon.png">
<link rel="license" href="/license">
```

```
// CoRAL
stylesheet </style.css>
icon </favicon.png>
license </license>
```

link relation type



link target (IRI)



```
// representation of <coap://robbie.robot/>
```

```
id      354675 ← link target (literal)
name    "Robbie the robot"
likes   <coap://susie.robot/>
likes   <coap://nikki.robot/> {
  likes <coap://chris.robot/>
}
```

link from nikki to chris



```
// representation of <coap://susie.robot/>
```

```
id          827446
```

```
name       "Susie"
```

```
power-led  </leds/power1>
```

```
power-led  </leds/power2>
```

```
status-led </leds/status>
```

```
headlight </leds/head> {
```

```
  update -> PUT <> [accept "example/boolean"]
```

```
}
```

form relation type

method

submission IRI

```
// representation of <coap://susie.robot/tasks>

item </tasks/1> {
    description "Pick up the kids"
}
item </tasks/2> {
    description "Return books to the library"
}
create -> POST <> [accept "example/task+coral"]
```

```
// representation of <coap://susie.robot/tasks/3>
```


```
description "Take out the trash"
```

```
collection </tasks>
```

```
update -> PUT </tasks/3>
```

```
delete -> DELETE </tasks/3>
```

# Working on CORAL in IRTF and IETF?



# Friday Work Meeting

- 8:30 to 13:20, room Boromphimarn 4
- Breakouts from 10:00 to 12:00
  - E.g., Edge computing, Security, Hypermedia
- Also: COIN (Computing in the Network, room Boromphimarn 3) side meeting, relevant to IoT

# Friday Work Meeting

Time	Presenter(s)	Topic
8:30	Chairs	Welcome & Short Introduction. T2TRG/IETF work.
8:40	Various	Plenary
	Jungha Hong	<a href="#">Problem Statement of IoT integrated with Edge Computing</a>
	Erik Nordmark	<a href="#">Computing at the Edge</a>
	Thorsten Dahm	<a href="#">Automated IoT Security</a>
	Mohit Sethi	<a href="#">Enabling Network Access for IoT devices from the Cloud</a>
9:40		Breakout planning
9:50		Break for breakouts
10:00	Various	Breakouts (see below)
12:00		Plenary (discussion, next steps)
		Consolidating results from the breakouts
		Consolidating results from the hypermedia discussions
13:20		meeting ends



# Problem Statement of IoT integrated with Edge Computing

- New challenges for IoT services originated from the changes in the IoT environment
- Edge computing as an emerging technology in IoT
- Use cases of Edge computing in IoT (two demo videos)
  - Smart constructions utilizing EdgeX
  - Real-time control system by Rotary Inverted Pendulum system

# Friday: Computing at the edge

*draft-nordmark-t2trg-computing-edge-00*

Look at edge computing from a compute perspective (cpu, memory, storage, connectivity) to determine network needs

Consider e.g., applications deployed in cloud (as containers or VMs) and what it would mean to deploy them at the edge





# Automated IoT Security

- Automating Risk Analysis, Vulnerability Assessment → Secure Configuration
- Automating continuous monitoring and audit

Solving the mismatch between

- The security capabilities and settings with which IoT devices are designed / manufactured / deployed
- The actual security requirements of the IoT devices in different environments over time