

CCAMP Working Group
Internet-Draft
Intended status: Standards Track
Expires: January 8, 2020

H. Zheng
A. Guo
I. Busi
Huawei Technologies
A. Sharma
Google
X. Liu
Volta Networks
S. Belotti
Nokia
Y. Xu
CAICT
L. Wang
China Mobile
O. Gonzalez de Dios
Telefonica
July 07, 2019

A YANG Data Model for Optical Transport Network Topology
draft-ietf-ccamp-otn-topo-yang-07

Abstract

This document describes a YANG data model to describe the topologies of an Optical Transport Network (OTN). It is independent of control plane protocols and captures topological and resource related information pertaining to OTN. This model enables clients, which interact with a transport domain controller, for OTN topology related operations such as obtaining the relevant topology resource information.

Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on January 8, 2020.

Copyright Notice

Copyright (c) 2019 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Introduction	2
2. Terminology and Notations	3
3. YANG Data Model for OTN Topology	4
3.1. OTN Topology Data Model Overview	4
3.2. YANG Tree for OTN topology	5
4. The YANG Code	23
5. IANA Considerations	60
6. Security Considerations	60
7. Acknowledgements	61
8. Contributors	61
9. References	62
9.1. Normative References	62
9.2. Informative References	63
Authors' Addresses	64

1. Introduction

A transport network is a server-layer network designed to provide connectivity services for a client-layer network to carry the client traffic transparently across the server-layer network resources. A transport network can be constructed of equipments utilizing any of a number of different transport technologies such as the Optical Transport Networks (OTN) or packet transport such as provided by the MPLS-Transport Profile (MPLS-TP).

This document defines a data model of an OTN network topology, using YANG [RFC7950]. The model can be used by an application exposing to a transport controller. Furthermore, it can be used by an application for the following purposes (but not limited to):

- o To obtain a whole view of the network topology information of its interest;
- o To receive notifications with regard to the information change of the OTN topology;
- o To enforce the establishment and update of a network topology with the characteristic specified in the data model, e.g., by a client controller;

The YANG model defined in this document is independent of control plane protocols and captures topology related information pertaining to an Optical Transport Networks (OTN) electrical layer, as the scope specified by [RFC7062] and [RFC7138]. Furthermore, it is not a stand-alone model, but augmenting from the TE topology YANG model defined in [I-D.ietf-teas-yang-te-topo]. Following TE topology YANG model, the YANG model defined in this document is interface independent. The model is included in [I-D.ietf-teas-actn-yang], which indicates the typical usage of IETF YANG models in ACTN architecture specified by [RFC8453]. More specifically, the usage of this model between transport controllers is described in [I-D.ietf-ccamp-transport-nbi-app-statement].

Optical network technologies, including fixed Dense Wavelength Switched Optical Network (WSON) and flexible optical networks (a.k.a., flexi-grid networks), are covered in [I-D.ietf-ccamp-wson-yang] and [I-D.ietf-ccamp-flexigrid-yang], respectively.

2. Terminology and Notations

A simplified graphical representation of the data model is used in this document. The meaning of the symbols in the YANG data tree presented later in this document is defined in [RFC8340]. They are provided below for reference.

- o Brackets "[" and "]" enclose list keys.
- o Abbreviations before data node names: "rw" means configuration (read-write) and "ro" state data (read-only).
- o Symbols after data node names: "?" means an optional node, "!" means a presence container, and "*" denotes a list and leaf-list.

- o Parentheses enclose choice and case nodes, and case nodes are also marked with a colon (":").
- o Ellipsis ("...") stands for contents of subtrees that are not shown.
- o Some of the key terms used in this document are listed as follow.
- o TS: Tributary Slot.
- o TSG: Tributary Slot Granularity.
- o TPN: Tributary Port Number.

3. YANG Data Model for OTN Topology

3.1. OTN Topology Data Model Overview

This document aims to describe the data model for OTN topology. As a classic Traffic-engineering (TE) technology, OTN provide TDM switching in transport network [ITU-T]. Therefore the YANG module presented in this document augments from a more generic Traffic Engineered (TE) network topology data model, i.e., the ietf-te-topology.yang, as specified in [I-D.ietf-teas-yang-te-topo]. In section 6 of [I-D.ietf-teas-yang-te-topo], the guideline for augmenting TE topology model was provided, and in this draft we respectively augment the OTN attributes, TE bandwidth and TE label. [RFC8345] should also be mentioned, which describe a network topology model and provide the fundamental model for [I-D.ietf-teas-yang-te-topo]. However, this work is not directly augmenting [RFC8345].

The entities and TE attributes, such as node, termination points and links, are still applicable for describing an OTN topology and the model presented in this document only specifies with technology-specific attributes/information. In OTN attributes augmentation, mainly OTN-specific parameters are included such as Tributary Slot Granularity (TSG), payload type and so on.

For different order of ODU in OTN technology, the te-bandwidth is augmented to allow specifying the type of ODU container and the number a link can support per priority level. For example, for a ODU3 link, it may advertise 32*ODU0, 16*ODU1, 4*ODU2 available, assuming only a single priority level is supported. If one of ODU2 resource is taken to establish a ODU path, then the availability of this ODU link is updated as 24*ODU0, 12*ODU1, 3*ODU2 available. If there are equipment hardware limitations, then a subset of potential

ODU type SHALL be advertised. For instance, an ODU3 link may only support 4*ODU2.

The types of OTN label can be divided into the tributary ports and the tributary slots, represented by TPN or TS list respectively. In the TE-label augmentation, two optional label formats are available for label representation. It is also worth noting that for the parameter "label-step" in TE topology models, the value is always set to 1 as the granularity of OTN resources is measured by 'tributary slot'. In this model we specify the 'otn-label-step', which is used to align with TE topology only.

Note the model in this document re-uses some attributes defined in ietf-otn-types.yang, which is specified in [I-D.ietf-ccamp-otn-tunnel-model].

The YANG module ietf-otn-topology defined in this document conforms to the Network Management Datastore Architecture (NMDA) defined in [RFC8342].

3.2. YANG Tree for OTN topology

```
module: ietf-otn-topology
  augment /nw:networks/nw:network/nw:network-types/tet:te-topology:
    +--rw otn-topology!
  augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes:
    +--rw tsg?          identityref
    +--rw distance?    uint32
  augment /nw:networks/nw:network/nw:node/nt:termination-point/tet:te:
    +--rw client-svc!
    +--rw client-facing?          boolean
    +--rw supported-client-signal* identityref
  augment /nw:networks/nw:network/nw:node/nt:termination-point/tet:te
    /tet:interface-switching-capability/tet:max-lsp-bandwidth
    /tet:te-bandwidth/tet:technology:
    +--:(otn)
    +--rw odu-type?  identityref
  augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:path-constraints
    /tet:te-bandwidth/tet:technology:
    +--:(otn)
    +--rw odulist* [odu-type]
    +--rw odu-type  identityref
    +--rw number?   uint16
  augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:path-constraints/tet:te-bandwidth/tet:technology:
```

```

+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:path-constraints/tet:te-bandwidth/tet:technology:

+--:(otn)
  +--ro odulist* [odu-type]
    +--ro odu-type    identityref
    +--ro number?     uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:path-constraints
      /tet:te-bandwidth/tet:technology:

+--:(otn)
  +--ro odulist* [odu-type]
    +--ro odu-type    identityref
    +--ro number?     uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point/tet:client-layer-adaptation
    /tet:switching-capability/tet:te-bandwidth/tet:technology:

+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point/tet:local-link-connectivities
    /tet:path-constraints/tet:te-bandwidth/tet:technology:

+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point/tet:local-link-connectivities
    /tet:local-link-connectivity/tet:path-constraints
      /tet:te-bandwidth/tet:technology:

+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te
  /tet:te-link-attributes/tet:interface-switching-capability
    /tet:max-lsp-bandwidth/tet:te-bandwidth/tet:technology:

+--:(otn)
  +--rw odu-type?    identityref
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
  /tet:max-link-bandwidth/tet:te-bandwidth/tet:technology:

```

```

+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
/tet:max-resv-link-bandwidth/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
/tet:unreserved-bandwidth/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type    identityref
    +--rw number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:interface-switching-capability
/tet:max-lsp-bandwidth/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--ro odu-type?     identityref
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:max-link-bandwidth
/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--ro odulist* [odu-type]
    +--ro odu-type    identityref
    +--ro number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:max-resv-link-bandwidth
/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--ro odulist* [odu-type]
    +--ro odu-type    identityref
    +--ro number?     uint16
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:unreserved-bandwidth
/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--ro odulist* [odu-type]
    +--ro odu-type    identityref
    +--ro number?     uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
/tet:te-link-attributes/tet:interface-switching-capability
/tet:max-lsp-bandwidth/tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odu-type?     identityref
augment /nw:networks/tet:te/tet:templates/tet:link-template

```

```

        /tet:te-link-attributes/tet:max-link-bandwidth
        /tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type identityref
    +--rw number? uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:max-resv-link-bandwidth
  /tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type identityref
    +--rw number? uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:unreserved-bandwidth
  /tet:te-bandwidth/tet:technology:
+--:(otn)
  +--rw odulist* [odu-type]
    +--rw odu-type identityref
    +--rw number? uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:label-restrictions
  /tet:label-restriction:
  +--rw range-type? identityref
  +--rw tsg? identityref
  +--rw priority? uint8
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:label-restrictions
  /tet:label-restriction/tet:label-start/tet:te-label
  /tet:technology:
+--:(otn)
  +--rw (otn-label-type)?
    +--:(tributary-port)
    | +--rw tpn? uint16
    +--:(tributary-slot)
    +--rw ts? uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:label-restrictions
  /tet:label-restriction/tet:label-end/tet:te-label
  /tet:technology:
+--:(otn)
  +--rw (otn-label-type)?
    +--:(tributary-port)
    | +--rw tpn? uint16
    +--:(tributary-slot)
    +--rw ts? uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:label-restrictions

```



```

        /tet:label-restriction/tet:label-step/tet:technology:
+--:(otn)
  +--rw (otn-label-type)?
    +--:(tributary-port)
      | +--rw tpn-step?   uint16
    +--:(tributary-slot)
      +--rw ts?          uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:underlay/tet:primary-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
    /tet:te-label/tet:technology:
+--:(otn)
  +--rw tpn?            uint16
  +--rw tsg?            identityref
  +--rw ts-list?       string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:underlay/tet:backup-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
    /tet:te-label/tet:technology:
+--:(otn)
  +--rw tpn?            uint16
  +--rw tsg?            identityref
  +--rw ts-list?       string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:optimizations/tet:algorithm
    /tet:metric/tet:optimization-metric
    /tet:explicit-route-exclude-objects
    /tet:route-object-exclude-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
  +--rw tpn?            uint16
  +--rw tsg?            identityref
  +--rw ts-list?       string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:optimizations/tet:algorithm
    /tet:metric/tet:optimization-metric
    /tet:explicit-route-include-objects
    /tet:route-object-include-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
  +--rw tpn?            uint16
  +--rw tsg?            identityref
  +--rw ts-list?       string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:path-properties
    /tet:path-route-objects/tet:path-route-object/tet:type
    /tet:label/tet:label-hop/tet:te-label/tet:technology:
+--:(otn)

```

```

    +---ro tpn?          uint16
    +---ro tsg?          identityref
    +---ro ts-list?     string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix/tet:from
    /tet:label-restrictions/tet:label-restriction:
    +---rw range-type?  identityref
    +---rw tsg?         identityref
    +---rw priority?    uint8
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix/tet:from
    /tet:label-restrictions/tet:label-restriction/tet:label-start
    /tet:te-label/tet:technology:
+---:(otn)
    +---rw (otn-label-type)?
        +---:(tributary-port)
            | +---rw tpn?    uint16
        +---:(tributary-slot)
            +---rw ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix/tet:from
    /tet:label-restrictions/tet:label-restriction/tet:label-end
    /tet:te-label/tet:technology:
+---:(otn)
    +---rw (otn-label-type)?
        +---:(tributary-port)
            | +---rw tpn?    uint16
        +---:(tributary-slot)
            +---rw ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix/tet:from
    /tet:label-restrictions/tet:label-restriction/tet:label-step
    /tet:technology:
+---:(otn)
    +---rw (otn-label-type)?
        +---:(tributary-port)
            | +---rw tpn-step?  uint16
        +---:(tributary-slot)
            +---rw ts?          uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:to/tet:label-restrictions/tet:label-restriction:
    +---rw range-type?  identityref
    +---rw tsg?         identityref
    +---rw priority?    uint8
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
    /tet:connectivity-matrices/tet:connectivity-matrix/tet:to
    /tet:label-restrictions/tet:label-restriction

```

```

        /tet:label-start/tet:te-label/tet:technology:
+---: (otn)
  +---rw (otn-label-type)?
    +---: (tributary-port)
      | +---rw tpn?      uint16
    +---: (tributary-slot)
      +---rw ts?        uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix/tet:to
    /tet:label-restrictions/tet:label-restriction/tet:label-end
    /tet:te-label/tet:technology:
+---: (otn)
  +---rw (otn-label-type)?
    +---: (tributary-port)
      | +---rw tpn?      uint16
    +---: (tributary-slot)
      +---rw ts?        uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix/tet:to
    /tet:label-restrictions/tet:label-restriction/tet:label-step
    /tet:technology:
+---: (otn)
  +---rw (otn-label-type)?
    +---: (tributary-port)
      | +---rw tpn-step?  uint16
    +---: (tributary-slot)
      +---rw ts?          uint16
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:underlay/tet:primary-path/tet:path-element/tet:type
    /tet:label/tet:label-hop/tet:te-label/tet:technology:
+---: (otn)
  +---rw tpn?          uint16
  +---rw ts?           identityref
  +---rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:underlay/tet:backup-path/tet:path-element/tet:type
    /tet:label/tet:label-hop/tet:te-label/tet:technology:
+---: (otn)
  +---rw tpn?          uint16
  +---rw ts?           identityref
  +---rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:optimizations/tet:algorithm/tet:metric
    /tet:optimization-metric/tet:explicit-route-exclude-objects
    /tet:route-object-exclude-object/tet:type/tet:label

```

```

        /tet:label-hop/tet:te-label/tet:technology:
+---: (otn)
  +---rw tpn?          uint16
  +---rw tsg?          identityref
  +---rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:optimizations/tet:algorithm/tet:metric
    /tet:optimization-metric/tet:explicit-route-include-objects
    /tet:route-object-include-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+---: (otn)
  +---rw tpn?          uint16
  +---rw tsg?          identityref
  +---rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te/tet:te-node-attributes
  /tet:connectivity-matrices/tet:connectivity-matrix
    /tet:path-properties/tet:path-route-objects
    /tet:path-route-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+---: (otn)
  +---ro tpn?          uint16
  +---ro tsg?          identityref
  +---ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:label-restrictions/tet:label-restriction:
  +---ro range-type?   identityref
  +---ro tsg?          identityref
  +---ro priority?     uint8
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:label-restrictions/tet:label-restriction
    /tet:label-start/tet:te-label/tet:technology:
+---: (otn)
  +---ro (otn-label-type)?
    +---: (tributary-port)
      | +---ro tpn?     uint16
    +---: (tributary-slot)
      +---ro ts?       uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:label-restrictions/tet:label-restriction
    /tet:label-end/tet:te-label/tet:technology:
+---: (otn)
  +---ro (otn-label-type)?
    +---: (tributary-port)
      | +---ro tpn?     uint16

```

```

        +---:(tributary-slot)
            +---ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:information-source-entry/tet:connectivity-matrices
        /tet:label-restrictions/tet:label-restriction
        /tet:label-step/tet:technology:
+---:(otn)
    +---ro (otn-label-type)?
        +---:(tributary-port)
            | +---ro tpn-step?      uint16
        +---:(tributary-slot)
            +---ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:information-source-entry/tet:connectivity-matrices
        /tet:underlay/tet:primary-path/tet:path-element
        /tet:type/tet:label/tet:label-hop/tet:te-label/tet:technology:
+---:(otn)
    +---ro tpn?      uint16
    +---ro tsg?      identityref
    +---ro ts-list?  string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:information-source-entry/tet:connectivity-matrices
        /tet:underlay/tet:backup-path/tet:path-element/tet:type
        /tet:label/tet:label-hop/tet:te-label/tet:technology:
+---:(otn)
    +---ro tpn?      uint16
    +---ro tsg?      identityref
    +---ro ts-list?  string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:information-source-entry/tet:connectivity-matrices
        /tet:optimizations/tet:algorithm/tet:metric
        /tet:optimization-metric/tet:explicit-route-exclude-objects
        /tet:route-object-exclude-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+---:(otn)
    +---ro tpn?      uint16
    +---ro tsg?      identityref
    +---ro ts-list?  string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:information-source-entry/tet:connectivity-matrices
        /tet:optimizations/tet:algorithm/tet:metric
        /tet:optimization-metric/tet:explicit-route-include-objects
        /tet:route-object-include-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+---:(otn)
    +---ro tpn?      uint16
    +---ro tsg?      identityref
    +---ro ts-list?  string

```

```

augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:path-properties/tet:path-route-objects
    /tet:path-route-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:from/tet:label-restrictions
    /tet:label-restriction:
  +--ro range-type?    identityref
  +--ro tsg?           identityref
  +--ro priority?      uint8
augment /nw:networks/nw:network/nw:node/tet:te/
  tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:from/tet:label-restrictions
    /tet:label-restriction/tet:label-start/tet:te-label
    /tet:technology:
  +--:(otn)
    +--ro (otn-label-type)?
      +--:(tributary-port)
        | +--ro tpn?    uint16
      +--:(tributary-slot)
        +--ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:from/tet:label-restrictions
    /tet:label-restriction/tet:label-end/tet:te-label
    /tet:technology:
  +--:(otn)
    +--ro (otn-label-type)?
      +--:(tributary-port)
        | +--ro tpn?    uint16
      +--:(tributary-slot)
        +--ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:from/tet:label-restrictions
    /tet:label-restriction/tet:label-step/tet:technology:
  +--:(otn)
    +--ro (otn-label-type)?
      +--:(tributary-port)
        | +--ro tpn-step?  uint16
      +--:(tributary-slot)
        +--ro ts?          uint16

```

```

augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:to/tet:label-restrictions
      /tet:label-restriction:
        +--ro range-type?    identityref
        +--ro tsg?           identityref
        +--ro priority?      uint8
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:to/tet:label-restrictions
      /tet:label-restriction/tet:label-start/tet:te-label
      /tet:technology:
    +--:(otn)
      +--ro (otn-label-type)?
        +--:(tributary-port)
          | +--ro tpn?    uint16
        +--:(tributary-slot)
          +--ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:to/tet:label-restrictions
      /tet:label-restriction/tet:label-end/tet:te-label
      /tet:technology:
    +--:(otn)
      +--ro (otn-label-type)?
        +--:(tributary-port)
          | +--ro tpn?    uint16
        +--:(tributary-slot)
          +--ro ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:to/tet:label-restrictions
      /tet:label-restriction/tet:label-step/tet:technology:
    +--:(otn)
      +--ro (otn-label-type)?
        +--:(tributary-port)
          | +--ro tpn-step?  uint16
        +--:(tributary-slot)
          +--ro ts?          uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:underlay/tet:primary-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
    /tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?      uint16
    +--ro tsg?      identityref
    +--ro ts-list?  string

```

```

augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:underlay/tet:backup-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
    /tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:optimizations/tet:algorithm
    /tet:metric/tet:optimization-metric
    /tet:explicit-route-exclude-objects
    /tet:route-object-exclude-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:optimizations/tet:algorithm
    /tet:metric/tet:optimization-metric
    /tet:explicit-route-include-objects
    /tet:route-object-include-object/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:information-source-entry/tet:connectivity-matrices
    /tet:connectivity-matrix/tet:path-properties
    /tet:path-route-objects/tet:path-route-object/tet:type
    /tet:label/tet:label-hop/tet:te-label/tet:technology:
  +--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point
    /tet:local-link-connectivities/tet:label-restrictions
    /tet:label-restriction:
  +--rw range-type?    identityref
  +--rw tsg?           identityref
  +--rw priority?      uint8
augment /nw:networks/nw:network/nw:node/tet:te

```



```

    /tet:tunnel-termination-point
        /tet:local-link-connectivities/tet:label-restrictions
        /tet:label-restriction/tet:label-start
        /tet:te-label/tet:technology:
+--: (otn)
  +--rw (otn-label-type)?
    +--: (tributary-port)
      | +--rw tpn?      uint16
    +--: (tributary-slot)
      +--rw ts?        uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point
    /tet:local-link-connectivities/tet:label-restrictions
    /tet:label-restriction/tet:label-end/tet:te-label
    /tet:technology:
+--: (otn)
  +--rw (otn-label-type)?
    +--: (tributary-port)
      | +--rw tpn?      uint16
    +--: (tributary-slot)
      +--rw ts?        uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point
    /tet:local-link-connectivities/tet:label-restrictions
    /tet:label-restriction/tet:label-step/tet:technology:
+--: (otn)
  +--rw (otn-label-type)?
    +--: (tributary-port)
      | +--rw tpn-step?  uint16
    +--: (tributary-slot)
      +--rw ts?          uint16
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point
    /tet:local-link-connectivities/tet:underlay
    /tet:primary-path/tet:path-element/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+--: (otn)
  +--rw tpn?          uint16
  +--rw tsg?          identityref
  +--rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
  /tet:tunnel-termination-point
    /tet:local-link-connectivities/tet:underlay
    /tet:backup-path/tet:path-element/tet:type/tet:label
    /tet:label-hop/tet:te-label/tet:technology:
+--: (otn)
  +--rw tpn?          uint16
  +--rw tsg?          identityref

```

```

    +--rw ts-list?    string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point
        /tet:local-link-connectivities
        /tet:optimizations/tet:algorithm/tet:metric
        /tet:optimization-metric/tet:explicit-route-exclude-objects
        /tet:route-object-exclude-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--rw tpn?        uint16
    +--rw tsg?        identityref
    +--rw ts-list?    string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:optimizations/tet:algorithm/tet:metric
        /tet:optimization-metric/tet:explicit-route-include-objects
        /tet:route-object-include-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--rw tpn?        uint16
    +--rw tsg?        identityref
    +--rw ts-list?    string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:path-properties/tet:path-route-objects
        /tet:path-route-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--ro tpn?        uint16
    +--ro tsg?        identityref
    +--ro ts-list?    string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:label-restrictions
        /tet:label-restriction:
    +--rw range-type? identityref
    +--rw tsg?        identityref
    +--rw priority?   uint8
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:label-restrictions
        /tet:label-restriction/tet:label-start/tet:te-label
        /tet:technology:
+--:(otn)
    +--rw (otn-label-type)?
        +--:(tributary-port)
            | +--rw tpn?    uint16
        +--:(tributary-slot)

```

```

        +---rw ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:label-restrictions
        /tet:label-restriction/tet:label-end/tet:te-label
        /tet:technology:
+---:(otn)
    +---rw (otn-label-type)?
        +---:(tributary-port)
            | +---rw tpn?      uint16
        +---:(tributary-slot)
            +---rw ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:label-restrictions
        /tet:label-restriction/tet:label-step/tet:technology:
+---:(otn)
    +---rw (otn-label-type)?
        +---:(tributary-port)
            | +---rw tpn-step?  uint16
        +---:(tributary-slot)
            +---rw ts?      uint16
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:underlay/tet:primary-path
        /tet:path-element/tet:type/tet:label/tet:label-hop
        /tet:te-label/tet:technology:
+---:(otn)
    +---rw tpn?      uint16
    +---rw tsg?      identityref
    +---rw ts-list?  string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:underlay/tet:backup-path
        /tet:path-element/tet:type/tet:label/tet:label-hop
        /tet:te-label/tet:technology:
+---:(otn)
    +---rw tpn?      uint16
    +---rw tsg?      identityref
    +---rw ts-list?  string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:optimizations/tet:algorithm
        /tet:metric/tet:optimization-metric
        /tet:explicit-route-exclude-objects
        /tet:route-object-exclude-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+---:(otn)

```

```

    +--rw tpn?          uint16
    +--rw tsg?          identityref
    +--rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:optimizations/tet:algorithm
        /tet:metric/tet:optimization-metric
        /tet:explicit-route-include-objects
        /tet:route-object-include-object/tet:type/tet:label
        /tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--rw tpn?          uint16
    +--rw tsg?          identityref
    +--rw ts-list?      string
augment /nw:networks/nw:network/nw:node/tet:te
    /tet:tunnel-termination-point/tet:local-link-connectivities
        /tet:local-link-connectivity/tet:path-properties
        /tet:path-route-objects/tet:path-route-object/tet:type
        /tet:label/tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--ro tpn?          uint16
    +--ro tsg?          identityref
    +--ro ts-list?      string
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
    /tet:underlay/tet:primary-path/tet:path-element/tet:type
        /tet:label/tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--rw tpn?          uint16
    +--rw tsg?          identityref
    +--rw ts-list?      string
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
    /tet:underlay/tet:backup-path/tet:path-element/tet:type
        /tet:label/tet:label-hop/tet:te-label/tet:technology:
+--:(otn)
    +--rw tpn?          uint16
    +--rw tsg?          identityref
    +--rw ts-list?      string
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
    /tet:label-restrictions/tet:label-restriction:
    +--rw range-type?    identityref
    +--rw tsg?           identityref
    +--rw priority?      uint8
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
    /tet:label-restrictions/tet:label-restriction/tet:label-start
        /tet:te-label/tet:technology:
+--:(otn)
    +--rw (otn-label-type)?
        +--:(tributary-port)

```

```

        | +--rw tpn?    uint16
      +---:(tributary-slot)
        +--rw ts?      uint16
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
/tet:label-restrictions/tet:label-restriction/tet:label-end
/tet:te-label/tet:technology:
+---:(otn)
  +--rw (otn-label-type)?
  +---:(tributary-port)
    | +--rw tpn?    uint16
  +---:(tributary-slot)
    +--rw ts?      uint16
augment /nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
/tet:label-restrictions/tet:label-restriction/tet:label-step
/tet:technology:
+---:(otn)
  +--rw (otn-label-type)?
  +---:(tributary-port)
    | +--rw tpn-step?  uint16
  +---:(tributary-slot)
    +--rw ts?          uint16
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:label-restrictions
/tet:label-restriction:
+--ro range-type?    identityref
+--ro tsg?           identityref
+--ro priority?      uint8
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:label-restrictions
/tet:label-restriction/tet:label-start/tet:te-label
/tet:technology:
+---:(otn)
  +--ro (otn-label-type)?
  +---:(tributary-port)
    | +--ro tpn?    uint16
  +---:(tributary-slot)
    +--ro ts?      uint16
augment /nw:networks/nw:network/nt:link/tet:te
/tet:information-source-entry/tet:label-restrictions
/tet:label-restriction/tet:label-end/tet:te-label
/tet:technology:
+---:(otn)
  +--ro (otn-label-type)?
  +---:(tributary-port)
    | +--ro tpn?    uint16
  +---:(tributary-slot)
    +--ro ts?      uint16
augment /nw:networks/nw:network/nt:link/tet:te

```

```

        /tet:information-source-entry/tet:label-restrictions
            /tet:label-restriction/tet:label-step/tet:technology:
+---:(otn)
  +---ro (otn-label-type)?
    +---:(tributary-port)
      | +---ro tpn-step?   uint16
    +---:(tributary-slot)
      +---ro ts?          uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:underlay/tet:primary-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
      /tet:te-label/tet:technology:
+---:(otn)
  +---rw tpn?            uint16
  +---rw tsg?            identityref
  +---rw ts-list?       string
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:underlay/tet:backup-path
    /tet:path-element/tet:type/tet:label/tet:label-hop
      /tet:te-label/tet:technology:
+---:(otn)
  +---rw tpn?            uint16
  +---rw tsg?            identityref
  +---rw ts-list?       string
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:label-restrictions
    /tet:label-restriction:
  +---rw range-type?    identityref
  +---rw tsg?            identityref
  +---rw priority?      uint8
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:label-restrictions
    /tet:label-restriction/tet:label-start/tet:te-label
      /tet:technology:
+---:(otn)
  +---rw (otn-label-type)?
    +---:(tributary-port)
      | +---rw tpn?      uint16
    +---:(tributary-slot)
      +---rw ts?        uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:label-restrictions
    /tet:label-restriction/tet:label-end/tet:te-label
      /tet:technology:
+---:(otn)
  +---rw (otn-label-type)?
    +---:(tributary-port)
      | +---rw tpn?      uint16

```

```

    +--:(tributary-slot)
      +--rw ts?      uint16
augment /nw:networks/tet:te/tet:templates/tet:link-template
  /tet:te-link-attributes/tet:label-restrictions
    /tet:label-restriction/tet:label-step/tet:technology:
+--:(otn)
  +--rw (otn-label-type)?
    +--:(tributary-port)
      | +--rw tpn-step?      uint16
    +--:(tributary-slot)
      +--rw ts?              uint16

```

4. The YANG Code

```

<CODE BEGINS> file "ietf-otn-topology.yang"
module ietf-otn-topology {
  yang-version 1.1;

  namespace "urn:ietf:params:xml:ns:yang:ietf-otn-topology";
  prefix "otntopo";

  import ietf-network {
    prefix "nw";
    reference "RFC 8345: A YANG Data Model for Network Topologies";
  }

  import ietf-network-topology {
    prefix "nt";
    reference "RFC 8345: A YANG Data Model for Network Topologies";
  }

  import ietf-te-topology {
    prefix "tet";
    reference
      "I-D.ietf-teas-yang-te-topo: YANG Data Model for
      Traffic Engineering (TE) Topologies";
  }

  import ietf-layer1-types {
    prefix "layer1-types";
    reference
      "I-D.ietf-ccamp-layer1-types: A YANG Data Model for Layer 1 Types";
  }
}

```

organization

"IETF CCAMP Working Group";

contact

"WG Web: <<http://tools.ietf.org/wg/ccamp/>>

WG List: <<mailto:ccamp@ietf.org>>

Editor: Haomian Zheng
<<mailto:zhenghaomian@huawei.com>>

Editor: Aihua Guo
<<mailto:aihuaguo@huawei.com>>

Editor: Italo Busi
<<mailto:italo.busi@huawei.com>>

Editor: Anurag Sharma
<<mailto:ansha@google.com>>

Editor: Xufeng Liu
<<mailto:xufeng.liu.ietf@gmail.com>>

Editor: Sergio Belotti
<<mailto:sergio.belotti@nokia.com>>

Editor: Yunbin Xu
<<mailto:xuyunbin@ritt.cn>>

Editor: Lei Wang
<<mailto:wangleiyj@chinamobile.com>>

Editor: Oscar Gonzalez de Dios
<<mailto:oscar.gonzalezdedios@telefonica.com>>";

description

"This module defines a protocol independent Layer 1/ODU topology data model.

Copyright (c) 2019 IETF Trust and the persons
identified as authors of the code. All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, is permitted pursuant to, and subject
to the license terms contained in, the Simplified BSD License
set forth in Section 4.c of the IETF Trust's Legal Provisions
Relating to IETF Documents
(<https://trustee.ietf.org/license-info>).";

revision 2019-07-07 {


```
    description
      "Initial Revision";
    reference
      "RFC XXXX: A YANG Data Model for Optical Transport Network Topology";
      // RFC Ed.: replace XXXX with actual RFC number, update date
      // information and remove this note
  }

/*
 * Groupings
 */

grouping otn-link-attributes {
  description "link attributes for OTN";

  leaf tsg {
    type identityref {
      base layer1-types:tributary-slot-granularity;
    }
    description "Tributary slot granularity.";
    reference
      "G.709/Y.1331, February 2016: Interfaces for the
      Optical Transport Network (OTN)";
  }
  leaf distance {
    type uint32;
    description "distance in the unit of kilometers";
  }
}

/*
 * Open issue: move to otn-types to allow reuse in WSON and Flexi-grid topolog
y models?
 */
grouping otn-tp-attributes {
  description "tp attributes for OTN";

  container client-svc {
    presence "client-facing LTP.";
    description
      "OTN LTP Service attributes.";

    leaf client-facing {
      type boolean;
      default 'false';
      description
        "Indicates whether this LTP is a client-facing LTP.";
    }
    leaf-list supported-client-signal {
```

```

        type identityref {
            base layer1-types:client-signal;
        }
        description
            "List of client signal types supported by the LTP.";
    }
}

/*
 * Data nodes
 */
augment "/nw:networks/nw:network/nw:network-types/"
    + "tet:te-topology" {
    container otn-topology {
        presence "indicates a topology type of Optical Transport
            Network (OTN)-electrical layer.";
        description "otn topology type";
    }
    description "augment network types to include otn network";
}

augment "/nw:networks/nw:network/nt:link/tet:te/"
    + "tet:te-link-attributes" {
    when "../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment only for otn network.";
    }
    description "Augment link configuration";
    uses otn-link-attributes;
}

augment "/nw:networks/nw:network/nw:node/nt:termination-point/"
    + "tet:te" {
    when "../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment only for otn network";
    }
    description "OTN TP attributes config in ODU topology.";
    uses otn-tp-attributes;
}

/*
 * Augment TE bandwidth
 */

/* Augment maximum LSP bandwidth of link terminationpoint (LTP) */
augment "/nw:networks/nw:network/nw:node/nt:termination-point/"

```

```

+ "tet:te/"
+ "tet:interface-switching-capability/tet:max-lsp-bandwidth/"
+ "tet:te-bandwidth/tet:technology" {
when "../.../../.../../nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE bandwidth";
}
description "OTN bandwidth.";
case otn {
uses layer1-types:otn-path-bandwidth;
}
}
/* Augment bandwidth path constraints of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:te-node-attributes/tet:connectivity-matrices/"
+ "tet:path-constraints/tet:te-bandwidth/tet:technology" {
when "../.../../.../../nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE bandwidth";
}
description "OTN bandwidth.";
case otn {
uses layer1-types:otn-link-bandwidth;
}
}
}
/* Augment bandwidth path constraints of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:te-node-attributes/tet:connectivity-matrices/"
+ "tet:connectivity-matrix/"
+ "tet:path-constraints/tet:te-bandwidth/tet:technology" {
when "../.../../.../../nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE bandwidth";
}
description "OTN bandwidth.";
case otn {
uses layer1-types:otn-link-bandwidth;
}
}
}
/* Augment bandwidth path constraints of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:information-source-entry/tet:connectivity-matrices/"
+ "tet:path-constraints/tet:te-bandwidth/tet:technology" {
when "../.../../.../../nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE bandwidth";

```

```

    }
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-link-bandwidth;
    }
}

/* Augment bandwidth path constraints of connectivity-matrix information-source
e */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:path-constraints/tet:te-bandwidth/tet:technology" {
    when "../..//../..//../..//../..//nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE bandwidth";
    }
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-link-bandwidth;
    }
}

/* Augment client bandwidth of tunnel termination point (TTP) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:client-layer-adaptation/tet:switching-capability/"
    + "tet:te-bandwidth/tet:technology" {
    when "../..//../..//../..//nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE bandwidth";
    }
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-link-bandwidth;
    }
}

/* Augment bandwidth path constraints of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/tet:path-constraints/"
    + "tet:te-bandwidth/tet:technology" {
    when "../..//../..//../..//nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE bandwidth";
    }
    description "OTN bandwidth.";
    case otn {

```

```

    uses layer1-types:otn-link-bandwidth;
  }
}

/* Augment bandwidth path constraints of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:tunnel-termination-point/"
  + "tet:local-link-connectivities/"
  + "tet:local-link-connectivity/tet:path-constraints/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE bandwidth";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-link-bandwidth;
  }
}

/* Augment maximum LSP bandwidth of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:interface-switching-capability/tet:max-lsp-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "OTN TE bandwidth.";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-path-bandwidth;
  }
}

/* Augment maximum bandwidth of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:max-link-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "OTN TE bandwidth.";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-link-bandwidth;
  }
}

```

```

}

/* Augment maximum reservable bandwidth of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:max-resv-link-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "OTN TE bandwidth.";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-link-bandwidth;
  }
}

/* Augment unreserved bandwidth of TE Link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:unreserved-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "OTN TE bandwidth.";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-link-bandwidth;
  }
}

/* Augment maximum LSP bandwidth of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:interface-switching-capability/"
  + "tet:max-lsp-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "OTN TE bandwidth.";
  }
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-path-bandwidth;
  }
}

/* Augment maximum bandwidth of TE link information-source */

```

```
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:max-link-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
when "../..../nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
  description "OTN TE bandwidth.";
}
description "OTN bandwidth.";
case otn {
  uses layer1-types:otn-link-bandwidth;
}
}

/* Augment maximum reservable bandwidth of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:max-resv-link-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
when "../..../nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
  description "OTN TE bandwidth.";
}
description "OTN bandwidth.";
case otn {
  uses layer1-types:otn-link-bandwidth;
}
}

/* Augment unreserved bandwidth of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:unreserved-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
when "../..../nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
  description "OTN TE bandwidth.";
}
description "OTN bandwidth.";
case otn {
  uses layer1-types:otn-link-bandwidth;
}
}

/* Augment maximum LSP bandwidth of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:interface-switching-capability/"
```

```
        + "tet:max-lsp-bandwidth/"
        + "tet:te-bandwidth/tet:technology" {
/*
    when "../../../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "OTN TE bandwidth.";
    }
*/
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-path-bandwidth;
    }
}

/* Augment maximum bandwidth of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
    + "tet:link-template/tet:te-link-attributes/"
    + "tet:max-link-bandwidth/"
    + "tet:te-bandwidth/tet:technology" {
/*
    when "../../../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "OTN TE bandwidth.";
    }
*/
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-link-bandwidth;
    }
}

/* Augment maximum reservable bandwidth of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
    + "tet:link-template/tet:te-link-attributes/"
    + "tet:max-resv-link-bandwidth/"
    + "tet:te-bandwidth/tet:technology" {
/*
    when "../../../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "OTN TE bandwidth.";
    }
*/
    description "OTN bandwidth.";
    case otn {
        uses layer1-types:otn-link-bandwidth;
    }
}
```



```

/* Augment unreserved bandwidth of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:unreserved-bandwidth/"
  + "tet:te-bandwidth/tet:technology" {
/*
  when "../../../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
      description "OTN TE bandwidth.";
    }
*/
  description "OTN bandwidth.";
  case otn {
    uses layer1-types:otn-link-bandwidth;
  }
}

/*
* Augment TE label.
*/

/* Augment label restrictions of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:te-node-attributes/tet:connectivity-matrices/"
  + "tet:label-restrictions/tet:label-restriction" {
  when "../../../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label restriction.";
  uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:te-node-attributes/tet:connectivity-matrices/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-start/"
  + "tet:te-label/tet:technology" {
  when "../../../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

```

```

/* Augment label restrictions end of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:te-node-attributes/tet:connectivity-matrices/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-end/"
  + "tet:te-label/tet:technology" {
  when "../..//../..//../..//../..//nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions step of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:te-node-attributes/tet:connectivity-matrices/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-step/"
  + "tet:technology" {
  when "../..//../..//../..//../..//nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-label-step;
  }
}

/* Augment label hop of underlay primary path of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:te-node-attributes/tet:connectivity-matrices/"
  + "tet:underlay/tet:primary-path/tet:path-element/"
  + "tet:type/tet:label/tet:label-hop/"
  + "tet:te-label/tet:technology" {
  when "../..//../..//../..//../..//../..//nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-path-label;
  }
}

/* Augment label hop of underlay backup path of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"

```

```

    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:underlay/tet:backup-path/tet:path-element/"
    + "tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-exclude of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:optimizations/tet:algorithm/tet:metric/"
    + "tet:optimization-metric/"
    + "tet:explicit-route-exclude-objects/"
    + "tet:route-object-exclude-object/"
    + "tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-include of connectivity-matrices (added) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:optimizations/tet:algorithm/tet:metric/"
    + "tet:optimization-metric/"
    + "tet:explicit-route-include-objects/"
    + "tet:route-object-include-object/"
    + "tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }

```

```

    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of path-route of connectivity-matrices */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:path-properties/tet:path-route-objects/"
    + "tet:path-route-object/tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment ingress label restrictions of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:from/"
    + "tet:label-restrictions/tet:label-restriction" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
}

/* Augment ingress label restrictions start of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:from/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-start/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
}

```

```

    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment ingress label restrictions end of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:from/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-end/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment ingress label restrictions step of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:from/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-step/"
    + "tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}

/* Augment egress label restrictions of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:to/"
    + "tet:label-restrictions/tet:label-restriction" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
}

```

```

    }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
}

/* Augment egress label restrictions start of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:to/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-start/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment egress label restrictions end of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:to/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-end/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment egress label restrictions step of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:to/"
    + "tet:label-restrictions/tet:label-restriction/tet:label-step/"
    + "tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {

```

```

        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}

/* Augment label hop of underlay primary path of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:underlay/tet:primary-path/tet:path-element/"
    + "tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of underlay backup path of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:underlay/tet:backup-path/tet:path-element/"
    + "tet:type/tet:label/tet:label-hop/"
    + "tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of route-exclude of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:optimizations/"

```

```

    + "tet:algorithm/tet:metric/tet:optimization-metric/"
    + "tet:explicit-route-exclude-objects/"
    + "tet:route-object-exclude-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-include of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/tet:optimizations/"
    + "tet:algorithm/tet:metric/tet:optimization-metric/"
    + "tet:explicit-route-include-objects/"
    + "tet:route-object-include-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of path-route of connectivity-matrix */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:te-node-attributes/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:path-properties/tet:path-route-objects/"
    + "tet:path-route-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {

```



```

        uses layer1-types:otn-path-label;
    }
}

/* Augment label restrictions of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/"
    + "tet:connectivity-matrices/tet:label-restrictions/tet:label-restrictio
n" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of connectivity-matrices information-sourc
e */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/"
    + "tet:connectivity-matrices/tet:label-restrictions/tet:label-restrictio
n/"
    + "tet:label-start/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment label restrictions end of connectivity-matrices information-source
*/
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/"
    + "tet:connectivity-matrices/tet:label-restrictions/tet:label-restrictio
n/"
    + "tet:label-end/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

```

```

/* Augment label restrictions step of connectivity-matrices information-source
*/
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:information-source-entry/"
  + "tet:connectivity-matrices/tet:label-restrictions/tet:label-restriction/"
  + "tet:label-step/tet:technology" {
  when "../.../.../.../.../.../.../..."
  + "nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-label-step;
  }
}

/* Augment label hop of underlay primary path of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:information-source-entry/tet:connectivity-matrices/"
  + "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
  + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
  when "../.../.../.../.../.../.../..."
  + "nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-path-label;
  }
}

/* Augment label hop of underlay backup path of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:information-source-entry/tet:connectivity-matrices/"
  + "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
  + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
  when "../.../.../.../.../.../.../..."
  + "nw:network-types/tet:te-topology/"
  + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-path-label;
  }
}

```

```

/* Augment label hop of route-exclude of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:information-source-entry/tet:connectivity-matrices/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-exclude-objects/"
+ "tet:route-object-exclude-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-include of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:information-source-entry/tet:connectivity-matrices/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-include-objects/"
+ "tet:route-object-include-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of path-route of connectivity-matrices information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:information-source-entry/tet:connectivity-matrices/"
+ "tet:path-properties/tet:path-route-objects/"
+ "tet:path-route-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
}

```

```

    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment ingress label restrictions of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:from/tet:label-restrictions/tet:label-restriction" {
    when "../..../..../..../..../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
}

/* Augment ingress label restrictions start of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:from/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-start/tet:te-label/tet:technology" {
    when "../..../..../..../..../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment ingress label restrictions end of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:from/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-end/tet:te-label/tet:technology" {
    when "../..../..../..../..../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
}

```

```

    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment ingress label restrictions step of connectivity-matrix information-
source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:from/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-step/tet:technology" {
    when "../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}

/* Augment egress label restrictions of connectivity-matrix information-source
*/
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:to/tet:label-restrictions/tet:label-restriction" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
}

/* Augment egress label restrictions start of connectivity-matrix information-
source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:to/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-start/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";

```

```

    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment egress label restrictions end of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:to/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-end/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-link-label;
    }
}

/* Augment egress label restrictions step of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:to/tet:label-restrictions/tet:label-restriction/"
    + "tet:label-step/tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}

/* Augment label hop of underlay primary path of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {

```

```

        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of underlay backup path of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of route-exclude of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:optimizations/tet:algorithm/tet:metric/"
    + "tet:optimization-metric/"
    + "tet:explicit-route-exclude-objects/"
    + "tet:route-object-exclude-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
    when "../.../.../.../.../.../.../.../.../.../..."
        + "nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of route-include of connectivity-matrix information-source */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"

```

```

    + "tet:connectivity-matrix/"
    + "tet:optimizations/tet:algorithm/tet:metric/"
    + "tet:optimization-metric/"
    + "tet:explicit-route-include-objects/"
    + "tet:route-object-include-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of path-route of connectivity-matrix information-source */
/
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:information-source-entry/tet:connectivity-matrices/"
    + "tet:connectivity-matrix/"
    + "tet:path-properties/tet:path-route-objects/"
    + "tet:path-route-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label restrictions of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/"
    + "tet:label-restrictions/tet:label-restriction" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
description "OTN label.";
uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of local-link-connectivities */

```



```

augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:tunnel-termination-point/"
  + "tet:local-link-connectivities/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-start/"
  + "tet:te-label/tet:technology" {
  when "../..../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions end of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:tunnel-termination-point/"
  + "tet:local-link-connectivities/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-end/"
  + "tet:te-label/tet:technology" {
  when "../..../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions step of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
  + "tet:tunnel-termination-point/"
  + "tet:local-link-connectivities/"
  + "tet:label-restrictions/tet:label-restriction/tet:label-step/"
  + "tet:technology" {
  when "../..../..../..../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-label-step;
  }
}

/* Augment label hop of underlay primary path of local-link-connectivities */

```

```

augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of underlay backup path of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-exclude of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-exclude-objects/"
+ "tet:route-object-exclude-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
}

```

```

    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of route-include of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-include-objects/"
+ "tet:route-object-include-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../../../../../../../../../../../../../../../"
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
    description "Augment OTN TE label";
}
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of path-route of local-link-connectivities */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:path-properties/tet:path-route-objects/"
+ "tet:path-route-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../../../../../../../../../../../../../../../"
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
    description "Augment OTN TE label";
}
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label restrictions of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:local-link-connectivity/"

```

```

    + "tet:label-restrictions/tet:label-restriction" {
when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:label-restrictions/tet:label-restriction/"
    + "tet:label-start/tet:te-label/tet:technology" {
when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-link-label;
}
}

/* Augment label restrictions end of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:label-restrictions/tet:label-restriction/"
    + "tet:label-end/tet:te-label/tet:technology" {
when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-link-label;
}
}

/* Augment label restrictions step of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"

```

```

    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:label-restrictions/tet:label-restriction/"
    + "tet:label-step/tet:technology" {
when "../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}

/* Augment label hop of underlay primary path of local-link-connectivity (LLC)
*/
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

/* Augment label hop of underlay backup path of local-link-connectivity (LLC)
*/
augment "/nw:networks/nw:network/nw:node/tet:te/"
    + "tet:tunnel-termination-point/"
    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
        uses layer1-types:otn-path-label;
    }
}

```

```

}
}

/* Augment label hop of route-exclude of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:local-link-connectivity/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-exclude-objects/"
+ "tet:route-object-exclude-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of route-include of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"
+ "tet:local-link-connectivities/"
+ "tet:local-link-connectivity/"
+ "tet:optimizations/tet:algorithm/tet:metric/"
+ "tet:optimization-metric/"
+ "tet:explicit-route-include-objects/"
+ "tet:route-object-include-object/tet:type/"
+ "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
+ "nw:network-types/tet:te-topology/"
+ "otntopo:otn-topology" {
description "Augment OTN TE label";
}
description "OTN label.";
case otn {
uses layer1-types:otn-path-label;
}
}

/* Augment label hop of path-route of local-link-connectivity (LLC) */
augment "/nw:networks/nw:network/nw:node/tet:te/"
+ "tet:tunnel-termination-point/"

```

```

    + "tet:local-link-connectivities/"
    + "tet:local-link-connectivity/"
    + "tet:path-properties/tet:path-route-objects/"
    + "tet:path-route-object/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of underlay primary path of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
    + "tet:te-link-attributes/"
    + "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

/* Augment label hop of underlay backup path of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
    + "tet:te-link-attributes/"
    + "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
    + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
when "../.../.../.../.../.../.../.../..."
    + "nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
    }
description "OTN label.";
case otn {
    uses layer1-types:otn-path-label;
}
}

```

```
/* Augment label restrictions of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-start/tet:te-label/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions end of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-end/tet:te-label/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions step of TE link */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-step/tet:technology" {
  when "../..../nw:network-types/tet:te-topology/"
```



```
    + "otntopo:otn-topology" {
      description "Augment OTN TE label";
    }
    description "OTN label.";
    case otn {
      uses layer1-types:otn-label-step;
    }
  }

/* Augment label restrictions of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:label-restrictions/tet:label-restriction" {
    when "../..../nw:network-types/tet:te-topology/"
      + "otntopo:otn-topology" {
        description "Augment OTN TE label";
      }
    description "OTN label.";
    uses layer1-types:otn-label-restriction;
  }

/* Augment label restrictions start of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-start/tet:te-label/tet:technology" {
    when "../..../nw:network-types/tet:te-topology/"
      + "otntopo:otn-topology" {
        description "Augment OTN TE label";
      }
    description "OTN label.";
    case otn {
      uses layer1-types:otn-link-label;
    }
  }

/* Augment label restrictions end of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-end/tet:te-label/tet:technology" {
    when "../..../nw:network-types/tet:te-topology/"
      + "otntopo:otn-topology" {
        description "Augment OTN TE label";
      }
    description "OTN label.";
    case otn {
      uses layer1-types:otn-link-label;
    }
  }
```

```

}

/* Augment label restrictions step of TE link information-source */
augment "/nw:networks/nw:network/nt:link/tet:te/"
  + "tet:information-source-entry/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-step/tet:technology" {
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-label-step;
  }
}

/* Augment label hop of underlay primary path of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:underlay/tet:primary-path/tet:path-element/tet:type/"
  + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {
    uses layer1-types:otn-path-label;
  }
}

/* Augment label hop of underlay backup path of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:underlay/tet:backup-path/tet:path-element/tet:type/"
  + "tet:label/tet:label-hop/tet:te-label/tet:technology" {
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
  description "OTN label.";
  case otn {

```

```

    uses layer1-types:otn-path-label;
  }
}

/* Augment label restrictions of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction" {
/*
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
*/
  description "OTN label.";
  uses layer1-types:otn-label-restriction;
}

/* Augment label restrictions start of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-start/tet:te-label/tet:technology" {
/*
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
*/
  description "OTN label.";
  case otn {
    uses layer1-types:otn-link-label;
  }
}

/* Augment label restrictions end of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
  + "tet:link-template/tet:te-link-attributes/"
  + "tet:label-restrictions/tet:label-restriction/"
  + "tet:label-end/tet:te-label/tet:technology" {
/*
  when "../../../nw:network-types/tet:te-topology/"
    + "otntopo:otn-topology" {
    description "Augment OTN TE label";
  }
*/
  description "OTN label.";
  case otn {

```

```

        uses layer1-types:otn-link-label;
    }
}

/* Augment label restrictions step of TE link template */
augment "/nw:networks/tet:te/tet:templates/"
    + "tet:link-template/tet:te-link-attributes/"
    + "tet:label-restrictions/tet:label-restriction/"
    + "tet:label-step/tet:technology" {
/*
    when "../..../..../..../nw:network-types/tet:te-topology/"
        + "otntopo:otn-topology" {
        description "Augment OTN TE label";
    }
*/
    description "OTN label.";
    case otn {
        uses layer1-types:otn-label-step;
    }
}
}

<CODE ENDS>

```

5. IANA Considerations

It is proposed that IANA should assign new URIs from the "IETF XML Registry" [RFC3688] as follows: URI:
urn:ietf:params:xml:ns:yang:ietf-otn-topology Registrant Contact: The IESG XML: N/A; the requested URI is an XML namespace. This document registers a YANG module in the YANG Module Names registry [RFC7950].
name: ietf-otn-topology namespace: urn:ietf:params:xml:ns:yang:ietf-otn-topology prefix: otntopo reference: RFC XXXX

6. Security Considerations

The YANG module specified in this document defines a schema for data that is designed to be accessed via network management protocols such as NETCONF [RFC6241] or RESTCONF [RFC8040]. The lowest NETCONF layer is the secure transport layer, and the mandatory-to-implement secure transport is Secure Shell (SSH) [RFC6242]. The lowest RESTCONF layer is HTTPS, and the mandatory-to-implement secure transport is TLS [RFC8446].

The NETCONF access control model [RFC8341] provides the means to restrict access for particular NETCONF or RESTCONF users to a

preconfigured subset of all available NETCONF or RESTCONF protocol operations and content.

There are a number of data nodes defined in this YANG module that are writable/creatable/deletable (i.e., config true, which is the default). These data nodes may be considered sensitive or vulnerable in some network environments. Write operations (e.g., edit-config) to these data nodes without proper protection can have a negative effect on network operations. These are the subtrees and data nodes and their sensitivity/vulnerability:

```
/nw:networks/nw:network/nw:network-types/tet:te-topology
/nw:networks/nw:network/nt:link/tet:te/tet:te-link-attributes
/nw:networks/nw:network/nw:node/nt:termination-point/tet:te
/nw:networks/nw:network/.../tet:te-bandwidth/tet:technology
/nw:networks/nw:network/nw:node/tet:te/.../tet:label-restriction
/nw:networks/nw:network/nw:node/.../tet:te-label/tet:technology
Editors note: we are using simplified description by folding similar
branches to avoid repetition.
```

Some of the readable data nodes in this YANG module may be considered sensitive or vulnerable in some network environments. It is thus important to control read access (e.g., via get, get-config, or notification) to these data nodes. These are the subtrees and data nodes and their sensitivity/vulnerability:

Editors note: Currently there is no such data nodes, temporarily kept for review.

7. Acknowledgements

We would like to thank Igor Bryskin, Zhe Liu, Zheyu Fan and Daniele Ceccarelli for their comments and discussions.

8. Contributors

Baoquan Rao
Huawei Technologies
Email: raobaoquan@huawei.com

Xian Zhang
Huawei Technologies
Email: zhang.xian@huawei.com

Huub van Helvoort
Hai Gaoming BV
the Netherlands
Email: huubatwork@gmail.com

Victor Lopez
Telefonica
Email: victor.lopezalvarez@telefonica.com

Yunbo Li
China Mobile
Email: liyunbo@chinamobile.com

Dieter Beller
Nokia
Email: dieter.beller@nokia.com

Yanlei Zheng
China Unicom
Email: zhengyl@dimpt.com

9. References

9.1. Normative References

- [I-D.ietf-ccamp-otn-tunnel-model]
Zheng, H., Guo, A., Busi, I., Sharma, A., Rao, R.,
Belotti, S., Lopezalvarez, V., Li, Y., and Y. Xu, "OTN
Tunnel YANG Model", draft-ietf-ccamp-otn-tunnel-model-06
(work in progress), February 2019.
- [I-D.ietf-teas-yang-te-topo]
Liu, X., Bryskin, I., Beeram, V., Saad, T., Shah, H., and
O. Dios, "YANG Data Model for Traffic Engineering (TE)
Topologies", draft-ietf-teas-yang-te-topo-22 (work in
progress), June 2019.
- [ITU-T] ITU-, T., "SERIES G: TRANSMISSION SYSTEMS AND MEDIA,
DIGITAL SYSTEMS AND NETWORKS; Digital networks; Interfaces
for the optical transport network", ITU-T Rec. G.709v5 ,
June 2016.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate
Requirement Levels", BCP 14, RFC 2119,
DOI 10.17487/RFC2119, March 1997,
<<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3688] Mealling, M., "The IETF XML Registry", BCP 81, RFC 3688,
DOI 10.17487/RFC3688, January 2004,
<<https://www.rfc-editor.org/info/rfc3688>>.

- [RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", RFC 6241, DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/info/rfc6241>>.
- [RFC6242] Wasserman, M., "Using the NETCONF Protocol over Secure Shell (SSH)", RFC 6242, DOI 10.17487/RFC6242, June 2011, <<https://www.rfc-editor.org/info/rfc6242>>.
- [RFC7138] Ceccarelli, D., Ed., Zhang, F., Belotti, S., Rao, R., and J. Drake, "Traffic Engineering Extensions to OSPF for GMPLS Control of Evolving G.709 Optical Transport Networks", RFC 7138, DOI 10.17487/RFC7138, March 2014, <<https://www.rfc-editor.org/info/rfc7138>>.
- [RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", RFC 7950, DOI 10.17487/RFC7950, August 2016, <<https://www.rfc-editor.org/info/rfc7950>>.
- [RFC8040] Bierman, A., Bjorklund, M., and K. Watsen, "RESTCONF Protocol", RFC 8040, DOI 10.17487/RFC8040, January 2017, <<https://www.rfc-editor.org/info/rfc8040>>.
- [RFC8341] Bierman, A. and M. Bjorklund, "Network Configuration Access Control Model", STD 91, RFC 8341, DOI 10.17487/RFC8341, March 2018, <<https://www.rfc-editor.org/info/rfc8341>>.
- [RFC8342] Bjorklund, M., Schoenwaelder, J., Shafer, P., Watsen, K., and R. Wilton, "Network Management Datastore Architecture (NMDA)", RFC 8342, DOI 10.17487/RFC8342, March 2018, <<https://www.rfc-editor.org/info/rfc8342>>.
- [RFC8345] Clemm, A., Medved, J., Varga, R., Bahadur, N., Ananthakrishnan, H., and X. Liu, "A YANG Data Model for Network Topologies", RFC 8345, DOI 10.17487/RFC8345, March 2018, <<https://www.rfc-editor.org/info/rfc8345>>.
- [RFC8446] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", RFC 8446, DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.

9.2. Informative References

- [I-D.ietf-ccamp-flexigrid-yang]
Madrid, U., Perdices, D., Lopezalvarez, V., Dios, O., King, D., Lee, Y., and G. Galimberti, "YANG data model for Flexi-Grid Optical Networks", draft-ietf-ccamp-flexigrid-yang-03 (work in progress), March 2019.
- [I-D.ietf-ccamp-transport-nbi-app-statement]
Busi, I., King, D., Zheng, H., and Y. Xu, "Transport Northbound Interface Applicability Statement", draft-ietf-ccamp-transport-nbi-app-statement-05 (work in progress), March 2019.
- [I-D.ietf-ccamp-wson-yang]
Lee, Y., Dhody, D., Guo, A., Lopezalvarez, V., and D. King, "A YANG Data Model for WSON (Wavelength Switched Optical Networks)", draft-ietf-ccamp-wson-yang-22 (work in progress), July 2019.
- [I-D.ietf-teas-actn-yang]
Lee, Y., Zheng, H., Ceccarelli, D., Yoon, B., Dios, O., Shin, J., and S. Belotti, "Applicability of YANG models for Abstraction and Control of Traffic Engineered Networks", draft-ietf-teas-actn-yang-03 (work in progress), February 2019.
- [RFC7062] Zhang, F., Ed., Li, D., Li, H., Belotti, S., and D. Ceccarelli, "Framework for GMPLS and PCE Control of G.709 Optical Transport Networks", RFC 7062, DOI 10.17487/RFC7062, November 2013, <<https://www.rfc-editor.org/info/rfc7062>>.
- [RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", BCP 215, RFC 8340, DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.
- [RFC8453] Ceccarelli, D., Ed. and Y. Lee, Ed., "Framework for Abstraction and Control of TE Networks (ACTN)", RFC 8453, DOI 10.17487/RFC8453, August 2018, <<https://www.rfc-editor.org/info/rfc8453>>.

Authors' Addresses

Haomian Zheng
Huawei Technologies
H1-1-A043S Huawei Industrial Base, Songshanhu
Dongguan, Guangdong 523808
China

Email: zhenghaomian@huawei.com

Aihua Guo
Huawei Technologies
12007 Sunrise Valley Drive, Suite 325
Reston, VA 20171
U.S.A

Email: aihuaguo@huawei.com

Italo Busi
Huawei Technologies
HUAWEI TECHNOLOGIES ITALIA Srl Centro Direzionale Milano 2
Milan, Milan 20090
Italy

Email: Italo.Busi@huawei.com

Anurag Sharma
Google
1600 Amphitheatre Parkway
Mountain View, CA 94043

Email: ansha@google.com

Xufeng Liu
Volta Networks

Email: xufeng.liu.ietf@gmail.com

Sergio Belotti
Nokia

Email: sergio.belotti@nokia.com

Yunbin Xu
CAICT

Email: xuyunbin@rictt.cn

Lei Wang
China Mobile

Email: wangleiyj@chinamobile.com

Oscar Gonzalez de Dios
Telefonica

Email: oscar.gonzalezdedios@telefonica.com