

# Benchmarking of EVPN Multicast

draft-vikjac-bmwg-evpnmultest-01

By

Sudhin Jacob(sjacob@juniper.net)

Vikram Nagarajan (vikramna@juniper.net)

draft-vikjac-bmwg-evpnmultest-02,  
IETF 105 Montreal Canada

## EVPN

- EVPN is defined in RFC 7432.
- Active-Active Multi-homing with Ethernet Segments. Control Plane Mac learning.
- Better Load Balancing and Convergence

## IGMP Snooping


- IGMP snooping is used to constrain L2-multicast traffic to be forwarded only onto those L2-interfaces that have listener interest.

## EVPN and IGMP snooping

- Optimized L2-multicast forwarding in EVPN
- Proxy IGMP listener interest in EVPN using EVPN Type-6 route
- Multi-homing considerations related to IGMP Join/Leave sync with EVPN Type-7/8 routes
- <https://tools.ietf.org/html/draft-ietf-bess-evpn-igmp-mld-proxy-03>

**draft-vikjac-bmwg-evpnmultest-02,  
IETF 105 Montreal Canada**

# Topology




# Benchmarking Parameters for EVPN Multicast in a single-homed EVPN PE

- IGMP Join latency for Single Home.
- IGMP ( clearing the state) for Single home
- IGMP leave latency (stop forwarding the traffic due to leave message) Single home.
- IGMP Join latency for AA
- IGMP ( clearing the state) for AA
- IGMP leave latency (stop forwarding the traffic due to leave message) for AA.
- Local Link Failure.
- Core Failure.
- Scale Convergence.
- HA
- SOAK

# Benchmarking Parameters

- IGMP Join Learning: Time taken to learn reports and create state
- IGMP Join Timeout: Time taken to clear state when listeners do not refresh reports
- IGMP Leave Latency: Time taken to stop forwarding traffic on hearing Leave

# EVPN with IGMP Snooping



draft-vikjac-bmwg-evpnmultest-02,  
IETF 105 Montreal Canada

# Disruptive Tests in Multi-homed EVPN PEs and convergence measurement thereof

- **Access Link on DF going down:** Time taken for new DF to resume forwarding
- **Core link on DF going down:** Time taken for new DF to resume forwarding
- **Routing Failure on DF:** Time taken for new DF to resume forwarding
- **DF Node Failure:** Time taken for new DF to resume forwarding
  
- Measuring the above with multiple VLANs
- Measuring the above with scaled number of groups
- Measuring the above for stability with soak test
  
- Sections in the draft: 4.1 to 4.3.

# Scale Convergence

- “N” number of vlans and groups.
- DF Core link flap.
- Measure the packet loss.



# Thank you

**draft-vikjac-bmwg-evpnmultest-02,  
IETF 105 Montreal Canada**