

A LISP TraceRoute Tool

ltr

April 2019

What is *Itt*

- You can trace the encapsulation round-trip path from:
 - ITR \leftrightarrow ETR, RTR \leftrightarrow ETR, RTR \leftrightarrow RTR
- Shows you underlay hops between xTRs
- Shows you underlay RTT between xTRs
- Works through NATs with RTRs in path
- Works for multiple LISP-TE encapsulation paths, for example:
 - ITR \rightarrow RTR \rightarrow ETR
 - ITR \rightarrow RTR \rightarrow ... \rightarrow RTR \rightarrow ETR
- Works for IPv4 or IPv6 overlay with an IPv4 or IPv6 underlay

Command Line

```
python ltr.py [-s <source-eid>]
               <destination | DNS-name>
```

-s:

User selected source EID from lisp.config file in ITR

<destination>:

Can be an EID in a LISP site or a non-EID in a non-LISP site

<DNS-name>:

Can be a domain name that maps to an EID in a LISP site or a non-EID in a non-LISP site

Screen Shots

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs  
  
Path from [1539]1.1.1.1 to [1539]2.2.2.2:  
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2  
  
Path from [1539]2.2.2.2 to [1539]1.1.1.1:  
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

when map-caches are populated

Screen Shots

```
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
Received reply from 35.203.154.151, rtt 0.228 secs

Path from [1539]1.1.1.1 to [1539]2.2.2.2:
  ITR encap: 10.240.46.111:39656 -> 35.203.154.151, ts 1555017807.52, node g-xtr1
              recent-rtts [0.114, 0.13, 0.149], recent-hops [5/5, 5/5, 5/5]
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017807.56, node rtr1
  RTR encap: 35.203.154.151 -> ? (map-cache miss), ts 1555017807.72, node rtr1
```

when RTR has a map-cache miss

Screen Shots

```
[dino@g-xtr1:~/lispers.net$ python ltr.py 8.8.8.8
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]8.8.8.8 ...
Received reply from 35.203.154.151, rtt 0.064 secs

Path from [1539]1.1.1.1 to [1539]8.8.8.8:
  ITR encap: 10.240.46.111:38576 -> 35.203.154.151, ts 1555021076.26, node g-xtr1
    recent-rtts [0.148, 0.062, 0.079], recent-hops [5/5, 5/5, 5/5]
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555021076.3, node rtr1
  RTR encap: 35.203.154.151 -> ? (not an EID), ts 1555021076.3, node rtr1
```

when tracing a non-EID

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs  
  
Path from [1539]1.1.1.1 to [1539]2.2.2.2:  
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
    recent-rtt [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
    recent-rtt [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2  
  
Path from [1539]2.2.2.2 to [1539]1.1.1.1:  
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
    recent-rtt [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
    recent-rtt [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

ITR detected it is behind a NAT, so it sends a RLOC Trace packet to RTR so error responses can return through NATs

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs  
  
Path from [1539]1.1.1.1 to [1539]2.2.2.2:  
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2  
  
Path from [1539]2.2.2.2 to [1539]1.1.1.1:  
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

ITR selected source-EID from lisp.config file and determined the EID was in instance-ID 1539

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs
```

Path from [1539]1.1.1.1 to [1539]2.2.2.2:

```
ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
      recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
      recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2
```

Path from [1539]2.2.2.2 to [1539]1.1.1.1:

```
ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
      recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
      recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

A single LISP-Trace packet is sent and a single reply returned with entire Trace data, it took 154 milliseconds

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs
```

Path from [1539]1.1.1.1 to [1539]2.2.2.2:

```
ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
      recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
      recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2
```

Path from [1539]2.2.2.2 to [1539]1.1.1.1:

```
ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
      recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
      recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

Forward path had 2 encapsulation paths

Return path of 2 encapsulation paths,
path is symmetric

Output Description

```
dino@g-xtr1:~$ cd lispers.net/
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
Received reply from 2.2.2.2, rtt 0.154 secs

Path from [1539]1.1.1.1 to [1539]2.2.2.2:
ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]
RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1
RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]
ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2

Path from [1539]2.2.2.2 to [1539]1.1.1.1:
ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]
RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1
RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]
ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

This ITR where `ltr` is run on is named **g-xtr1**, it's source-RLOC is 10.240.46.111 and it encapsulates to destination-RLOC 35.203.154.151

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs  
  
Path from [1539]1.1.1.1 to [1539]2.2.2.2:  
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2  
  
Path from [1539]2.2.2.2 to [1539]1.1.1.1:  
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

This ITR RLOC-probed 35.203.154.151 (**rtr1**) and the last 3 probes had RTTs of 141, 55, and 75 milliseconds and the number of forward underlay hops was 5 and the return underlay hops of 6

Output Description

```
dino@g-xtr1:~$ cd lispers.net/
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
Received reply from 2.2.2.2, rtt 0.154 secs

Path from [1539]1.1.1.1 to [1539]2.2.2.2:
  ITR encaps: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1
  RTR encaps: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2

Path from [1539]2.2.2.2 to [1539]1.1.1.1:
  ITR encaps: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1
  RTR encaps: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

The RTR **rtr1** received the encapsulated packet with source-RLOC 104.197.79.165 (it was NAT translated near the ITR) and destination-RLOC 10.240.0.5 (it was NAT-translated near the RTR on the cloud side)

Output Description

```
dino@g-xtr1:~$ cd lispers.net/
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
Received reply from 2.2.2.2, rtt 0.154 secs

Path from [1539]1.1.1.1 to [1539]2.2.2.2:
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2

Path from [1539]2.2.2.2 to [1539]1.1.1.1:
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

The RTR **rtr1** re-encapsulated the packet with source-RLOC 35.203.154.151 to destination-RLOC 35.202.144.92, which is the translated RLOC of **xtr2** that sits behind a NAT at the LISP site

Output Description

```
dino@g-xtr1:~$ cd lispers.net/  
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2  
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...  
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...  
Received reply from 2.2.2.2, rtt 0.154 secs  
  
Path from [1539]1.1.1.1 to [1539]2.2.2.2:  
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1  
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]  
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1  
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1  
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]  
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2  
  
Path from [1539]2.2.2.2 to [1539]1.1.1.1:  
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2  
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]  
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1  
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1  
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]  
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

The ETR named **xtr2** receives the decapsulated packet and then swaps source and destination EIDs to return the packet to the originating LISP-Trace ITR **g-xtr1**

Output Description

```
dino@g-xtr1:~$ cd lispers.net/
dino@g-xtr1:~/lispers.net$ python ltr.py 2.2.2.2
Send NAT-traversal LISP-Trace to RTR 35.203.154.151 ...
Send round-trip LISP-Trace between EIDs [1539]'g-xtr1.lispers.net' and [1539]2.2.2.2 ...
Received reply from 2.2.2.2, rtt 0.154 secs

Path from [1539]1.1.1.1 to [1539]2.2.2.2:
  ITR encap: 10.240.46.111:36757 -> 35.203.154.151, ts 1555017369.85, node g-xtr1
    recent-rtts [0.141, 0.055, 0.075], recent-hops [5/6, 5/6, 5/6]
  RTR decap: 104.197.79.165 -> 10.240.0.5, ts 1555017369.87, node rtr1
  RTR encap: 35.203.154.151 -> 35.202.144.92:53227, ts 1555017369.87, node rtr1
    recent-rtts [0.092, 0.117, 0.131], recent-hops [1/5, 1/5, 1/5]
  ETR decap: 35.203.154.151 -> 10.240.0.4, ts 1555017369.89, node xtr2

Path from [1539]2.2.2.2 to [1539]1.1.1.1:
  ITR encap: 10.240.0.4 -> 35.203.154.151, ts 1555017369.92, node xtr2
    recent-rtts [0.104, 0.123, 0.141], recent-hops [6/6, 6/6, 6/6]
  RTR decap: 35.202.144.92 -> 10.240.0.5, ts 1555017369.98, node rtr1
  RTR encap: 35.203.154.151 -> 104.197.79.165:52892, ts 1555017369.98, node rtr1
    recent-rtts [0.099, 0.112, 0.137], recent-hops [1/4, 1/4, 1/4]
  ETR decap: 35.203.154.151 -> 10.240.46.111, ts 1555017370.0, node g-xtr1
```

The return encapsulated packet follows the same (symmetric) encapsulation path back to ETR **g-xtr1**

For More Details

- Look at the open-source at:

<https://github.com/farinacci/lispers.net/blob/master/lisp/ltr.py>