

DetNet

Packet Ordering Function (POF)

[draft-varga-detnet-pof](#)

Balázs Varga, János Farkas, Stephan Kehrer, Tobias Heer

DetNet WG

30th July, 2021, IETF 111 online

DetNet Service sub-layer Packet Ordering Function (POF)

- Intended status:
 - Informational
- Actual version:
 - draft-varga-detnet-pof-01

- Abstract:

- Replication and Elimination functions of DetNet [RFC8655] may result in out-of-order packets, which may not be acceptable for some time-sensitive applications. The [Packet Ordering Function \(POF\)](#) algorithm described herein enables to restore the correct packet order when replication and elimination functions are used in DetNet networks.

Table of Contents

1. Introduction	2
2. Terminology	3
2.1. Terms Used in This Document	3
2.2. Abbreviations	3
2.3. Requirements Language	4
3. Requirements on POF Implementations	4
4. POF Algorithms	4
4.1. Prerequisites and Assumptions	4
4.2. POF building blocks	5
4.3. The Basic POF Algorithm	6
4.4. The Advanced POF Algorithm	7
4.5. Further enhancements of POF algorithms	8
4.6. Selecting and using the POF algorithm	9
5. Control and Management Plane Parameters for POF	9
6. Security Considerations	10
7. IANA Considerations	10
8. References	10
8.1. Normative References	10
8.2. Informative References	10
Authors' Addresses	11

Goals for DetNet POF



[draft-varga-detnet-pof](#)

- Solve the out-of-order delivery problem of the PRF/PEF.
- Consider the delay bound requirement of a DetNet Flow.
 - Minimal or no additional delay to the forwarding process of packets.
- Keep it simple with minimum set of states/configuration
- No time synchronization between PREOF nodes.

Two POF Algorithms Defined

[draft-varga-detnet-pof](#)

- Basic algorithm
 - Max incremental packet delay: "POFMaxDelay" time.
 - In-order packets are not delayed.
 - Applicable to all scenarios where the delay budget of a flow allows "POFMaxDelay" time for ordering.
 - Management & Control: "POFMaxDelay", "POFTakeAnyTime"
- Advanced algorithm adds the following extensions to the basic algorithm
 - Identify the path of the received packet at the POF location
 - Path dependent "POFMaxDelay": "POFMaxDelay_i", where "i" denotes the path.
 - Management & Control : "POFMaxDelay_i", "POFTakeAnyTime", path identification related configuration



Summary – Next Steps

- Discussion on the list:
 - Proposed changes/clarifications (thanks!): DONE
- Next Steps
 - Looking for further comments
 - Asking for WG adoption

Thanks ...