



# Review of draft-ietf-regext-rdap-jscontact

Mario Loffredo  
Registro.IT/IIT-CNR  
Gavin Brown  
CentralNic

# Versions since IETF 110



- **-00**
  - Initial WG version
- **-01**
  - Compliance with draft-ietf-jmap-jscontact-05
  - Recommended some map keys to be used in an RDAP response
- **-02**
  - Compliance with draft-ietf-jmap-jscontact-06

# Recommended JSContact map keys in RDAP



- RDAP providers are RECOMMENDED to use some RFC5733 labels as map keys :
  - **"org"** for the internationalized organization in the "organizations" map;
  - **"int"** for the internationalized postal address in the "addresses" map;
  - **"loc"** for the localized postal address in the "addresses" map;
  - **"email"** for the email address in the "emails" map;
  - **"voice"** for the voice number in the "phones" map;
  - **"fax"** for the fax number in the "phones" map.

# Recent updates about jscontact-tools




- An open-source Java library for JSContact creation, validation, serialization/deserialization and conversion from and to vCard/xCard/jCard
- Last version is 0.5.0
- Compliant with: draft-ietf-jmap-jscontact-07, draft-ietf-jmap-jscontact-vcard-06, draft-ietf-regext-rdap-jscontact-02
- <https://github.com/consiglionazionaledericerche/jscontact-tools>

# Next steps



- JSContact spec is close to being submitted to IESG
- Last open issue is about how to handle localizations
- Other implementations in addition to .it:
  - CentralNic (done, live soon)
  - Other registries are hopefully expected to implement the draft (feedback from ROW2021)



# Thanks for the attention!

## Q & A