Framework for IETF Network Slices draft-ietf-teas-ietf-network-slices

Adrian Farrel (editor) adrian@olddog.co.uk

What is this draft?

- It's a merger of two documents that had been adopted by TEAS
 - draft-ietf-teas-ietf-network-slice-definition-01
 - draft-ietf-teas-ietf-network-slice-framework-00
 - (Thanks to the Design Team for everything they did to get that far)
- It's a home for terms and concepts related to *IETF* Network Slices
 - Note well:
 - These are not network slices in general
 - These are not "end-to-end network slices"
 - These are not network slices using other technologies
 - It's about slicing networks that use IETF technologies
- It is not a place to document solutions

Status

- It feels like longer, but...
 - We only started work on merging after IETF-110
 - Announced a plan on April 13th
 - Retain all front-page authors
 - The -00 version will be a very simple merge taking all text from both documents, using tags to show where the text came from, and with no new text
 - Revision -01 will be Editor's version that will merge the text by removing duplication and by streamlining, and still no new text
 - Open the gates for normal WG discussion
 - Then start on strategic changes
 - Teleconferences for debate as needed
 - Does the editor drive?
 - I hope you will be suggesting text and ideas
 - Failing that, I will be supplying suggestions and asking for agreement
 - We have had four versions so far

Status (continued)

- -00 (April 14th)
 - Simple inclusion of all text from the two contributing documents
 - Assignment of the text to sections
 - No attempt merge or harmonise the text
- -01 (April 16th)
 - Re-arranged text to rationalise the structure
 - Stylistic edits, and simple editorial and formatting issues
 - No substantive changes have been made

Status (more)

• -02 (May 4th)

- Selected "Customer" (compare "Consumer", "Client") and made consistent
 - Some debate about preferences, but we have to pick one term
- Introduced the term "Service Level Expectation (SLE)"
 - Moves "unquantifiable objectives" out of SLO
 - Operator-provided security
 - Geographic restrictions
 - Maximal occupancy
 - Isolation
- Rewritten text on "Isolation"
- Changes for realisation of network slices
- Editorials and re-ordering of end-matter sections

• -03 (May 23rd)

- Add full definitions of "Customer" and "Provider"
- Remove discussion of SNMP
- Small editorials

What now?

- I've been a bit busy
 - Nothing apart from background conversations for two months
- Next big topics
 - Definition of a Network Slice Service
 - Definition of End Points
 - Functional architecture for realising network slices

... Next slides

Network Slice Service

- How does a Customer request a Network Slice?
 - What are the actions?
 - What information do they supply?
 - What response do they get?
 - How is traffic associated with the slice?
- This is not (must not be?) a data model (see YANG NBI work)
- It should not even need to be an information model
- But it is part of the definition of a network slice
- John Drake suggested text on this some time back
- Need to polish this and put it out for review

Service End Points

- These are the points at which the Network Slice is delivered to the Customer
 - The "points of attachment" between the Customer and the Provider
- John Drake initiated a discussion on this as well
 - There was a good deal of back and forth
 - It felt like we reached a kind of consensus
- Need to dig out the old email thread
 - Convert it to proposed text for the draft
 - Float it for agreement

Realising Network Slice Services

- Part of the definition of a network slice is
 - How is it requested?
 - How are network resources assigned?
 - How is the underlying network partitioned?
- Several drafts approach this from different directions
 - A set of Enhanced VPN (VPN+) drafts
 - Some newer work from Pavan and Tarek
- Some private discussions to try to converge function and terminology
 - Function seems to be "getting there"
 - Terminology is harder
- One challenge is not over-complicating things
- Proposal:
 - Get a scratch "work flow" diagram and text
 - Put it out for wider discussion