

# Review of draft-ietf-regext-rdap-jscontact

Mario Loffredo  
Registro.IT/IIT-CNR  
Gavin Brown  
CentralNic

# Versions since IETF 111



- -03
- Compliance with draft-ietf-jmap-jscontact-08

# Recommended JSContact map keys in RDAP



- RDAP providers are RECOMMENDED to use some RFC5733 labels as map keys :
  - "**org**" for either the only or the internationalized organization in the "organizations" map;
  - "**addr**" for either the only or the internationalized postal address in the "addresses" map;
  - "**email**" for the email address in the "emails" map;
  - "**voice**" for the voice number in the "phones" map;
  - "**fax**" for the fax number in the "phones" map.
- The localized versions of name, organization and postal address **MUST** be inserted into the "localizations" map.

# Next steps




- JSContact spec is ready to be submitted to IESG
- Other implementations in addition to .it:
  - CentralNic (done, live soon)
  - Other registries have manifested their interests in this proposal and are implementing it (feedback from last interim meeting)

# Recent updates about jscontact-tools



- Last version is 0.6.0
- Compliant with: draft-ietf-jmap-jscontact-08, draft-ietf-jmap-jscontact-vcard-07, draft-ietf-regext-rdap-jscontact-03
- <https://github.com/consiglionazionaledericerche/jscontact-tools>



# Thanks for the attention!

## Q & A