

Identity Header Error Handling

draft-wendt-stir-identity-header-errors-handling-03

STIR Working Group
IETF 112 - 11/12/21

Overview

- Based on discussion in the virtual meeting the bulk of the changes are related to switching from using “SIP” as Reason code, to defining a new “STIR” reason code that specifically can be used multiple times and adding that to the IANA registry.
- In parallel, Robert offered to author a sip core document that explicitly adds support from multiple Reason Header Fields that contain the same protocol

```
Reason: STIR ;cause=436 ;text="Bad Identity Info" ;ppt= \
"eyJhbGciOiJFUzI1NiIsInR5cCI6InBhc3Nwb3J0IiwieDV1Ii \
joiaHR0cHM6Ly9jZXRJ0LmV4YW1wbGUub3JnL3Bhc3Nwb3J0LmNlciJ9.eyJ \
kZXN0Ijp7InVyaSI6WyJzaXA6YWxpY2VAZXhhbXBsZS5jb20iXX0sIm1hdC \
I6IjE0NDMyMDgzNDUiLCJvcmlnIjp7InRuIjoimTIxNTU1NTEyMTIifX0.r \
q3pjT1hoRwakEGjHCnWSwUnshd0-zJ6F1VOgFWSjHBr8Qjplk-cpFYpFYs \
ojNCpTzO3QfP0lckGaS6hEck7w"
```

WG adoption?

- Hopefully we have a pretty solid path forward now, appreciate everyone's input on this