### Complaint Feedback Loop Address Header

draft-benecke-cfbl-address-header

Dispatch IETF 113

#### PROBLEM STATEMENT

- > Repetitive manual work when setting up new feedback loops
- > Revalidating existing feedback loops is time-consuming
- > Feedback loops are more and more DKIM based makes it harder to maintain it for customers
- Not suitable for smaller mailbox provider, e.g. development of setup platform

## EXPERIMENTAL PROPOSAL

- > Two new experimental email header
  - CFBL-Address itself
  - > Header for ID when Message-ID can't be used
- > Requires DKIM signing and header coverage
- > Nevertheless requires reputation data to assess trustworthiness

#### CFBL-ADDRESS HEADER

```
Return-Path: <sender@super-saas-platform.com>
From: Awesome Newsletter <newsletter@example.com>
To: me@example.net
Subject: Super awesome news for you
Message-ID: <a37e51bf-3050-2aab-1234-543a0828d14a@example.com>
CFBL-Address: fbl@super-saas-platform.com; report=arf

DKIM-Signature: v=1; a=rsa-sha256; d=example.com;
    h=Subject:From:To:Message-ID:CFBL-Address;

DKIM-Signature: v=1; a=rsa-sha256; d=super-saas-platform.com;
    h=Subject:From:To:Message-ID:CFBL-Address;
```

# HOW TO DISPATCH?

- > No obvious WG (emailcore is busy updating the core specs)
- Not worth its own WG for now (experimental status)
- > AD Sponsoring
- Otherwise ISE

#### **Questions & Discussion**

draft-benecke-cfbl-address-header