

# ANIMA DNS-SD compatible services auto configuration

draft-eckert-anima-grasp-dnssd-03

draft-eckert-anima-services-dns-autoconfig-01

IETF115 Nov 2022

Toerless Eckert (Futurewei USA), [tte@cs.fau.de](mailto:tte@cs.fau.de)

Mohamed Boucadair, [mohamed.boucadair@orange.com](mailto:mohamed.boucadair@orange.com)

Christian Jacquenet, [christian.jacquenet@orange.com](mailto:christian.jacquenet@orange.com)

Michael H. Behringer, [michael.h.behringer@gmail.com](mailto:michael.h.behringer@gmail.com)

# Summary

- Refresher
- Documents quite stable
  - Content/functionality, not necessarily text quality
- Please read the documents

# Autonomic Networks..

BRSKI is autonomic (we hope... 0-touch.. except power/ethernet-cable)

But what if anything goes wrong.. troubleshooting ?

How about ACP ? “booted automatically after BRSKI”

First/most-simple Use-case: ACP for connectivity from NOC/SDN RFC8366

From experience with pre-standard ACP implementation:

Need a few infrastructure services to run AUTOMATICALLY

To successfully bring up BRSKI and ACP (troubleshoot)

For secure use of ACP by NOC(operator) / SDN-controller

# Core ANI infrastructure services

Syslog to appropriate servers (in some NOC) across ACP

- Most fundamental troubleshooting tool
- For BRSKI/ACP itself (BRSKI-proxy)
- Also syslog from BRSKI registrar to notify of successful enrolment
- ACP nodes “just” need to learn which syslog server(s) to log to

Clock synchronization (to some NTP servers) across ACP

- Even just for basic crypto/certificate validation
- Tracing of event propagation (syslog originator timestamps, msec resolution)
- ACP nodes “just” need to learn about NTP server(s) to sync to

# Core ANI infrastructure services

Remotely access ACP nodes via ACP (manually, from SDN controller)

- SSH via ACP (controller use netconf via SSH)
- Authenticate SSH login (username/credential) via Radius (or alternative)
- Need to learn Radius server to use via ACP

Alternative/additional: New ACP nodes connect Netconf server via ACP

- Netconf Call-home model
- Need to learn ACP call-home server via ACP
- Convenience ? Necessary ? Auto-enable DNS across ACP
- Manual CLI operator actions (to eliminate need to know IPv6 addresses)
- More and more router functions also want DNS ?!
- Need to learn DNS server to use via ACP

# draft-eckert-anima-services-dns- autoconfig

Operator sets up servers in NOC – MUST SUPPORT IPv6

- Syslog, NTP, DNS, Radius/(Diameter/...), Netconf
  - And connects them to ACP (e.g.: ACP-connect LAN interface in NOC)
  - Nothing yet happens!
- 
- Operator enables service announcements for ACP
    - Configured servers could just announce DNS-SD
    - Or the service announcement is feature on ACP-connect router
    - Now all ACP nodes auto-start their syslog, NTP, DNS, radius, Network “agents” – and the ACP network is fully “manageable/useable”
    - IMHO most crucial: whenever ANI network grows (troubleshoot enrolment BRSKI/ACP and any other following initial, automated steps)
    - All services optional to enable by operator – only whats announced will run!

# How to announce services/server across ACP

We have and want GRASP across ACP

- But we do not want to reinvent the wheel

DNS-SD has defined most of what we need

- Services names with IANA registry
- Service instance names, selection parameters (priority, weight, additional TXT params)
- None of these service aspects are specific to DNS
  - They just have been defined encoded into DNS only so far (probably there was a LocalTalk encoding in Apple in before ?)

# Great! How does it work ?

- draft-eckert-anima-grasp-dnssd
- In DNS data for a single service is split across 4++ messages (“Resource Records”)
  - AAAA, CNAME, PTR, SRV, TXT, ...
  - Unicast DNS discovering service requires multiple round-trips (when no cache)
  - mDNS somewhat better, but still request/reply round-trips involved
- In GRASP, all service instance parameters are just one GRASP objective message
  - Can easily add standard/custom parameters as well.
  - If Objective name is SRV.<name>, then <name> must be an IANA registered service name. Aka: reuse existing registry!

```
[M_FLOOD, 12340815,
  h'fd89b714f3db0000200000064000001', 210000,
  ["SRV.syslog", 4, 255,
   { rfcXXXX: {
     &(sender-loop-count:1) => 255,
     &(srv-element:2) => {
       &(msg-type:1) => &(describe: 0),
       &(service:2) => "syslog",
       &(instance:3) => "east-coast-primary",
       &(priority:5) => 0,
       &(weight:6) => 65535,
       &(kvpairs:7) => { "replicate" => 2 },
       &(range:8) => 2,
     }
   }
  ],
  [O_IPv6_LOCATOR,
   h'fd89b714f3db0000200000064000001', TLS12,
  514]
]
```



# Operationalizing/Using GRASP/DNS-SD

Ideal ?!

- Introduce application API for these service announcement/discoveries
  - Maybe draft can include suggested/minimum abstract API ?
- API Library can then use GRASP and/or DNS-SD/Unicast/mDNS as it chooses
  - Could be automatic. If ACP discovered, use GRASP, else DNS-SD/mDNS

On ACP router

- Simple announcer for services (configured)
- GRASP/DNS-SD ↔ mDNS gateway function (ACP-connect interface router)

MUST use this objective format.. (suggested requirements)

- ...when using a SRV.<name> objective name
- ...when wanting the objective to go across a GRASP/mDNS gateway

# Summary

- draft-eckert-anima-grasp-dnssd-03
  - Specification for DNS-SD service compatible GRASP objectives
  - Recommended for ANY applicable service/instance announcements
  - E.g.: any new ASAs announcing service instances
  - Use SRV.name (and register name in services registry) when service should be compatible with mDNS/unicast-DNS
  - Use any desired objective name when meant to be used only across GRASP (and register in standard GRASP objective name registry)
  
- draft-eckert-anima-services-dns-autoconfig
  - Definition of core ANI infrastructure services ASA
  - Syslog, NTP, SSHd, Netconf-call-home, DNS-resolver, radius-authentication-client
  - Each activated by discovery of server instances
  - Goal is to create most simple fully-autonomic ANI to support RFC8366 (SDN, legacy “CLI”) style management.
  - Can be a template for similar pragmatic/incremental “automation” ASA

# Ask

- Would like to see adoption call for these two drafts