jscalendar

IETF 115, Calendaring Extensions (calext)

Robert Stepanek, November 8, 2022

jscalendarbis

- Use JSCalendar or iCalendar scheduling model? Decided at interim-02: use JSCalendar model.

- Now need to make it work with iCalendar and iTIP.

- JSContact likely to land before jscalendarbis. Want to reuse its definitions also in JSCalendar. Please review JSContact!

- Need: Implementations! More reviewers!

Scheduling Status

	JSCalendar	**iCalendar**	**iTIP**
Status	Defined	In Progress	Not started
Definitions	• `scheduleId`: global identifier of Participant • `sendTo`: scheduling URIs by scheduling method (`imip`, `other`). • Delegation and group membership uses `scheduleId` to refer to other Participants	PARTICIPANT properties: • New SCHEDULE-ID? • New SEND-TO or allow multiple CALENDAR-ADDRESS? ATTENDEE: • Choosing CAL-ADDRESS still seems to require heuristic in some cases.	• How to use new scheduling properties? • How to schedule using several scheduling methods. • How to do backwards-compatible invites and replies?

3

Next steps

- Scheduling definitions will keep going on for a while.

- Mapping document needs overhaul.

- Mike and I both are working on other RFCs, too. Anyone cares to join effort?

- Aim for jscalendarbis WGLC for IETF 117 (July 2023)?

- Some JMAP RFCs currently refer to jscalendar. Blocked by jscalendarbis?