

Cyclic Queuing and Forwarding with tagging for Deterministic Forwarding

draft-eckert-detnet-tcqf-04

Toerless Eckert, Futurewei USA (tte@cs.fau.de), Yizhou Li <liyizhou@huawei.com>
Stewart Bryant, U. of Surrey ICS (s.bryant@surrey.ac.uk), Andy Malis (agmalis@gmail.com),
Guangpeng Li <liguangpeng@huawei.com>, Shoushou Ren <renshoushou@huawei.com>,
Guangpeng Li <liguangpeng@huawei.com>, Fan Yang <shirley.yangfan@huawei.com>,
Jeong-dong Ryoo <ryoo@etri.re.kr>, Peng Liu <liupengyjy@chinamobile.com>

IETF117 Detnet WG meeting 07/26/2023, rev 1.0


Draft work -02 (IETF116) to -03

- Detailed presentation of mechanism from draft-eckert-detnet-tcqf-02 and draft-yizhou-detnet-ipv6-options-for-cqf-variant-01 at DetNet interim
 - Slides, recording see DetNet interim Wiki: <https://wiki.ietf.org/en/group/detnet/wmosq>
 - David raised question / possibility to merge.
- -03 performed merge of content/authors
- Detailed explanation of evolution from CQF to TCQF
 - CQF model, timing, challenges: buffer ambiguity upon reception
 - Solution with TCQF (tagging of packet), timing, summary of TCQF benefits
- Made forwarding specification independent of encap
 - Separate sections now for (non-exhaustive) encap options:
 - From -02: MPLS/TC, IP/IPv6 with DSCP
 - New IPv6 option header for TCQF “Deterministic IP” (DIP) option via 2 possible extension header alternatives), IANA considerations for it.

Draft independent

- Translation of CENI “Deterministic IP” (DIP = TCQF) high-speed/large-scale network validation test report
 - We used slides from mandarin version in our IETF116 presentation
- Now available with permission from CENI at:
 - https://github.com/network2030/publications/blob/main/CENI_DIP_Networking_Test_Report.pdf
- Also referenced in current draft.

Figure 2-1 Beijing-Nanjing thousand-kilometer loopback network deployment*



Draft work -03 to -04

- Following presentation of CSQF at DetNet interim
 - Draft-chen-detnet-sr-based-bounded-latency, See Detnet wiki for recording/slides
- Added appendix comparing TCQF/CSQF
 - CSQF moves hop-by-hop cycle mapping to packet metadata (Segment Routing SIDs).
 - Mostly subtle pro/cons for either option – best explored through deployment experience.
 - Any hardware can easily support both TCQF and CSQF.
 - Operator preference will be most important: CSQF is “SR version of TCQF”.
 - CSQF key additional functional benefit (not well quantified yet) in “frame-interleaving”. Discussed in new draft. (“better burst management”).
- After another review of CQF in IEEE spec:
 - CQF could support multiple independent instances of cycle buffers
 - selected by e.g.: packet priority.
 - Same could be done in TCQF
 - No evidence that we need this (CSQF for example is simpler), but want to make sure IEEE experts understand that – if needed - TCQF solution could support all options that CQF could.

Status / Open issues ?

- Draft is quite complete, has received significant review/validation.
- Other desirable DetNet components, such as “gates” would be beneficial in conjunction with TCQF:
 - See draft-eckert-detnet-frame-interleaving
- But should be considered independent from hop-by-hop-forwarding
 - Same as e.g.: PREOF functions are also complementary to hop-by-hop forwarding but kept architecturally separate.