

A YANG Data Model for Microwave Radio Link

draft-ybam-rfc8561bis

<https://datatracker.ietf.org/doc/draft-ybam-rfc8561bis/>

J. Ahlberg (Ericsson)

S. Mansfield (Ericsson) - presenting

M. YE (Huawei)

D. Spreafico (Nokia)

X. Li (NEC)

Danilo Pala (Siae)

Status

- This -00 draft initiates a bis of RFC 8561 (YANG Model for Microwave Radio Link)
- The github is found here: <https://github.com/samans/draft-ybam-rfc8561bis>
- Weekly calls to discuss updates needed to existing RFC 8561 YANG model.
 - Flexibility needed to add coding-modulations without needing to update the RFC. See [Issue #13](#) for the discussion points.
 - Discussion of modeling related to single modulation and adaptive modulation, discussion of how to add information related to reference modulation for the adaptive case (See [Issue #16](#) and [Issue#20](#))
 - Flexible mechanism to provide the number of bonded carriers and protecting carriers related to a radio link. A solution has been added to the draft for consideration.
 - Editorial clean up of acronym section (among others)

Plan

- Discussion continues on github:
 - <https://github.com/samans/draft-ybam-rfc8561bis>
 - <https://github.com/samans/draft-ybam-rfc8561bis/issues>
- Weekly meetings
- Request working group adoption and increase awareness of the work among the working group to expand review.