


Validate Configured Subscription YANG- Push Publisher Implementations NETCONF & NMOP WG



IETF 119
March 16-17th, 2024
Hackathon

Hackathon – Plan, Software, Repo

Plan

- Validate work in progress vendor YANG-Push publisher implementations.
- Configure RFC 8641 compliant YANG-Push configured subscription.
- Verify output in packet capture before YANG-Push receiver and after transformation.

Software

- 6WIND VSR 3.8
- Huawei VRP 8.230 C10SPC305T
- Pmacct 1.7.10 (20240314.1.7fae9b2-1.e18)

Test Repository

- <https://github.com/network-analytics/ietf-network-analytics-document-status/tree/main/119/Hackathon>

An Architecture for YANG-Push to Apache Kafka Integration

draft-netana-nmop-yang-kafka-integration




Figure 1: End to End Workflow

- Subscription to YANG Notifications for Datastore Updates [RFC 8641](#)
- UDP-based Transport for Configured Subscriptions [draft-ietf-netconf-udp-notif](#)
- Subscription to Distributed Notifications [draft-ietf-netconf-distributed-notif](#)
- Support of Hostname and Sequencing in YANG Notifications [draft-tgraf-netconf-notif-sequencing](#)
- Support of Versioning in YANG Notifications Subscription [draft-ietf-netconf-yang-notifications-versioning](#)
- Support of Network Observation Timestamping in YANG Notifications [draft-tgraf-netconf-yang-push-observation-time](#)
- YANG Library [RFC 8525](#)
- Augmented-by Addition into the IETF-YANG-Library [draft-linclanetconf-yang-library-augmentation](#)

Subscription Started Notifications (1)

```
{
  "ietf-subscribed-notifications:notification": {
    "eventTime": "2024-03-08T16:10:02.175903116+00:00",
    "sysName": "daisy-ietf-ipf-zbl1843-r-daisy-58",
    "publisherId": 0,
    "sequenceNumber": 1481,
    "ietf-subscribed-notifications:subscription-started": {
      "id": 12345678,
      "ietf-yang-push:datastore": "ietf-datastores:operational",
      "ietf-yang-push:datastore-xpath-filter":
"/state/vrf/interface/physical[name='ens192']/counters",
      "transport": "ietf-udp-notif-transport:udp-notif",
      "encoding": "encode-json",
      "purpose": "send notifications",
      "ietf-yang-push:periodic": {
        "period": 3000
      }
    }
  }
}
```

- **Support of Hostname and Sequencing in YANG Notifications**, [draft-tgraf-netconf-notif-sequencing](#), extends the NETCONF notification defined in RFC5277 with sysName, publisherId and sequenceNumber.

Subscription Started Notifications (2)

```
{
  "ietf-notification:notification": {
    "eventTime": "2024-03-12T23:20:24Z",
    "ietf-subscribed-notification:subscription-started": {
      "id": 1,
      "ietf-yang-push:datastore": "ietf-datastores:operational",
      "ietf-yang-push:datastore-xpath-filter":
"/ifm:ifm/ifm:interfaces/ifm:interface",
      "ietf-yang-push-revision:revision": "2024-01-23",
      "ietf-yang-push-revision:module-name": "ifm",
      "ietf-yang-push-revision:revision-label": "1.0.0",
      "ietf-distributed-notif:message-observation-domain-id":
[1,2],
      "transport": "ietf-udp-notif-transport:udp-notif",
      "encoding": "encode-json",
      "ietf-yang-push:periodic": {
        "ietf-yang-push:period": 60000
      }
    }
  }
}
```

- **Support of Versioning in YANG Notifications Subscription**, [draft-ietf-netconf-yang-notifications-versioning](#), adds the ability to subscribe to a specific revision or latest-compatible-semversion. Extends the YANG-Push Subscription State Change Notifications so that the receiver learns on top of xpath and the sub-tree filter also the YANG module name, revision and revision-label.

Push Update Notifications

```
{
  "ietf-subscribed-notifications:notification": {
    "eventTime": "2024-03-08T16:10:32.161541885+00:00",
    "sysName": "daisy-ietf-ipf-zbl1843-r-daisy-58",
    "publisherId": 0,
    "sequenceNumber": 1482,
    "ietf-yang-push:push-update": {
      "id": 12345678,
      "datastore-contents": {
        "vrouters:state": {
          "vrf": [
            {
              "name": "main",
              "vrouters-interface:interface": {
                "physical": [
                  {
                    "name": "ens192",
                    "counters": {
                      "in-octets": "8150384",
                      "in-unicast-pkts": "21684",
                      "in-discards": "17266",
                      "in-errors": "0",
                      "out-octets": "35215236",
                      "out-unicast-pkts": "392099",
                      "out-discards": "0",
                      "out-errors": "0"
                    }
                  }
                ]
              }
            }
          ]
        }
      }
    }
  }
}
```

- **Support of Hostname and Sequencing in YANG Notifications**, [draft-tgraf-netconf-notif-sequencing](#), extends the NETCONF notification defined in RFC5277 with sysName, publisherId and sequenceNumber.

Push Change Update Notifications

```
{
  "ietf-subscribed-notifications:notification": {
    "eventTime": "2024-03-08T16:34:07.776844449+00:00",
    "sysName": "daisy-ietf-ipf-zbl1843-r-daisy-58",
    "publisherId": 0,
    "sequenceNumber": 1515,
    "ietf-yang-push:push-change-update": {
      "id": 12345678,
      "datastore-changes": {
        "yang-patch": {
          "patch-id": "patch-4",
          "edit": [
            {
              "edit-id": "edit-1",
              "operation": "replace",
              "target": "/vrouters:state/vrf[name='main']/l3vrf[name='A9']/vrouters-
interface:interface/vrouter-loopback:loopback[name='Loopback-A9']/enabled",
              "value": {
                "vrouter-loopback:enabled": true
              }
            }
          ]
        }
      }
    },
    "ietf-yang-push-netobs-timestamping:state-changed-observation-time": "2024-
03-08T16:34:07.776739137+00:00"
  }
}
```

- **Support of Hostname and Sequencing in YANG Notifications**, [draft-tgraf-netconf-notif-sequencing](#), extends the NETCONF notification defined in RFC5277 with sysName, publisherId and sequenceNumber.
- **Support of Network Observation Timestamping in YANG Notifications**, [draft-tgraf-netconf-yang-push-observation-time](#), extends YANG-Push push-update notifications with observation-time and state-changed-observation-time.

YANG-Push Implementation Status

	6WIND VRP	Huawei VSR	Cisco IOS XR
RFC 8641 YANG-Push	x	x	
draft-ietf-netconf-udp-notif	x	x	
draft-ietf-netconf-distributed-notif	x	x	
draft-ietf-netconf-yang-notifications-versioning		x	
draft-tgraf-netconf-notif-sequencing	x		
draft-tgraf-netconf-yang-push-observation-time	x		
RFC 7895 YANG Module Library		x	
RFC 8525 YANG Library	x		x
draft-linclanetconf-yang-library-augmentation			



An Architecture for YANG-Push to Apache Kafka Integration


Status and Summary

Status

- draft-ietf-netconf-yang-notifications-versioning-03 was presented at NETCONF at IETF 118.
- draft-tgraf-netconf-notif-sequencing-02 was presented at NETCONF at IETF 118. Comments were addressed in -03.
- draft-tgraf-netconf-yang-push-observation-time was presented at NETCONF at IETF 116. Comments were addressed.
- draft-netana-nmop-yang-kafka-integration-01 was introduced at NMOP at IETF 119.

Summary

- draft-netana-nmop-yang-kafka-integration describes motivation, architecture and dependencies on YANG-Push, YANG Library and YANG enhancements.
- draft-ietf-netconf-yang-notifications-versioning, draft-tgraf-netconf-notif-sequencing and draft-tgraf-netconf-yang-push-observation-time describes YANG-Push subscription and notification enhancements.
- **Do you realize the benefit of having YANG-Push natively integrated into Apache Kafka?**
-> **What are your thoughts and comments?**
- **Do you agree on the shortcomings in YANG-Push, YANG Library and YANG and how they are addressed and validated? -> What are your thoughts and comments? Working group adoption?**



thomas.graf@swisscom.com

18. March 2024