

Validity of SR Policy Candidate Path

draft-chen-spring-sr-policy-cp-validity-03

Presenter: Ran Chen

Co-author: Ran Chen (ZTE)
Yisong Liu (CMCC)
Ketan Talaulikar (Cisco)
Samuel Sidor (Cisco)
Detao Zhao (ZTE)
Changwang Lin (H3C)
Zafar Ali (Cisco)


SPRING WG IETF-120 Meeting, July 2024

Introduction

- SR Policy architecture are specified in [RFC9256]. An SR Policy comprises one or more candidate paths (CP) of which at a given time one and only one may be active. Each CP in turn may have one or more SID-List of which one or more may be active. when multiple SID-List are active then traffic is load balanced over them. However, a CP is valid when at least one SID-List is active.
- This candidate path validity criterion cannot meet the needs of some scenarios.
- This document defines the new validity control parameters based on RFC9256.
- For the segment list invalidation rules, refer to RFC9256 and draft-liu-spring-sr-policy-flexible-path-selection. This document does not change the segment list invalidation rules.

Motivation

- The candidate path validity criterion defined in [RFC9256] can't meet the needs of the following scenarios:



- The CP1 carries a total of 200MB of traffic. Within the POL1, the flow-based hashing over its each SL with a ratio 50%, that is each SL carry 100MB of traffic. At this time, if one of the Segment Lists is invalids, the remaining Segment List cannot carry 200MB of traffic. However, the CP1 is still active.

Extensions

- Defines the following validity control parameters under candidate Path to control the validity judgment of candidate Path:
 - valid SL count: 8-bit value which indicates the minimum number of valid segment Lists under the active candidate path. 0 indicates no requirement for SL quantity. 0xff indicates that the candidate path is considered valid only if all the segment Lists are valid.
 - valid SL weight: 32-bit value which indicates the minimum value of the sum of the weights of the valid segment List under the active candidate Path. 0 indicates no requirement for weight. 0xffffffff indicates that the candidate path is considered valid only if all the segment Lists are valid.
- Candidate path is considered valid only if both validity control parameters are satisfied.

Updates since Last Presentation

- Clarifies the segment list invalidation rules refer to RFC9256 and draft-liu-spring-sr-policy-flexible-path-selection.
- Changes “valid SL quantity” to “valid SL count”, which is closer to common terms.
- Adds Yisong, Ketan, Samuel, and Zafar as co-author.

Next Step

- Comments welcome.
- WG adoption 😊

Thank you!